

# **RURAL CANCER REGISTRY, AHMEDABAD DISTRICT**

## **The Gujarat Cancer & Research Institute, Ahmedabad**

**Dr Shilin N. Shukla**, Principal Investigator

**Dr Parimal J. Jivarajani**, Co-Investigator

The Rural Cancer Registry, Ahmedabad District (RCR-AD) has been functioning in the department of Community Oncology and Medical Records at the Gujarat Cancer and Research Institute (GCRI) since January 2004 under the network of National Cancer Registry Programme (NCRP) of Indian Council of Medical Research, New Delhi. The main objective of the project is to assess the magnitude of different types of cancer in the rural areas of Ahmedabad District.

The registry area is situated in 23°30' North latitude and 72°40' East longitudes. Total area of the registry is 7677 km<sup>2</sup>, which covers 10 taluks and 548 villages. As per the census of 2001, total population of the registry area is 1.56 million with 733 per km<sup>2</sup> of population density having M:F sex ratio of 1000:892.

Rural Cancer Registry, Ahmedabad District receives good co-operation from more than 250 sources for data collection. The collaborating sources consist of municipal hospitals, government hospitals, corporate and trust hospitals, private oncologists, consultants and pathological labs. The base institution, GCRI is a Regional Cancer Centre and the only comprehensive centre for cancer treatment in Gujarat and contributes the major number of cases. The Birth & Death Registrar Office of the Ahmedabad Municipal Corporation and the District Panchayat office are also important sources of cases.

Case registration method for RCR-AD is active. A reliable data collection method has been established at G.C.R.I. Field Investigators fill the core proforma by direct interview with patient/relative at the time of case registration at GCRI every day. Government/Private hospitals, consultants and pathological labs are contacted regularly for cancer data collection. Mortality information is captured from the vital statistics offices. The information is collected in prescribed core proforma provided by NCRP. This is entered into PBCRDM 2.1 software developed by NCRP. Data thus accrued are sent to NCRP where a series of quality, duplicate and matching checks are carried out. After verification of the data, tables are generated and reports prepared for publication.

**Staff**


<b>Mr Himanshu V Patel</b>	:	Statistical Assistant, GCRI staff
<b>Mr Jayesh B Solanki</b>	:	Statistical Assistant, GCRI staff
<b>Ms Vishruti Pandya</b>	:	Jr. Statistical Assistant, GCRI staff
<b>Mr Kalpesh Upadhyay</b>	:	Field Worker, GCRI staff
<b>Mr Jignesh Patel</b>	:	Junior Clerk, GCRI staff
<b>Mr Himanshu Patel</b>	:	Junior Clerk, GCRI staff
<b>Mr Vishal Parmar</b>	:	Field Investigator, Project staff
<b>Miss Swati Rana</b>	:	Field Investigator, Project staff
<b>Miss Akruiti Trivedi</b>	:	Field Investigator, Project staff

**TABLE AHR-1: Main Sources of Registration of Incident Cases of Cancer: 2009-2010  
Ahmedabad Rural**

<b>Name of the Institution</b>	<b>Number</b>	<b>%</b>
The Gujarat Cancer & Research Institute	1355	78.7
Vedant Hospital	56	3.3
Apollo Hospital	47	2.7
Jilla Panchayat	41	2.4
Dr Dilip Shrinivasan	25	1.5
Others	197	11.4
<b>Total</b>	<b>1721</b>	<b>100.0</b>

1. Institutions listed have registered at least one percent of all cases in the registry for the combined years 2009-2010.
2. The numbers and proportion listed are the minimum number of cases. Institutions could have registered/ reported more cases, since duplicate registrations and non-resident/registry cases are not included.

**Figure AHR -1**  
**Population Pyramid showing Age Distribution: 2009-2010**  
**AHMEDABAD RURAL**



**TABLE AHR-2**  
**Population by Five Year Age Group and Gender: 2009-2010**  
*Number and Relative Proportion (%)*  
**AHMEDABAD RURAL**

Age Group	Males		Females	
	Number	%	Number	%
00-04	175621	10.02	144518	9.17
05-09	191115	10.90	154867	9.83
10-14	194115	11.08	159612	10.13
15-19	180790	10.32	161487	10.25
20-24	160639	9.17	140798	8.94
25-29	139411	7.95	129530	8.22
30-34	137247	7.83	131267	8.33
35-39	135288	7.72	124242	7.89
40-44	115923	6.61	100188	6.36
45-49	88890	5.07	81100	5.15
50-54	68154	3.89	59733	3.79
55-59	44738	2.55	49564	3.15
60-64	45258	2.58	48724	3.09
65-69	32534	1.86	36366	2.31
70-74	22463	1.28	25964	1.65
75+	20497	1.17	27466	1.74
<b>Total</b>	<b>1752683</b>	<b>100.00</b>	<b>1575426</b>	<b>100.00</b>

## TABLE AHR-3(a): Number of Incident Cancers by Five Year Age Group and Site (ICD-10): 2009-2010 - Males

*% = Relative Proportion of Cancers of All Sites.*

ICD-10	Site	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75+	Unkn	Total	%
C00	Lip	-	-	-	-	-	-	1	-	-	-	-	1	1	1	1	-	-	5	0.50
C01-C02	Tongue	-	-	-	-	2	4	13	17	17	13	16	15	16	9	7	5	-	134	13.47
C03-C06	Mouth	-	-	-	-	1	1	14	13	24	24	13	18	7	10	7	6	-	138	13.87
C07-C08	Salivary Gland	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	0.10
C09	Tonsil	-	-	-	-	-	1	-	1	2	4	3	6	5	1	-	1	-	24	2.41
C10	Oth. Oropharynx	-	-	-	-	-	-	-	1	1	-	1	1	1	1	2	-	-	8	0.80
C11	Nasopharynx	-	-	-	1	-	-	-	1	-	-	-	-	1	1	-	-	-	4	0.40
C12-C13	Hypopharynx	-	-	-	-	-	-	2	-	9	3	12	10	4	7	4	3	-	54	5.43
C14	Pharynx Unspecified	-	-	-	-	-	-	1	1	3	-	6	-	2	1	1	1	-	16	1.61
C15	Oesophagus	-	-	-	-	2	-	-	3	3	4	11	8	9	4	3	2	-	49	4.92
C16	Stomach	-	-	-	-	1	1	-	-	1	-	3	5	3	-	-	-	-	14	1.41
C17	Small Intestine	-	-	-	-	-	-	-	1	-	1	-	-	1	-	-	-	-	3	0.30
C18	Colon	-	-	-	-	1	-	1	-	2	2	3	7	1	1	3	1	-	22	2.21
C19-C20	Rectum	-	-	-	1	1	-	-	2	-	3	3	3	1	4	-	1	-	19	1.91
C21	Anus & Anal Canal	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	2	0.20
C22	Liver	-	1	-	-	-	-	-	-	2	2	1	3	7	3	3	3	-	25	2.51
C23-C24	Gallbladder etc.	-	-	-	-	-	-	-	-	-	-	3	1	-	2	-	1	-	7	0.70
C25	Pancreas	-	-	-	-	-	1	-	1	-	1	-	-	1	2	-	1	-	7	0.70
C30-C31	Nose, Sinuses etc.	-	-	-	-	-	-	2	-	2	1	1	1	1	1	1	-	-	10	1.01
C32	Larynx	-	-	-	-	-	-	-	1	-	3	8	5	8	3	3	8	-	39	3.92
C33-C34	Lung etc.	-	-	-	-	-	-	-	4	5	12	14	16	18	14	10	8	-	101	10.15
C37-C38	Other Thoracic Organs	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	2	0.20
C40-C41	Bone	-	2	-	1	-	1	-	1	-	-	1	-	-	-	-	-	-	6	0.60
C43	Melanoma of Skin	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	2	0.20
C44	Other Skin	-	-	-	-	-	-	2	-	-	1	3	-	-	1	-	1	-	8	0.80
C45	Mesothelioma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C46	Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C47+C49	Conn. & Soft Tissue	-	1	-	-	-	1	-	-	1	1	1	-	1	1	-	-	-	7	0.70
C50	Breast	-	-	-	-	-	-	-	-	-	2	1	1	-	-	1	-	-	5	0.50
C60	Penis	-	-	-	-	-	-	-	1	1	2	1	1	1	3	1	1	-	12	1.21
C61	Prostate	-	-	-	-	-	-	-	-	-	-	-	2	7	3	11	6	-	29	2.91
C62	Testis	-	-	-	1	2	2	1	3	1	1	-	-	-	-	-	-	-	11	1.11
C63	Other Male Genital	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C64	Kidney etc.	1	-	1	-	-	-	-	2	-	1	1	1	-	2	-	1	-	10	1.01
C65	Renal Pelvis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C66	Ureter	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C67	Bladder	-	-	-	-	-	-	-	-	-	-	3	1	2	4	1	4	-	15	1.51
C68	Uns.Urinary Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C69	Eye	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	0.40
C70-C72	Brain, NS	-	-	2	-	-	4	2	2	1	-	5	-	2	-	-	-	-	18	1.81
C73	Thyroid	-	-	-	-	1	-	-	-	-	1	-	2	-	1	-	-	-	5	0.50
C74	Adrenal Gland	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C81	Hodgkins Disease	1	-	-	2	-	-	2	-	-	2	-	1	1	-	-	-	-	9	0.90
C82-C85,C96	NHL	-	-	-	2	-	2	-	2	3	1	2	-	3	1	1	-	-	17	1.71
C88	Malig Imn.Prol D	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C90	Multiple Myeloma	-	-	-	-	-	1	-	-	-	-	-	1	-	1	1	-	-	4	0.40
C91	Lymphoid Leuk.	7	6	1	6	-	-	2	-	-	1	1	-	1	-	1	1	-	27	2.71
C92-C94	Myeloid Leukaemia	1	-	1	1	3	2	-	3	2	1	1	1	1	1	2	1	-	21	2.11
C95	Leukaemia Uns	1	1	-	1	-	-	1	-	1	1	-	1	-	-	1	1	-	9	0.90
O&U*	Other and Uns	-	-	-	-	-	1	1	3	6	11	11	14	15	11	11	8	-	92	9.25
	<b>All Sites</b>	<b>13</b>	<b>13</b>	<b>5</b>	<b>17</b>	<b>14</b>	<b>22</b>	<b>45</b>	<b>63</b>	<b>88</b>	<b>100</b>	<b>129</b>	<b>127</b>	<b>123</b>	<b>95</b>	<b>76</b>	<b>65</b>	<b>-</b>	<b>995</b>	<b>100.0</b>

\* O&U includes the Sites (ICD-10: C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)

## TABLE AHR-3(b): Number of Incident Cancers by Five Year Age Group and Site (ICD-10): 2009-2010 - Females

*% = Relative Proportion of Cancers of All Sites.*

ICD-10	Site	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75+	Unkn	Total	%
C00	Lip	-	-	-	-	1	-	-	-	-	-	1	-	1	-	1	-	-	4	0.55
C01-C02	Tongue	-	-	-	-	1	3	1	4	1	2	2	5	5	3	2	-	-	29	3.99
C03-C06	Mouth	-	-	-	-	1	1	3	6	4	6	2	2	9	2	1	3	-	40	5.51
C07-C08	Salivary Gland	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	3	0.41
C09	Tonsil	-	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-	3	0.41
C10	Oth. Oropharynx	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	0.14
C11	Nasopharynx	-	-	-	1	-	-	-	-	-	2	-	-	-	-	2	-	-	5	0.69
C12-C13	Hypopharynx	-	-	-	-	-	-	-	1	1	1	3	1	3	1	1	-	-	12	1.65
C14	Pharynx Unspecified	-	-	-	-	-	1	1	-	-	1	1	-	-	1	1	-	-	6	0.83
C15	Oesophagus	-	-	-	-	-	-	1	2	5	1	4	-	3	3	3	2	-	24	3.31
C16	Stomach	-	-	-	-	-	-	1	-	2	-	2	-	2	1	1	2	-	11	1.52
C17	Small Intestine	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C18	Colon	-	-	-	-	-	-	1	-	-	1	1	3	-	-	-	1	-	7	0.96
C19-C20	Rectum	-	-	-	-	-	-	1	1	1	1	-	-	1	1	1	-	-	7	0.96
C21	Anus & Anal Canal	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	1	-	3	0.41
C22	Liver	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	2	0.28
C23-C24	Gallbladder etc.	-	-	-	-	-	-	-	-	1	2	1	2	2	2	-	-	-	10	1.38
C25	Pancreas	-	-	-	-	-	-	-	1	1	1	-	1	-	-	-	-	-	4	0.55
C30-C31	Nose, Sinuses etc.	-	-	-	-	-	-	-	1	-	2	1	-	1	-	1	-	-	6	0.83
C32	Larynx	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	2	0.28
C33-C34	Lung etc.	-	-	-	-	-	-	2	-	3	3	3	1	4	1	1	-	-	18	2.48
C37-C38	Other Thoracic Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C40-C41	Bone	-	1	2	-	-	1	-	-	1	-	1	2	-	-	-	-	-	8	1.10
C43	Melanoma of Skin	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	0.14
C44	Other Skin	-	-	-	-	-	1	1	1	2	-	-	2	1	-	1	-	-	9	1.24
C45	Mesothelioma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C46	Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C47+C49	Conn. & Soft Tissue	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	3	0.41
C50	Breast	-	-	-	-	-	7	8	15	21	25	31	15	13	9	7	4	-	155	21.35
C51	Vulva	-	-	-	-	-	-	-	-	-	1	1	-	-	2	1	-	-	5	0.69
C52	Vagina	-	-	-	-	-	-	-	-	3	1	3	1	1	2	-	1	-	12	1.65
C53	Cervix Uteri	-	-	-	-	-	2	6	17	21	19	26	10	13	9	12	4	-	139	19.15
C54	Corpus Uteri	-	-	-	-	-	-	-	1	-	2	3	3	-	-	-	2	-	11	1.52
C55	Uterus Unspecified	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	3	0.41
C56	Ovary etc.	-	1	1	1	1	1	-	4	4	3	10	4	6	3	1	1	-	41	5.65
C57	Other Female Genital	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	0.14
C58	Placenta	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	0.14
C64	Kidney etc.	1	-	-	-	-	1	-	-	2	-	1	-	2	-	-	-	-	7	0.96
C65	Renal Pelvis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C66	Ureter	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C67	Bladder	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	2	0.28
C68	Uns.Urinary Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C69	Eye	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	0.14
C70-C72	Brain, NS	1	-	1	-	-	-	-	-	4	-	2	1	-	-	-	-	-	9	1.24
C73	Thyroid	-	-	-	1	1	1	1	5	-	1	1	-	1	2	-	-	-	14	1.93
C74	Adrenal Gland	1	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	3	0.41
C81	Hodgkins Disease	-	-	1	1	-	-	-	2	-	-	1	-	-	-	-	-	-	5	0.69
C82-C85,C96	NHL	-	2	1	-	-	-	4	-	-	-	1	-	2	2	2	-	-	14	1.93
C88	Malig Imn.Prof D	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C90	Multiple Myeloma	-	-	-	-	-	-	-	-	-	-	1	1	2	-	-	-	-	4	0.55
C91	Lymphoid Leuk.	1	1	-	-	-	-	-	1	-	2	-	-	3	-	1	1	-	10	1.38
C92-C94	Myeloid Leukaemia	1	1	1	1	3	5	1	-	1	4	3	-	1	1	-	-	-	23	3.17
C95	Leukaemia Uns	-	-	-	3	1	-	1	-	-	-	-	-	1	-	-	-	-	6	0.83
O&U*	Other and Uns	1	1	-	1	-	1	3	4	6	3	5	4	5	3	3	2	-	42	5.79
	<b>All Sites</b>	<b>7</b>	<b>8</b>	<b>8</b>	<b>10</b>	<b>9</b>	<b>26</b>	<b>37</b>	<b>68</b>	<b>87</b>	<b>87</b>	<b>111</b>	<b>62</b>	<b>87</b>	<b>51</b>	<b>42</b>	<b>26</b>	<b>-</b>	<b>726</b>	<b>100.0</b>

\* O&U includes the Sites (ICD-10: C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)

**TABLE AHR-4(a): Average Annual Age Specific, Crude (CR), Age Adjusted (AAR) (with Standard Error (SE)) and Truncated (35-64 yrs) (TR) Incidence Rate per 100,000 population: 2009-2010 - Males**

ICD-10	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	>75	CR	AAR	SE	TR
C00	-	-	-	-	-	-	0.7	-	-	-	-	2.2	2.2	3.1	4.5	-	0.3	0.40	0.18	0.6
C01-C02	-	-	-	-	1.2	2.9	9.5	12.6	14.7	14.6	23.5	33.5	35.4	27.7	31.2	24.4	7.6	9.28	0.83	20.8
C03-C06	-	-	-	-	0.6	0.7	10.2	9.6	20.7	27.0	19.1	40.2	15.5	30.7	31.2	29.3	7.9	9.47	0.84	21.4
C07-C08	-	-	-	-	-	-	-	-	0.9	-	-	-	-	-	-	-	0.1	0.05	0.05	0.2
C09	-	-	-	-	-	0.7	-	0.7	1.7	4.5	4.4	13.4	11.0	3.1	-	4.9	1.4	1.86	0.39	5.2
C10	-	-	-	-	-	-	-	0.7	0.9	-	1.5	2.2	2.2	3.1	8.9	-	0.5	0.62	0.22	1.1
C11	-	-	-	0.6	-	-	-	0.7	-	-	-	-	2.2	3.1	-	-	0.2	0.27	0.14	0.4
C12-C13	-	-	-	-	-	-	1.5	-	7.8	3.4	17.6	22.4	8.8	21.5	17.8	14.6	3.1	4.18	0.58	9.0
C14	-	-	-	-	-	-	0.7	0.7	2.6	-	8.8	-	4.4	3.1	4.5	4.9	0.9	1.14	0.29	2.6
C15	-	-	-	-	1.2	-	-	2.2	2.6	4.5	16.1	17.9	19.9	12.3	13.4	9.8	2.8	3.81	0.55	9.3
C16	-	-	-	-	0.6	0.7	-	-	0.9	-	4.4	11.2	6.6	-	-	-	0.8	1.09	0.30	3.2
C17	-	-	-	-	-	-	-	0.7	-	1.1	-	-	2.2	-	-	-	0.2	0.20	0.12	0.6
C18	-	-	-	-	0.6	-	0.7	-	1.7	2.2	4.4	15.6	2.2	3.1	13.4	4.9	1.3	1.72	0.37	3.8
C19-C20	-	-	-	0.6	0.6	-	-	1.5	-	3.4	4.4	6.7	2.2	12.3	-	4.9	1.1	1.43	0.34	2.8
C21	-	-	-	-	-	-	-	-	-	-	-	2.2	-	3.1	-	-	0.1	0.18	0.13	0.3
C22	-	0.5	-	-	-	-	-	-	1.7	2.2	1.5	6.7	15.5	9.2	13.4	14.6	1.4	2.09	0.42	3.9
C23-C24	-	-	-	-	-	-	-	-	-	-	4.4	2.2	-	6.1	-	4.9	0.4	0.59	0.23	1.0
C25	-	-	-	-	-	0.7	-	0.7	-	1.1	-	-	2.2	6.1	-	4.9	0.4	0.54	0.21	0.6
C30-C31	-	-	-	-	-	-	1.5	-	1.7	1.1	1.5	2.2	2.2	3.1	4.5	-	0.6	0.69	0.23	1.4
C32	-	-	-	-	-	-	-	0.7	-	3.4	11.7	11.2	17.7	9.2	13.4	39.0	2.2	3.31	0.54	6.4
C33-C34	-	-	-	-	-	-	-	3.0	4.3	13.5	20.5	35.8	39.8	43.0	44.5	39.0	5.8	8.26	0.83	17.1
C37-C38	-	-	-	-	-	-	-	-	-	-	-	-	4.4	-	-	-	0.1	0.18	0.12	0.6
C40-C41	-	1.0	-	0.6	-	0.7	-	0.7	-	-	1.5	-	-	-	-	-	0.3	0.33	0.14	0.4
C43	-	-	-	0.6	-	-	-	-	-	1.1	-	-	-	-	-	-	0.1	0.12	0.08	0.2
C44	-	-	-	-	-	-	1.5	-	-	1.1	4.4	-	-	3.1	-	4.9	0.5	0.56	0.21	0.9
C45	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C46	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C47+C49	-	0.5	-	-	-	0.7	-	-	0.9	1.1	1.5	-	2.2	3.1	-	-	0.4	0.48	0.19	0.9
C50	-	-	-	-	-	-	-	-	-	2.2	1.5	2.2	-	-	4.5	-	0.3	0.39	0.17	1.0
C60	-	-	-	-	-	-	-	0.7	0.9	2.2	1.5	2.2	2.2	9.2	4.5	4.9	0.7	0.95	0.28	1.6
C61	-	-	-	-	-	-	-	-	-	-	-	4.5	15.5	9.2	49.0	29.3	1.7	2.64	0.49	2.6
C62	-	-	-	0.6	1.2	1.4	0.7	2.2	0.9	1.1	-	-	-	-	-	-	0.6	0.56	0.17	0.8
C63	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C64	0.6	-	0.5	-	-	-	-	1.5	-	1.1	1.5	2.2	-	6.1	-	4.9	0.6	0.72	0.23	1.0
C65	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C66	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C67	-	-	-	-	-	-	-	-	-	-	4.4	2.2	4.4	12.3	4.5	19.5	0.9	1.33	0.35	1.6
C68	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C69	1.1	1.0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.2	0.24	0.12	-
C70-C72	-	-	1.0	-	-	2.9	1.5	1.5	0.9	-	7.3	-	4.4	-	-	-	1.0	1.09	0.27	2.2
C73	-	-	-	-	0.6	-	-	-	-	1.1	-	4.5	-	3.1	-	-	0.3	0.39	0.18	0.8
C74	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C81	0.6	-	-	1.1	-	-	1.5	-	-	2.2	-	2.2	2.2	-	-	-	0.5	0.57	0.20	1.0
C82-C85,C96	-	-	-	1.1	-	1.4	-	1.5	2.6	1.1	2.9	-	6.6	3.1	4.5	-	1.0	1.12	0.28	2.3
C88	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C90	-	-	-	-	-	0.7	-	-	-	-	-	2.2	-	3.1	4.5	-	0.2	0.33	0.17	0.3
C91	4.0	3.1	0.5	3.3	-	-	1.5	-	-	1.1	1.5	-	2.2	-	4.5	4.9	1.5	1.64	0.32	0.7
C92-C94	0.6	-	0.5	0.6	1.9	1.4	-	2.2	1.7	1.1	1.5	2.2	2.2	3.1	8.9	4.9	1.2	1.35	0.31	1.8
C95	0.6	0.5	-	0.6	-	-	0.7	-	0.9	1.1	-	2.2	-	-	4.5	4.9	0.5	0.61	0.21	0.7
O&U *	-	-	-	-	-	0.7	0.7	2.2	5.2	12.4	16.1	31.3	33.1	33.8	49.0	39.0	5.2	7.45	0.79	14.7
<b>All</b>	<b>7.4</b>	<b>6.8</b>	<b>2.6</b>	<b>9.4</b>	<b>8.7</b>	<b>15.8</b>	<b>32.8</b>	<b>46.6</b>	<b>75.9</b>	<b>112.5</b>	<b>189.3</b>	<b>283.9</b>	<b>271.8</b>	<b>292.0</b>	<b>338.3</b>	<b>317.1</b>	<b>56.8</b>	<b>74.2</b>	<b>2.42</b>	<b>147.7</b>

\* O&U includes the Sites (ICD-10: C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)

**TABLE AHR-4(b): Average Annual Age Specific, Crude (CR), Age Adjusted (AAR) (with Standard Error (SE)) and Truncated (35-64 yrs) (TR) Incidence Rate per 100,000 population: 2009-2010 - Females**

ICD-10	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	>75	CR	AAR	SE	TR
C00	-	-	-	-	0.7	-	-	-	-	-	1.7	-	2.1	-	3.9	-	0.3	0.30	0.15	0.5
C01-C02	-	-	-	-	0.7	2.3	0.8	3.2	1.0	2.5	3.3	10.1	10.3	8.2	7.7	-	1.8	2.07	0.39	4.5
C03-C06	-	-	-	-	0.7	0.8	2.3	4.8	4.0	7.4	3.3	4.0	18.5	5.5	3.9	10.9	2.5	2.76	0.44	6.6
C07-C08	-	-	-	-	-	-	-	-	-	-	-	2.0	2.1	2.7	-	-	0.2	0.25	0.14	0.5
C09	-	-	-	-	-	-	-	-	1.0	1.2	-	-	2.1	-	-	-	0.2	0.22	0.13	0.7
C10	-	-	-	-	-	-	-	-	-	-	1.7	-	-	-	-	-	0.1	0.08	0.08	0.3
C11	-	-	-	0.6	-	-	-	-	-	2.5	-	-	-	-	7.7	-	0.3	0.36	0.16	0.5
C12-C13	-	-	-	-	-	-	-	0.8	1.0	1.2	5.0	2.0	6.2	2.7	3.9	-	0.8	0.92	0.27	2.5
C14	-	-	-	-	-	0.8	0.8	-	-	1.2	1.7	-	-	2.7	3.9	-	0.4	0.42	0.18	0.5
C15	-	-	-	-	-	-	0.8	1.6	5.0	1.2	6.7	-	6.2	8.2	11.6	7.3	1.5	1.72	0.36	3.4
C16	-	-	-	-	-	-	0.8	-	2.0	-	3.3	-	4.1	2.7	3.9	7.3	0.7	0.80	0.25	1.5
C17	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C18	-	-	-	-	-	-	0.8	-	-	1.2	1.7	6.1	-	-	-	3.6	0.4	0.52	0.20	1.3
C19-C20	-	-	-	-	-	-	0.8	0.8	1.0	1.2	-	-	2.1	2.7	3.9	-	0.4	0.47	0.18	0.9
C21	-	-	-	-	-	-	-	-	1.0	-	-	-	-	2.7	-	3.6	0.2	0.22	0.13	0.2
C22	-	-	-	-	-	-	-	0.8	-	-	-	-	-	-	-	3.6	0.1	0.12	0.09	0.2
C23-C24	-	-	-	-	-	-	-	-	1.0	2.5	1.7	4.0	4.1	5.5	-	-	0.6	0.78	0.25	2.0
C25	-	-	-	-	-	-	-	0.8	1.0	1.2	-	2.0	-	-	-	-	0.3	0.26	0.13	0.8
C30-C31	-	-	-	-	-	-	-	0.8	-	2.5	1.7	-	2.1	-	3.9	-	0.4	0.44	0.18	1.2
C32	-	-	-	-	-	-	-	-	1.0	-	-	2.0	-	-	-	-	0.1	0.14	0.10	0.5
C33-C34	-	-	-	-	-	-	1.5	-	3.0	3.7	5.0	2.0	8.2	2.7	3.9	-	1.1	1.31	0.31	3.4
C37-C38	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C40-C41	-	0.6	1.3	-	-	0.8	-	-	1.0	-	1.7	4.0	-	-	-	-	0.5	0.54	0.19	1.0
C43	-	-	-	0.6	-	-	-	-	-	-	-	-	-	-	-	-	0.1	0.06	0.06	-
C44	-	-	-	-	-	0.8	0.8	0.8	2.0	-	-	4.0	2.1	-	3.9	-	0.6	0.60	0.20	1.3
C45	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C46	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C47+C49	0.7	-	0.6	-	-	0.8	-	-	-	-	-	-	-	-	-	-	0.2	0.20	0.12	-
C50	-	-	-	-	-	5.4	6.1	12.1	21.0	30.8	51.9	30.3	26.7	24.7	27.0	14.6	9.8	11.08	0.90	28.1
C51	-	-	-	-	-	-	-	-	-	1.2	1.7	-	-	5.5	3.9	-	0.3	0.40	0.18	0.5
C52	-	-	-	-	-	-	-	-	3.0	1.2	5.0	2.0	2.1	5.5	-	3.6	0.8	0.91	0.26	2.2
C53	-	-	-	-	-	1.5	4.6	13.7	21.0	23.4	43.5	20.2	26.7	24.7	46.2	14.6	8.8	9.89	0.85	24.3
C54	-	-	-	-	-	-	-	0.8	-	2.5	5.0	6.1	-	-	-	7.3	0.7	0.84	0.25	2.2
C55	-	-	-	-	-	-	-	-	-	-	-	-	2.1	-	3.9	3.6	0.2	0.23	0.13	0.3
C56	-	0.6	0.6	0.6	0.7	0.8	-	3.2	4.0	3.7	16.7	8.1	12.3	8.2	3.9	3.6	2.6	3.00	0.48	7.4
C57	-	-	-	-	-	-	-	-	-	-	-	-	-	2.7	-	-	0.1	0.08	0.08	-
C58	-	-	-	-	-	-	0.8	-	-	-	-	-	-	-	-	-	0.1	0.05	0.05	-
C64	0.7	-	-	-	-	0.8	-	-	2.0	-	1.7	-	4.1	-	-	-	0.4	0.51	0.20	1.2
C65	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C66	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C67	-	-	-	-	-	-	-	-	-	1.2	-	-	2.1	-	-	-	0.1	0.16	0.11	0.5
C68	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C69	-	-	-	-	-	-	-	0.8	-	-	-	-	-	-	-	-	0.1	0.05	0.05	0.2
C70-C72	0.7	-	0.6	-	-	-	-	-	4.0	-	3.3	2.0	-	-	-	-	0.6	0.63	0.21	1.6
C73	-	-	-	0.6	0.7	0.8	0.8	4.0	-	1.2	1.7	-	2.1	5.5	-	-	0.9	0.87	0.24	1.6
C74	0.7	0.6	-	-	-	-	-	-	-	-	-	-	2.1	-	-	-	0.2	0.23	0.13	0.3
C81	-	-	0.6	0.6	-	-	-	1.6	-	-	1.7	-	-	-	-	-	0.3	0.29	0.13	0.6
C82-C85,C96	-	1.3	0.6	-	-	-	3.0	-	-	1.2	-	4.0	4.1	5.5	-	-	0.9	0.93	0.26	1.3
C88	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C90	-	-	-	-	-	-	-	-	-	-	1.7	2.0	4.1	-	-	-	0.3	0.33	0.16	1.1
C91	0.7	0.6	-	-	-	-	-	0.8	-	2.5	-	-	6.2	-	3.9	3.6	0.6	0.74	0.24	1.4
C92-C94	0.7	0.6	0.6	0.6	2.1	3.9	0.8	-	1.0	4.9	5.0	-	2.1	2.7	-	-	1.5	1.56	0.33	2.2
C95	-	-	-	1.9	0.7	-	0.8	-	-	-	-	-	2.1	-	-	-	0.4	0.35	0.15	0.3
O&U*	0.7	0.6	-	0.6	-	0.8	2.3	3.2	6.0	3.7	8.4	8.1	10.3	8.2	11.6	7.3	2.7	2.95	0.46	6.2
<b>All</b>	<b>4.8</b>	<b>5.2</b>	<b>5.0</b>	<b>6.2</b>	<b>6.4</b>	<b>20.1</b>	<b>28.2</b>	<b>54.7</b>	<b>86.8</b>	<b>107.3</b>	<b>185.8</b>	<b>125.1</b>	<b>178.6</b>	<b>140.2</b>	<b>161.8</b>	<b>94.7</b>	<b>46.1</b>	<b>51.6</b>	<b>1.95</b>	<b>117.3</b>

\* O&U includes the Sites (ICD-10: C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)



**TABLE AHR-5(a): Number (#) and Proportion (%) of Cancers by Site (ICD-10) and Method of Diagnosis: 2009-2010 - Males**

ICD-10	Site	Clinical		Microscopic		X-Ray/Imaging		DCO		Others		Unknown		Total	
		#	%	#	%	#	%	#	%	#	%	#	%	#	%
C00	Lip	-	-	5	100.0	-	-	-	-	-	-	-	-	5	100.0
C01-C02	Tongue	3	2.2	131	97.8	-	-	-	-	-	-	-	-	134	100.0
C03-C06	Mouth	3	2.2	135	97.8	-	-	-	-	-	-	-	-	138	100.0
C07-C08	Salivary Gland	-	-	1	100.0	-	-	-	-	-	-	-	-	1	100.0
C09	Tonsil	-	-	24	100.0	-	-	-	-	-	-	-	-	24	100.0
C10	Oth. Oropharynx	-	-	8	100.0	-	-	-	-	-	-	-	-	8	100.0
C11	Nasopharynx	-	-	4	100.0	-	-	-	-	-	-	-	-	4	100.0
C12-C13	Hypopharynx	-	-	54	100.0	-	-	-	-	-	-	-	-	54	100.0
C14	Pharynx Unspecified	-	-	16	100.0	-	-	-	-	-	-	-	-	16	100.0
C15	Oesophagus	2	4.1	46	93.9	-	-	-	-	1	2.0	-	-	49	100.0
C16	Stomach	1	7.1	13	92.9	-	-	-	-	-	-	-	-	14	100.0
C17	Small Intestine	-	-	3	100.0	-	-	-	-	-	-	-	-	3	100.0
C18	Colon	2	9.1	20	90.9	-	-	-	-	-	-	-	-	22	100.0
C19-C20	Rectum	-	-	19	100.0	-	-	-	-	-	-	-	-	19	100.0
C21	Anus & Anal Canal	-	-	2	100.0	-	-	-	-	-	-	-	-	2	100.0
C22	Liver	1	4.0	24	96.0	-	-	-	-	-	-	-	-	25	100.0
C23-C24	Gallbladder etc.	-	-	7	100.0	-	-	-	-	-	-	-	-	7	100.0
C25	Pancreas	-	-	6	85.7	-	-	1	14.3	-	-	-	-	7	100.0
C30-C31	Nose, Sinuses etc.	-	-	10	100.0	-	-	-	-	-	-	-	-	10	100.0
C32	Larynx	1	2.6	38	97.4	-	-	-	-	-	-	-	-	39	100.0
C33-C34	Lung etc.	3	3.0	93	92.1	1	1.0	4	4.0	-	-	-	-	101	100.0
C37-C38	Other Thoracic Organs	-	-	2	100.0	-	-	-	-	-	-	-	-	2	100.0
C40-C41	Bone	-	-	6	100.0	-	-	-	-	-	-	-	-	6	100.0
C43	Melanoma of Skin	-	-	2	100.0	-	-	-	-	-	-	-	-	2	100.0
C44	Other Skin	-	-	8	100.0	-	-	-	-	-	-	-	-	8	100.0
C45	Mesothelioma	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C46	Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C47+C49	Conn. & Soft Tissue	-	-	7	100.0	-	-	-	-	-	-	-	-	7	100.0
C50	Breast	-	-	5	100.0	-	-	-	-	-	-	-	-	5	100.0
C60	Penis	-	-	12	100.0	-	-	-	-	-	-	-	-	12	100.0
C61	Prostate	2	6.9	27	93.1	-	-	-	-	-	-	-	-	29	100.0
C62	Testis	-	-	11	100.0	-	-	-	-	-	-	-	-	11	100.0
C63	Other Male Genital	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C64	Kidney etc.	-	-	9	90.0	-	-	1	10.0	-	-	-	-	10	100.0
C65	Renal Pelvis	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C66	Ureter	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C67	Bladder	-	-	15	100.0	-	-	-	-	-	-	-	-	15	100.0
C68	Uns. Urinary Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C69	Eye	-	-	4	100.0	-	-	-	-	-	-	-	-	4	100.0
C70-C72	Brain, Nervous System	-	-	18	100.0	-	-	-	-	-	-	-	-	18	100.0
C73	Thyroid	-	-	5	100.0	-	-	-	-	-	-	-	-	5	100.0
C74	Adrenal Gland	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C81	Hodgkins Disease	-	-	9	100.0	-	-	-	-	-	-	-	-	9	100.0
C82-C85,C96	NHL	-	-	17	100.0	-	-	-	-	-	-	-	-	17	100.0
C88	Malign. Prol D	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C90	Multiple Myeloma	-	-	4	100.0	-	-	-	-	-	-	-	-	4	100.0
C91	Lymphoid Leuk.	-	-	27	100.0	-	-	-	-	-	-	-	-	27	100.0
C92-C94	Myeloid Leukaemia	-	-	21	100.0	-	-	-	-	-	-	-	-	21	100.0
C95	Leukaemia Uns	-	-	9	100.0	-	-	-	-	-	-	-	-	9	100.0
O&U*	Other and Uns	2	2.2	81	88.0	-	-	9	9.8	-	-	-	-	92	100.0
	<b>All Sites</b>	<b>20</b>	<b>2.0</b>	<b>958</b>	<b>96.3</b>	<b>1</b>	<b>0.1</b>	<b>15</b>	<b>1.5</b>	<b>1</b>	<b>0.1</b>	<b>-</b>	<b>-</b>	<b>995</b>	<b>100.0</b>

\* O&amp;U includes the Sites (ICD-10: C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)

**TABLE AHR-5(b): Number (#) and Proportion (%) of Cancers by Site (ICD-10) and Method of Diagnosis: 2009-2010 - Females**

ICD-10	Site	Clinical		Microscopic		X-Ray/Imaging		DCO		Others		Unknown		Total	
		#	%	#	%	#	%	#	%	#	%	#	%	#	%
C00	Lip	-	-	4	100.0	-	-	-	-	-	-	-	-	4	100.0
C01-C02	Tongue	-	-	29	100.0	-	-	-	-	-	-	-	-	29	100.0
C03-C06	Mouth	-	-	39	97.5	-	-	1	2.5	-	-	-	-	40	100.0
C07-C08	Salivary Gland	-	-	3	100.0	-	-	-	-	-	-	-	-	3	100.0
C09	Tonsil	-	-	3	100.0	-	-	-	-	-	-	-	-	3	100.0
C10	Oth. Oropharynx	-	-	1	100.0	-	-	-	-	-	-	-	-	1	100.0
C11	Nasopharynx	-	-	5	100.0	-	-	-	-	-	-	-	-	5	100.0
C12-C13	Hypopharynx	-	-	12	100.0	-	-	-	-	-	-	-	-	12	100.0
C14	Pharynx Unspecified	-	-	6	100.0	-	-	-	-	-	-	-	-	6	100.0
C15	Oesophagus	-	-	24	100.0	-	-	-	-	-	-	-	-	24	100.0
C16	Stomach	1	9.1	9	81.8	-	-	1	9.1	-	-	-	-	11	100.0
C17	Small Intestine	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C18	Colon	-	-	7	100.0	-	-	-	-	-	-	-	-	7	100.0
C19-C20	Rectum	-	-	7	100.0	-	-	-	-	-	-	-	-	7	100.0
C21	Anus & Anal Canal	-	-	3	100.0	-	-	-	-	-	-	-	-	3	100.0
C22	Liver	-	-	2	100.0	-	-	-	-	-	-	-	-	2	100.0
C23-C24	Gallbladder etc.	-	-	9	90.0	1	10.0	-	-	-	-	-	-	10	100.0
C25	Pancreas	2	50.0	2	50.0	-	-	-	-	-	-	-	-	4	100.0
C30-C31	Nose, Sinuses etc.	-	-	6	100.0	-	-	-	-	-	-	-	-	6	100.0
C32	Larynx	-	-	2	100.0	-	-	-	-	-	-	-	-	2	100.0
C33-C34	Lung etc.	1	5.6	17	94.4	-	-	-	-	-	-	-	-	18	100.0
C37-C38	Other Thoracic Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C40-C41	Bone	-	-	8	100.0	-	-	-	-	-	-	-	-	8	100.0
C43	Melanoma of Skin	-	-	1	100.0	-	-	-	-	-	-	-	-	1	100.0
C44	Other Skin	-	-	8	88.9	-	-	-	-	1	11.1	-	-	9	100.0
C45	Mesothelioma	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C46	Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C47+C49	Conn. & Soft Tissue	-	-	3	100.0	-	-	-	-	-	-	-	-	3	100.0
C50	Breast	4	2.6	150	96.8	-	-	1	0.6	-	-	-	-	155	100.0
C51	Vulva	-	-	5	100.0	-	-	-	-	-	-	-	-	5	100.0
C52	Vagina	-	-	12	100.0	-	-	-	-	-	-	-	-	12	100.0
C53	Cervix Uteri	3	2.2	133	95.7	1	0.7	2	1.4	-	-	-	-	139	100.0
C54	Corpus Uteri	-	-	11	100.0	-	-	-	-	-	-	-	-	11	100.0
C55	Uterus Unspecified	-	-	1	33.3	-	-	2	66.7	-	-	-	-	3	100.0
C56	Ovary etc.	2	4.9	37	90.2	-	-	-	-	2	4.9	-	-	41	100.0
C57	Other Female Genital	-	-	1	100.0	-	-	-	-	-	-	-	-	1	100.0
C58	Placenta	-	-	1	100.0	-	-	-	-	-	-	-	-	1	100.0
C64	Kidney etc.	-	-	7	100.0	-	-	-	-	-	-	-	-	7	100.0
C65	Renal Pelvis	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C66	Ureter	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C67	Bladder	-	-	2	100.0	-	-	-	-	-	-	-	-	2	100.0
C68	Uns.Urinary Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C69	Eye	-	-	1	100.0	-	-	-	-	-	-	-	-	1	100.0
C70-C72	Brain, Nervous System	-	-	9	100.0	-	-	-	-	-	-	-	-	9	100.0
C73	Thyroid	-	-	14	100.0	-	-	-	-	-	-	-	-	14	100.0
C74	Adrenal Gland	-	-	3	100.0	-	-	-	-	-	-	-	-	3	100.0
C81	Hodgkins Disease	-	-	5	100.0	-	-	-	-	-	-	-	-	5	100.0
C82-C85,C96	NHL	-	-	14	100.0	-	-	-	-	-	-	-	-	14	100.0
C88	Malig Imn.Prol D	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C90	Multiple Myeloma	-	-	4	100.0	-	-	-	-	-	-	-	-	4	100.0
C91	Lymphoid Leuk.	-	-	10	100.0	-	-	-	-	-	-	-	-	10	100.0
C92-C94	Myeloid Leukaemia	-	-	23	100.0	-	-	-	-	-	-	-	-	23	100.0
C95	Leukaemia Uns	-	-	6	100.0	-	-	-	-	-	-	-	-	6	100.0
O&U*	Other and Uns	-	-	39	92.9	-	-	2	4.8	1	2.4	-	-	42	100.0
	<b>All Sites</b>	<b>13</b>	<b>1.8</b>	<b>698</b>	<b>96.1</b>	<b>2</b>	<b>0.3</b>	<b>9</b>	<b>1.2</b>	<b>4</b>	<b>0.6</b>	-	-	<b>726</b>	<b>100.0</b>

\* O&amp;U includes the Sites (ICD-10: C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)

**TABLE AHR-6(a): Number (#) and Proportion (%) of Cancers by Site (ICD-10) and Detailed Microscopic Diagnosis: 2009-2010 - Males**

ICD-10	Site	Pri. Hist		Sec. Hist		Cytology		Blood Film		Bone Marrow		Others		Total	
		#	%	#	%	#	%	#	%	#	%	#	%	#	%
C00	Lip	5	100.0	-	-	-	-	-	-	-	-	-	-	5	100.0
C01-C02	Tongue	130	97.0	-	-	1	0.7	-	-	-	-	3	2.2	134	100.0
C03-C06	Mouth	134	97.1	-	-	1	0.7	-	-	-	-	3	2.2	138	100.0
C07-C08	Salivary Gland	1	100.0	-	-	-	-	-	-	-	-	-	-	1	100.0
C09	Tonsil	23	95.8	-	-	1	4.2	-	-	-	-	-	-	24	100.0
C10	Oth. Oropharynx	8	100.0	-	-	-	-	-	-	-	-	-	-	8	100.0
C11	Nasopharynx	4	100.0	-	-	-	-	-	-	-	-	-	-	4	100.0
C12-C13	Hypopharynx	53	98.1	-	-	1	1.9	-	-	-	-	-	-	54	100.0
C14	Pharynx Unspecified	16	100.0	-	-	-	-	-	-	-	-	-	-	16	100.0
C15	Oesophagus	46	93.9	-	-	-	-	-	-	-	-	3	6.1	49	100.0
C16	Stomach	13	92.9	-	-	-	-	-	-	-	-	1	7.1	14	100.0
C17	Small Intestine	3	100.0	-	-	-	-	-	-	-	-	-	-	3	100.0
C18	Colon	20	90.9	-	-	-	-	-	-	-	-	2	9.1	22	100.0
C19-C20	Rectum	19	100.0	-	-	-	-	-	-	-	-	-	-	19	100.0
C21	Anus & Anal Canal	2	100.0	-	-	-	-	-	-	-	-	-	-	2	100.0
C22	Liver	23	92.0	-	-	1	4.0	-	-	-	-	1	4.0	25	100.0
C23-C24	Gallbladder etc.	7	100.0	-	-	-	-	-	-	-	-	-	-	7	100.0
C25	Pancreas	6	85.7	-	-	-	-	-	-	-	-	1	14.3	7	100.0
C30-C31	Nose, Sinuses etc.	10	100.0	-	-	-	-	-	-	-	-	-	-	10	100.0
C32	Larynx	38	97.4	-	-	-	-	-	-	-	-	1	2.6	39	100.0
C33-C34	Lung etc.	58	57.4	1	1.0	34	33.7	-	-	-	-	8	7.9	101	100.0
C37-C38	Other Thoracic Organs	1	50.0	-	-	1	50.0	-	-	-	-	-	-	2	100.0
C40-C41	Bone	6	100.0	-	-	-	-	-	-	-	-	-	-	6	100.0
C43	Melanoma of Skin	2	100.0	-	-	-	-	-	-	-	-	-	-	2	100.0
C44	Other Skin	7	87.5	-	-	1	12.5	-	-	-	-	-	-	8	100.0
C45	Mesothelioma	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C46	Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C47+C49	Conn. & Soft Tissue	7	100.0	-	-	-	-	-	-	-	-	-	-	7	100.0
C50	Breast	5	100.0	-	-	-	-	-	-	-	-	-	-	5	100.0
C60	Penis	12	100.0	-	-	-	-	-	-	-	-	-	-	12	100.0
C61	Prostate	27	93.1	-	-	-	-	-	-	-	-	2	6.9	29	100.0
C62	Testis	11	100.0	-	-	-	-	-	-	-	-	-	-	11	100.0
C63	Other Male Genital	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C64	Kidney etc.	8	80.0	1	10.0	-	-	-	-	-	-	1	10.0	10	100.0
C65	Renal Pelvis	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C66	Ureter	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C67	Bladder	15	100.0	-	-	-	-	-	-	-	-	-	-	15	100.0
C68	Uns. Urinary Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C69	Eye	4	100.0	-	-	-	-	-	-	-	-	-	-	4	100.0
C70-C72	Brain, Nervous System	18	100.0	-	-	-	-	-	-	-	-	-	-	18	100.0
C73	Thyroid	5	100.0	-	-	-	-	-	-	-	-	-	-	5	100.0
C74	Adrenal Gland	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C81	Hodgkins Disease	9	100.0	-	-	-	-	-	-	-	-	-	-	9	100.0
C82-C85,C96	NHL	17	100.0	-	-	-	-	-	-	-	-	-	-	17	100.0
C88	Malig Imn.Prol D	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C90	Multiple Myeloma	1	25.0	-	-	-	-	-	-	3	75.0	-	-	4	100.0
C91	Lymphoid Leuk.	-	-	-	-	-	-	-	-	27	100.0	-	-	27	100.0
C92-C94	Myeloid Leukaemia	-	-	-	-	-	-	-	-	21	100.0	-	-	21	100.0
C95	Leukaemia Uns	-	-	-	-	-	-	1	11.1	8	88.9	-	-	9	100.0
O&U*	Other and Uns	2	2.2	49	53.3	30	32.6	-	-	-	-	11	12.0	92	100.0
	<b>All Sites</b>	<b>776</b>	<b>78.0</b>	<b>51</b>	<b>5.1</b>	<b>71</b>	<b>7.1</b>	<b>1</b>	<b>0.1</b>	<b>59</b>	<b>5.9</b>	<b>37</b>	<b>3.7</b>	<b>995</b>	<b>100.0</b>

\* O&amp;U includes the Sites ( ICD-10: C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)

**TABLE AHR-6(b): Number (#) and Proportion (%) of Cancers by Site (ICD-10) and Detailed Microscopic Diagnosis: 2009-2010 - Females**

ICD-10	Site	Pri. Hist		Sec. Hist		Cytology		Blood Film		Bone Marrow		Others		Total	
		#	%	#	%	#	%	#	%	#	%	#	%	#	%
C00	Lip	4	100.0	-	-	-	-	-	-	-	-	-	-	4	100.0
C01-C02	Tongue	29	100.0	-	-	-	-	-	-	-	-	-	-	29	100.0
C03-C06	Mouth	38	95.0	-	-	-	-	-	-	1	2.5	1	2.5	40	100.0
C07-C08	Salivary Gland	3	100.0	-	-	-	-	-	-	-	-	-	-	3	100.0
C09	Tonsil	3	100.0	-	-	-	-	-	-	-	-	-	-	3	100.0
C10	Oth. Oropharynx	1	100.0	-	-	-	-	-	-	-	-	-	-	1	100.0
C11	Nasopharynx	5	100.0	-	-	-	-	-	-	-	-	-	-	5	100.0
C12-C13	Hypopharynx	12	100.0	-	-	-	-	-	-	-	-	-	-	12	100.0
C14	Pharynx Unspecified	6	100.0	-	-	-	-	-	-	-	-	-	-	6	100.0
C15	Oesophagus	24	100.0	-	-	-	-	-	-	-	-	-	-	24	100.0
C16	Stomach	9	81.8	-	-	-	-	-	-	-	-	2	18.2	11	100.0
C17	Small Intestine	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C18	Colon	7	100.0	-	-	-	-	-	-	-	-	-	-	7	100.0
C19-C20	Rectum	7	100.0	-	-	-	-	-	-	-	-	-	-	7	100.0
C21	Anus & Anal Canal	3	100.0	-	-	-	-	-	-	-	-	-	-	3	100.0
C22	Liver	2	100.0	-	-	-	-	-	-	-	-	-	-	2	100.0
C23-C24	Gallbladder etc.	9	90.0	-	-	-	-	-	-	-	-	1	10.0	10	100.0
C25	Pancreas	2	50.0	-	-	-	-	-	-	-	-	2	50.0	4	100.0
C30-C31	Nose, Sinuses etc.	6	100.0	-	-	-	-	-	-	-	-	-	-	6	100.0
C32	Larynx	2	100.0	-	-	-	-	-	-	-	-	-	-	2	100.0
C33-C34	Lung etc.	16	88.9	-	-	1	5.6	-	-	-	-	1	5.6	18	100.0
C37-C38	Other Thoracic Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C40-C41	Bone	8	100.0	-	-	-	-	-	-	-	-	-	-	8	100.0
C43	Melanoma of Skin	1	100.0	-	-	-	-	-	-	-	-	-	-	1	100.0
C44	Other Skin	8	88.9	-	-	-	-	-	-	-	-	1	11.1	9	100.0
C45	Mesothelioma	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C46	Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C47+C49	Conn. & Soft Tissue	3	100.0	-	-	-	-	-	-	-	-	-	-	3	100.0
C50	Breast	148	95.5	-	-	2	1.3	-	-	-	-	5	3.2	155	100.0
C51	Vulva	5	100.0	-	-	-	-	-	-	-	-	-	-	5	100.0
C52	Vagina	12	100.0	-	-	-	-	-	-	-	-	-	-	12	100.0
C53	Cervix Uteri	133	95.7	-	-	-	-	-	-	-	-	6	4.3	139	100.0
C54	Corpus Uteri	11	100.0	-	-	-	-	-	-	-	-	-	-	11	100.0
C55	Uterus Unspecified	1	33.3	-	-	-	-	-	-	-	-	2	66.7	3	100.0
C56	Ovary etc.	35	85.4	1	2.4	1	2.4	-	-	-	-	4	9.8	41	100.0
C57	Other Female Genital	1	100.0	-	-	-	-	-	-	-	-	-	-	1	100.0
C58	Placenta	1	100.0	-	-	-	-	-	-	-	-	-	-	1	100.0
C64	Kidney etc.	7	100.0	-	-	-	-	-	-	-	-	-	-	7	100.0
C65	Renal Pelvis	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C66	Ureter	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C67	Bladder	2	100.0	-	-	-	-	-	-	-	-	-	-	2	100.0
C68	Uns. Urinary Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C69	Eye	1	100.0	-	-	-	-	-	-	-	-	-	-	1	100.0
C70-C72	Brain, Nervous System	9	100.0	-	-	-	-	-	-	-	-	-	-	9	100.0
C73	Thyroid	12	85.7	-	-	2	14.3	-	-	-	-	-	-	14	100.0
C74	Adrenal Gland	3	100.0	-	-	-	-	-	-	-	-	-	-	3	100.0
C81	Hodgkins Disease	5	100.0	-	-	-	-	-	-	-	-	-	-	5	100.0
C82-C85,C96	NHL	14	100.0	-	-	-	-	-	-	-	-	-	-	14	100.0
C88	Malig Imn.Prol D	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C90	Multiple Myeloma	-	-	-	-	-	-	-	-	4	100.0	-	-	4	100.0
C91	Lymphoid Leuk.	-	-	-	-	-	-	-	-	10	100.0	-	-	10	100.0
C92-C94	Myeloid Leukaemia	-	-	-	-	-	-	-	-	23	100.0	-	-	23	100.0
C95	Leukaemia Uns	-	-	-	-	-	-	1	16.7	5	83.3	-	-	6	100.0
O&U*	Other and Uns	3	7.1	22	52.4	14	33.3	-	-	-	-	3	7.1	42	100.0
	<b>All Sites</b>	<b>611</b>	<b>84.2</b>	<b>23</b>	<b>3.2</b>	<b>20</b>	<b>2.8</b>	<b>1</b>	<b>0.1</b>	<b>43</b>	<b>5.9</b>	<b>28</b>	<b>3.9</b>	<b>726</b>	<b>100.0</b>

\* O&amp;U includes the Sites ( ICD-10: C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)

## TABLE AHR-7(a): Number of Cancer Deaths by Five Year Age Group and Site (ICD-10): 2009-2010 – Males

%= Relative Proportion of Cancers of All Sites.

ICD-10	Site	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75+	Unkn	Total	%
C00	Lip	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	0.26
C01-C02	Tongue	-	-	-	-	-	-	1	7	2	7	7	5	6	2	3	1	-	41	10.65
C03-C06	Mouth	-	-	-	-	1	3	3	2	7	5	7	12	4	2	2	2	-	50	12.99
C07-C08	Salivary Gland	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	0.26
C09	Tonsil	-	-	-	-	-	-	-	1	-	2	-	3	2	1	2	-	-	11	2.86
C10	Oth. Oropharynx	-	-	-	-	-	-	-	-	1	-	2	3	-	1	-	-	-	7	1.82
C11	Nasopharynx	-	-	1	-	-	-	-	1	-	-	-	-	1	1	-	-	-	4	1.04
C12-C13	Hypopharynx	-	-	-	-	-	-	1	1	2	2	1	2	-	2	6	1	-	18	4.68
C14	Pharynx Unspecified	-	-	-	-	-	-	-	1	2	-	-	-	-	1	-	-	-	4	1.04
C15	Oesophagus	-	-	-	-	-	-	-	1	3	2	3	7	6	2	-	1	-	25	6.49
C16	Stomach	-	-	-	-	1	-	-	-	-	-	-	1	-	1	-	-	-	3	0.78
C17	Small Intestine	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	-	3	0.78
C18	Colon	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	1	1	4	1.04
C19-C20	Rectum	-	-	-	-	-	-	1	2	-	-	2	1	-	1	1	2	-	10	2.60
C21	Anus & Anal Canal	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	0.26
C22	Liver	-	-	-	-	-	-	-	-	1	-	1	2	3	2	1	1	-	11	2.86
C23-C24	Gallbladder etc.	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	3	0.78
C25	Pancreas	-	-	-	-	-	1	-	-	-	1	-	-	1	-	-	-	-	3	0.78
C30-C31	Nose, Sinuses etc.	-	-	-	-	1	-	-	-	-	-	-	1	-	-	1	-	-	3	0.78
C32	Larynx	-	-	-	-	-	-	-	-	1	-	1	-	3	2	-	-	-	7	1.82
C33-C34	Lung etc.	-	-	-	-	-	1	-	-	1	3	10	9	7	9	5	4	-	49	12.73
C37-C38	Other Thoracic Organs	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	0.26
C40-C41	Bone	-	1	-	1	-	1	-	-	-	-	1	1	-	-	-	-	-	5	1.30
C43	Melanoma of Skin	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C44	Other Skin	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	2	0.52
C45	Mesothelioma	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	0.26
C46	Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C47 + C49	Conn. & Soft Tissue	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	2	0.52
C50	Breast	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	2	0.52
C60	Penis	-	-	-	-	-	-	1	-	3	-	-	-	-	-	-	1	-	5	1.30
C61	Prostate	-	-	-	-	-	-	-	-	-	-	1	-	3	2	1	-	-	7	1.82
C62	Testis	-	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-	-	3	0.78
C63	Other Male Genital	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C64	Kidney etc.	-	-	1	-	-	-	-	1	-	-	2	-	-	1	-	-	-	5	1.30
C65	Renal Pelvis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C66	Ureter	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C67	Bladder	-	-	-	-	-	1	-	-	-	-	-	1	1	1	-	1	-	5	1.30
C68	Uns. Urinary Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C69	Eye	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C70-C72	Brain, NS	1	-	-	-	-	-	-	2	-	1	2	-	1	-	-	-	-	7	1.82
C73	Thyroid	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	0.26
C74	Adrenal Gland	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	2	0.52
C81	Hodgkins Disease	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	0.26
C82-C85,C96	NHL	-	-	-	-	-	1	1	-	-	1	-	-	2	2	-	-	-	7	1.82
C88	Malignant Imm. Prol D	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C90	Multiple Myeloma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C91	Lymphoid Leuk.	2	1	-	4	-	-	-	-	-	-	-	-	1	-	1	1	-	10	2.60
C92-C94	Myeloid Leukaemia	1	-	-	1	1	-	1	-	1	-	1	1	1	1	-	-	-	8	2.08
C95	Leukaemia Uns	1	-	-	-	1	-	-	-	1	1	-	1	-	-	-	1	-	6	1.56
O&U*	Other and Uns	-	-	-	-	-	-	-	3	2	8	6	5	7	7	5	3	-	46	11.95
	<b>All Sites</b>	<b>5</b>	<b>2</b>	<b>3</b>	<b>6</b>	<b>6</b>	<b>9</b>	<b>9</b>	<b>25</b>	<b>29</b>	<b>36</b>	<b>50</b>	<b>57</b>	<b>51</b>	<b>43</b>	<b>31</b>	<b>22</b>	<b>1</b>	<b>385</b>	<b>100.00</b>

\* O&U includes the Sites (ICD-10: C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)

## TABLE AHR-7(b): Number of Cancer Deaths by Five Year Age Group and Site (ICD-10): 2009-2010 – Females

%= Relative Proportion of Cancers of All Sites.

ICD-10	Site	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75+	Unkn	Total	%
C00	Lip	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C01-C02	Tongue	-	-	-	1	-	-	-	-	2	2	2	4	1	-	1	-	-	13	5.04
C03-C06	Mouth	-	-	-	-	-	-	-	1	1	3	2	1	2	-	-	1	-	11	4.26
C07-C08	Salivary Gland	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	0.39
C09	Tonsil	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	0.39
C10	Oth. Oropharynx	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C11	Nasopharynx	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	0.39
C12-C13	Hypopharynx	-	-	-	-	-	1	-	2	1	1	1	-	1	1	-	-	-	8	3.10
C14	Pharynx Unspecified	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	2	0.78
C15	Oesophagus	-	-	-	-	-	-	1	1	3	3	5	1	1	-	2	1	-	18	6.98
C16	Stomach	-	-	-	-	-	-	-	-	2	-	-	-	1	-	-	1	-	4	1.55
C17	Small Intestine	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	0.39
C18	Colon	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	2	0.78
C19-C20	Rectum	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	1	-	4	1.55
C21	Anus & Anal Canal	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	0.39
C22	Liver	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	0.39
C23-C24	Gallbladder etc.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C25	Pancreas	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C30-C31	Nose, Sinuses etc.	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	2	0.78
C32	Larynx	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C33-C34	Lung etc.	-	-	-	-	-	-	1	-	1	1	1	-	2	-	-	1	-	7	2.71
C37-C38	Other Thoracic Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C40-C41	Bone	-	-	1	-	-	-	-	1	-	-	-	-	1	-	-	-	-	3	1.16
C43	Melanoma of Skin	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	0.39
C44	Other Skin	1	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	3	1.16
C45	Mesothelioma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C46	Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C47+C49	Conn. & Soft Tissue	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	0.39
C50	Breast	-	-	-	-	-	-	1	5	5	7	8	7	4	6	2	1	-	46	17.83
C51	Vulva	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	2	0.78
C52	Vagina	-	-	-	-	-	-	-	-	-	1	1	-	1	2	-	1	-	6	2.33
C53	Cervix Uteri	-	-	-	-	-	-	4	3	6	6	7	2	8	6	2	3	-	47	18.22
C54	Corpus Uteri	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	0.39
C55	Uterus Unspecified	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	3	1.16
C56	Ovary etc.	-	1	-	-	-	-	-	-	2	2	2	1	1	1	-	-	-	10	3.88
C57	Other Female Genital	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	0.39
C58	Placenta	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C64	Kidney etc.	-	-	-	-	-	-	2	-	1	-	2	-	-	-	-	-	-	5	1.94
C65	Renal Pelvis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C66	Ureter	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C67	Bladder	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	0.39
C68	Uns.Urinary Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C69	Eye	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C70-C72	Brain, NS	-	-	-	1	1	-	-	-	2	-	1	1	-	-	-	-	-	6	2.33
C73	Thyroid	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	2	0.78
C74	Adrenal Gland	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	2	0.78
C81	Hodgkins Disease	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	3	1.16
C82-C85,C96	NHL	-	-	1	-	-	-	4	-	1	-	-	-	-	1	-	-	-	7	2.71
C88	Malig Imn.Prol D	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C90	Multiple Myeloma	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	0.39
C91	Lymphoid Leuk.	3	1	-	-	-	-	1	-	-	1	-	1	-	-	-	-	-	7	2.71
C92-C94	Myeloid Leukaemia	-	1	1	-	1	3	-	1	-	1	1	-	-	-	-	-	-	9	3.49
C95	Leukaemia Uns	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	2	0.78
O&U *	Other and Uns	1	-	-	-	-	1	3	1	1	-	1	1	1	1	1	-	-	12	4.65
	<b>All Sites</b>	<b>6</b>	<b>4</b>	<b>3</b>	<b>2</b>	<b>3</b>	<b>5</b>	<b>20</b>	<b>17</b>	<b>29</b>	<b>30</b>	<b>38</b>	<b>21</b>	<b>32</b>	<b>23</b>	<b>12</b>	<b>13</b>	<b>-</b>	<b>258</b>	<b>100.00</b>

\* O&U includes the Sites (ICD-10: C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)

**TABLE AHR-8(a): Average Annual Age Specific, Crude (CR), Age Adjusted (AAR) (with Standard Error (SE)) and Truncated (35-64 Yrs) (TR) Mortality Rate per 100,000 population: 2009-2010 - Males**

ICD-10	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	>75	CR	AAR	SE	TR
C00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4.5	-	0.1	0.1	0.09	-
C01-C02	-	-	-	-	-	-	0.7	5.2	1.7	7.9	10.3	11.2	13.3	6.1	13.4	4.9	2.3	3.0	0.48	7.7
C03-C06	-	-	-	-	0.6	2.2	2.2	1.5	6.0	5.6	10.3	26.8	8.8	6.1	8.9	9.8	2.9	3.6	0.53	8.8
C07-C08	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4.9	0.1	0.1	0.10	-
C09	-	-	-	-	-	-	-	0.7	-	2.2	-	6.7	4.4	3.1	8.9	-	0.6	0.9	0.27	2.0
C10	-	-	-	-	-	-	-	-	0.9	-	2.9	6.7	-	3.1	-	-	0.4	0.6	0.21	1.5
C11	-	-	0.5	-	-	-	-	0.7	-	-	-	-	2.2	3.1	-	-	0.2	0.3	0.14	0.4
C12-C13	-	-	-	-	-	-	0.7	0.7	1.7	2.2	1.5	4.5	-	6.1	26.7	4.9	1.0	1.4	0.34	1.7
C14	-	-	-	-	-	-	-	0.7	1.7	-	-	-	-	3.1	-	-	0.2	0.2	0.13	0.5
C15	-	-	-	-	-	-	-	0.7	2.6	2.2	4.4	15.6	13.3	6.1	-	4.9	1.4	2.0	0.41	5.5
C16	-	-	-	-	0.6	-	-	-	-	-	-	2.2	-	3.1	-	-	0.2	0.2	0.14	0.3
C17	-	-	-	-	-	-	-	0.7	-	-	2.9	-	-	-	-	-	0.2	0.2	0.11	0.6
C18	-	-	-	-	-	0.7	-	-	-	-	-	-	-	-	4.5	4.9	0.2	0.2	0.14	-
C19-C20	-	-	-	-	-	-	0.7	1.5	-	-	2.9	2.2	-	3.1	4.5	9.8	0.6	0.7	0.25	1.0
C21	-	-	-	-	-	-	-	-	-	-	-	-	-	3.1	-	-	0.1	0.1	0.09	-
C22	-	-	-	-	-	-	-	-	0.9	-	1.5	4.5	6.6	6.1	4.5	4.9	0.6	0.9	0.29	1.8
C23-C24	-	-	-	-	-	-	-	-	-	1.1	1.5	-	2.2	-	-	-	0.2	0.2	0.13	0.7
C25	-	-	-	-	-	0.7	-	-	-	1.1	-	-	2.2	-	-	-	0.2	0.2	0.13	0.5
C30-C31	-	-	-	-	0.6	-	-	-	-	-	-	2.2	-	-	4.5	-	0.2	0.2	0.14	0.3
C32	-	-	-	-	-	-	-	-	0.9	-	1.5	-	6.6	6.1	-	-	0.4	0.6	0.22	1.3
C33-C34	-	-	-	-	-	0.7	-	-	0.9	3.4	14.7	20.1	15.5	27.7	22.3	19.5	2.8	4.1	0.60	7.8
C37-C38	-	-	-	-	-	-	-	-	-	-	-	-	2.2	-	-	-	0.1	0.1	0.09	0.3
C40-C41	-	0.5	-	0.6	-	0.7	-	-	-	-	1.5	2.2	-	-	-	-	0.3	0.3	0.15	0.5
C43	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C44	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4.5	4.9	0.1	0.2	0.13	-
C45	-	-	-	-	-	-	-	0.7	-	-	-	-	-	-	-	-	0.1	-	0.04	0.1
C46	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C47+C49	-	-	-	-	-	-	-	-	0.9	-	1.5	-	-	-	-	-	0.1	0.1	0.09	0.4
C50	-	-	-	-	-	-	-	-	-	-	-	2.2	-	3.1	-	-	0.1	0.2	0.13	0.3
C60	-	-	-	-	-	-	0.7	-	2.6	-	-	-	-	-	-	4.9	0.3	0.3	0.14	0.5
C61	-	-	-	-	-	-	-	-	-	-	1.5	-	6.6	6.1	4.5	-	0.4	0.6	0.23	1.1
C62	-	-	-	-	0.6	-	0.7	-	0.9	-	-	-	-	-	-	-	0.2	0.1	0.08	0.2
C63	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C64	-	-	0.5	-	-	-	-	0.7	-	-	2.9	-	-	3.1	-	-	0.3	0.3	0.15	0.6
C65	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C66	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C67	-	-	-	-	-	0.7	-	-	-	-	-	2.2	2.2	3.1	-	4.9	0.3	0.4	0.19	0.6
C68	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C69	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C70-C72	0.6	-	-	-	-	-	-	1.5	-	1.1	2.9	-	2.2	-	-	-	0.4	0.5	0.18	1.3
C73	-	-	-	-	-	-	-	-	0.9	-	-	-	-	-	-	-	0.1	0.1	0.05	0.2
C74	-	-	0.5	-	-	-	-	-	-	-	-	2.2	-	-	-	-	0.1	0.1	0.10	0.3
C81	-	-	-	-	-	-	-	-	-	1.1	-	-	-	-	-	-	0.1	0.1	0.07	0.2
C82-C85,C96	-	-	-	-	-	0.7	0.7	-	-	1.1	-	-	4.4	6.1	-	-	0.4	0.5	0.21	0.8
C88	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C90	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C91	1.1	0.5	-	2.2	-	-	-	-	-	-	-	-	2.2	-	4.5	4.9	0.6	0.7	0.22	0.3
C92-C94	0.6	-	-	0.6	0.6	-	-	0.7	-	1.1	-	2.2	2.2	3.1	-	-	0.5	0.5	0.20	0.9
C95	0.6	-	-	-	0.6	-	-	-	0.9	1.1	-	2.2	-	-	-	4.9	0.3	0.4	0.18	0.7
O&U *	-	-	-	-	-	-	-	2.2	1.7	9.0	8.8	11.2	15.5	21.5	22.3	14.6	2.6	3.7	0.55	7.4
All	2.8	1.0	1.5	3.3	3.7	6.5	6.6	18.5	25.0	40.5	73.4	127.4	112.7	132.2	138.0	107.3	22.0	29.3	1.53	59.1

\* O&U includes the Sites (ICD-10: C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)



**TABLE AHR-8(b): Average Annual Age Specific, Crude (CR), Age Adjusted (AAR) (with Standard Error (SE)) and Truncated (35-64 Yrs) (TR) Mortality Rate per 100,000 population: 2009-2010 - Females**

ICD-10	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	>75	CR	AAR	SE	TR
C00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C01-C02	-	-	-	0.6	-	-	-	-	2.0	2.5	3.3	8.1	2.1	-	3.9	-	0.8	1.0	0.27	2.7
C03-C06	-	-	-	-	-	-	-	0.8	1.0	3.7	3.3	2.0	4.1	-	-	3.6	0.7	0.8	0.25	2.4
C07-C08	-	-	-	-	-	-	-	0.8	-	-	-	-	-	-	-	-	0.1	-	0.05	0.2
C09	-	-	-	-	-	-	-	-	-	-	-	-	2.1	-	-	-	0.1	0.1	0.08	0.3
C10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C11	-	-	-	-	-	-	-	-	-	-	-	-	2.1	-	-	-	0.1	0.1	0.08	0.3
C12-C13	-	-	-	-	-	0.8	-	1.6	1.0	1.2	1.7	-	2.1	2.7	-	-	0.5	0.5	0.20	1.3
C14	-	-	-	-	-	-	0.8	-	1.0	-	-	-	-	-	-	-	0.1	0.1	0.08	0.2
C15	-	-	-	-	-	-	0.8	0.8	3.0	3.7	8.4	2.0	2.1	-	7.7	3.6	1.1	1.3	0.31	3.3
C16	-	-	-	-	-	-	-	-	2.0	-	-	-	2.1	-	-	3.6	0.3	0.3	0.14	0.7
C17	-	-	-	-	-	-	-	-	-	-	-	-	2.1	-	-	-	0.1	0.1	0.08	0.3
C18	-	-	-	-	-	-	-	-	-	-	-	-	2.1	-	-	3.6	0.1	0.2	0.11	0.3
C19-C20	-	-	-	-	-	-	-	-	-	-	1.7	-	2.1	2.7	-	3.6	0.3	0.3	0.16	0.5
C21	-	-	-	-	-	-	-	-	-	-	1.7	-	-	-	-	-	0.1	0.1	0.08	0.3
C22	-	-	-	-	-	-	-	-	-	-	-	-	2.1	-	-	-	0.1	0.1	0.08	0.3
C23-C24	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C25	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C30-C31	-	-	-	-	-	-	-	0.8	-	-	1.7	-	-	-	-	-	0.1	0.1	0.10	0.4
C32	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C33-C34	-	-	-	-	-	-	0.8	-	1.0	1.2	1.7	-	4.1	-	-	3.6	0.4	0.5	0.19	1.2
C37-C38	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C40-C41	-	-	0.6	-	-	-	-	0.8	-	-	-	-	2.1	-	-	-	0.2	0.2	0.11	0.4
C43	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.9	-	0.1	0.1	0.08	-
C44	0.7	-	-	-	-	-	-	-	-	1.2	-	2.0	-	-	-	-	0.2	0.2	0.14	0.5
C45	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C46	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C47+C49	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.9	-	0.1	0.1	0.08	-
C50	-	-	-	-	-	-	0.8	4.0	5.0	8.6	13.4	14.1	8.2	16.5	7.7	3.6	2.9	3.4	0.51	8.5
C51	-	-	-	-	-	-	0.8	-	-	-	-	-	-	2.7	-	-	0.1	0.1	0.09	-
C52	-	-	-	-	-	-	-	-	-	1.2	1.7	-	2.1	5.5	-	3.6	0.4	0.5	0.20	0.8
C53	-	-	-	-	-	-	3.0	2.4	6.0	7.4	11.7	4.0	16.4	16.5	7.7	10.9	3.0	3.4	0.50	7.6
C54	-	-	-	-	-	-	-	-	-	-	-	-	-	2.7	-	-	0.1	0.1	0.08	-
C55	-	-	-	-	-	-	-	-	-	-	-	-	-	2.7	3.9	3.6	0.2	0.2	0.13	-
C56	-	0.6	-	-	-	-	-	-	2.0	2.5	3.3	2.0	2.1	2.7	-	-	0.6	0.7	0.24	1.9
C57	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.9	-	0.1	0.1	0.08	-
C58	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C64	-	-	-	-	-	-	1.5	-	1.0	-	3.3	-	-	-	-	-	0.3	0.3	0.15	0.7
C65	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C66	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C67	-	-	-	-	-	-	-	-	-	-	1.7	-	-	-	-	-	0.1	0.1	0.08	0.3
C68	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C69	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C70-C72	-	-	-	0.6	0.7	-	-	-	2.0	-	1.7	2.0	-	-	-	-	0.4	0.4	0.16	0.9
C73	-	-	-	-	-	-	-	-	-	1.2	-	-	-	2.7	-	-	0.1	0.2	0.11	0.2
C74	0.7	-	-	-	-	-	-	-	-	-	-	-	2.1	-	-	-	0.1	0.2	0.12	0.3
C81	-	0.6	-	-	-	-	-	-	-	-	-	-	2.1	-	-	3.6	0.2	0.2	0.13	0.3
C82-C85,C96	-	-	0.6	-	-	-	3.0	-	1.0	-	-	-	-	2.7	-	-	0.4	0.4	0.15	0.2
C88	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C90	-	-	-	-	-	-	-	-	-	-	-	2.0	-	-	-	-	0.1	0.1	0.08	0.3
C91	2.1	0.6	-	-	-	-	0.8	-	-	1.2	-	2.0	-	-	-	-	0.4	0.5	0.20	0.5
C92-C94	-	0.6	0.6	-	0.7	2.3	-	0.8	-	1.2	1.7	-	-	-	-	-	0.6	0.6	0.19	0.7
C95	-	-	-	-	0.7	-	0.8	-	-	-	-	-	-	-	-	-	0.1	0.1	0.07	-
O&U *	0.7	-	-	-	-	0.8	2.3	0.8	1.0	-	1.7	2.0	2.1	2.7	3.9	-	0.8	0.8	0.24	1.1
<b>All</b>	<b>4.2</b>	<b>2.6</b>	<b>1.9</b>	<b>1.2</b>	<b>2.1</b>	<b>3.9</b>	<b>15.2</b>	<b>13.7</b>	<b>28.9</b>	<b>37.0</b>	<b>63.6</b>	<b>42.4</b>	<b>65.7</b>	<b>63.2</b>	<b>46.2</b>	<b>47.3</b>	<b>16.4</b>	<b>18.5</b>	<b>1.17</b>	<b>39.6</b>

\* O&U includes the Sites (ICD-10: C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)



**TABLE AHR-9(a): Cumulative Rate (Cu.Rate%) & Cumulative Risk (Cu.Risk)  
of individual sites (ICD-10) based on age specific rates  
(from 0-64 years and from 0-74 Years ) 2009-2010 - Males**

ICD-10	Site	0 - 64 Years		0 - 74 Years	
		Cu. Rate %	Cu. Risk	Cu. Rate%	Cu. Risk
C00	Lip	-	-	0.1	0.1
C01-C02	Tongue	0.7	0.7	1.0	1.0
C03-C06	Mouth	0.7	0.7	1.0	1.0
C07-C08	Salivary Gland	-	-	-	-
C09	Tonsil	0.2	0.2	0.2	0.2
C10	Oth. Oropharynx	-	-	0.1	0.1
C11	Nasopharynx	-	-	-	-
C12-C13	Hypopharynx	0.3	0.3	0.5	0.5
C14	Pharynx Unspecified	0.1	0.1	0.1	0.1
C15	Oesophagus	0.3	0.3	0.4	0.5
C16	Stomach	0.1	0.1	0.1	0.1
C17	Small Intestine	-	-	-	-
C18	Colon	0.1	0.1	0.2	0.2
C19-C20	Rectum	0.1	0.1	0.2	0.2
C21	Anus & Anal Canal	-	-	-	-
C22	Liver	0.1	0.1	0.3	0.3
C23-C24	Gallbladder etc.	-	-	0.1	0.1
C25	Pancreas	-	-	0.1	0.1
C30-C31	Nose, Sinuses etc.	0.1	0.1	0.1	0.1
C32	Larynx	0.2	0.2	0.3	0.3
C33-C34	Lung etc.	0.6	0.6	1.0	1.0
C37-C38	Other Thoracic Organs	-	-	-	-
C40-C41	Bone	-	-	-	-
C43	Melanoma of Skin	-	-	-	-
C44	Other Skin	-	-	0.1	0.1
C45	Mesothelioma	-	-	-	-
C46	Kaposi Sarcoma	-	-	-	-
C47+C49	Conn. & Soft Tissue	-	-	-	-
C50	Breast	-	-	0.1	0.1
C60	Penis	-	-	0.1	0.1
C61	Prostate	0.1	0.1	0.4	0.4
C62	Testis	-	-	-	-
C63	Other Male Genital	-	-	-	-
C64	Kidney etc.	-	-	0.1	0.1
C65	Renal Pelvis	-	-	-	-
C66	Ureter	-	-	-	-
C67	Bladder	0.1	0.1	0.1	0.1
C68	Uns.Urinary Organs	-	-	-	-
C69	Eye	-	-	-	-
C70-C72	Brain, Nervous System	0.1	0.1	0.1	0.1
C73	Thyroid	-	-	-	-
C74	Adrenal Gland	-	-	-	-
C81	Hodgkins Disease	-	-	-	-
C82-C85,C96	NHL	0.1	0.1	0.1	0.1
C88	Malig Imn.Prol D	-	-	-	-
C90	Multiple Myeloma	-	-	0.1	0.1
C91	Lymphoid Leuk.	0.1	0.1	0.1	0.1
C92-C94	Myeloid Leukaemia	0.1	0.1	0.1	0.1
C95	Leukaemia Uns	-	-	0.1	0.1
O&U*	Other and Uns	0.5	0.5	0.9	0.9
	<b>All Sites</b>	<b>5.32</b>	<b>5.18</b>	<b>8.47</b>	<b>8.12</b>

\* O&U includes the Sites (ICD-10: C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)

**TABLE AHR-9(b): Cumulative Rate (Cu.Rate%) & Cumulative Risk (Cu.Risk)  
of individual sites (ICD-10) based on age specific rates  
(from 0-64 years and from 0-74 Years ) 2009-2010 - Females**

ICD-10	Site	0 - 64 Years		0 - 74 Years	
		Cu. Rate %	Cu. Risk	Cu. Rate%	Cu. Risk
C00	Lip	-	-	-	-
C01-C02	Tongue	0.2	0.2	0.3	0.3
C03-C06	Mouth	0.2	0.2	0.3	0.3
C07-C08	Salivary Gland	-	-	-	-
C09	Tonsil	-	-	-	-
C10	Oth. Oropharynx	-	-	-	-
C11	Nasopharynx	-	-	0.1	0.1
C12-C13	Hypopharynx	0.1	0.1	0.1	0.1
C14	Pharynx Unspecified	-	-	0.1	0.1
C15	Oesophagus	0.1	0.1	0.2	0.2
C16	Stomach	0.1	0.1	0.1	0.1
C17	Small Intestine	-	-	-	-
C18	Colon	-	-	-	-
C19-C20	Rectum	-	-	0.1	0.1
C21	Anus & Anal Canal	-	-	-	-
C22	Liver	-	-	-	-
C23-C24	Gallbladder etc.	0.1	0.1	0.1	0.1
C25	Pancreas	-	-	-	-
C30-C31	Nose, Sinuses etc.	-	-	0.1	0.1
C32	Larynx	-	-	-	-
C33-C34	Lung etc.	0.1	0.1	0.2	0.2
C37-C38	Other Thoracic Organs	-	-	-	-
C40-C41	Bone	-	-	-	-
C43	Melanoma of Skin	-	-	-	-
C44	Other Skin	0.1	0.1	0.1	0.1
C45	Mesothelioma	-	-	-	-
C46	Kaposi Sarcoma	-	-	-	-
C47+C49	Conn. & Soft Tissue	-	-	-	-
C50	Breast	0.9	0.9	1.2	1.2
C51	Vulva	-	-	0.1	0.1
C52	Vagina	0.1	0.1	0.1	0.1
C53	Cervix Uteri	0.8	0.8	1.1	1.1
C54	Corpus Uteri	0.1	0.1	0.1	0.1
C55	Uterus Unspecified	-	-	-	-
C56	Ovary etc.	0.3	0.3	0.3	0.3
C57	Other Female Genital	-	-	-	-
C58	Placenta	-	-	-	-
C64	Kidney etc.	-	-	-	-
C65	Renal Pelvis	-	-	-	-
C66	Ureter	-	-	-	-
C67	Bladder	-	-	-	-
C68	Uns.Urinary Organs	-	-	-	-
C69	Eye	-	-	-	-
C70-C72	Brain, Nervous System	0.1	0.1	0.1	0.1
C73	Thyroid	0.1	0.1	0.1	0.1
C74	Adrenal Gland	-	-	-	-
C81	Hodgkins Disease	-	-	-	-
C82-C85,C96	NHL	0.1	0.1	0.1	0.1
C88	Malig Imn.Prol D	-	-	-	-
C90	Multiple Myeloma	-	-	-	-
C91	Lymphoid Leuk.	0.1	0.1	0.1	0.1
C92-C94	Myeloid Leukaemia	0.1	0.1	0.1	0.1
C95	Leukaemia Uns	-	-	-	-
O&U*	Other and Uns	0.2	0.2	0.3	0.3
	<b>All Sites</b>	<b>4.07</b>	<b>3.99</b>	<b>5.58</b>	<b>5.43</b>

\* O&U includes the Sites (ICD-10: C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)