

INDIVIDUAL REGISTRIES DATA

Write up and Selected Detailed Tabulations

		<u>Page Nos.</u>
Bangalore	-	212-229
Barshi Rural	-	230-247
Barshi Expanded	-	248-265
Bhopal	-	266-283
Chennai	-	284-301
Delhi	-	302-319
Mumbai	-	320-337
Cachar District	-	338-355
Dibrugarh District	-	356-373
Kamrup Urban District	-	374-391
Manipur State	-	392-441
Mizoram State	-	442-491
Sikkim State	-	492-509
Ahmedabad Rural	-	510-527
Ahmedabad Urban	-	528-545
Aurangabad	-	546-562
Kolkata	-	563-580
Kollam	-	581-598
Nagpur	-	599-616
Pune	-	617-634
Thiruvananthapuram	-	635-652
Meghalaya	-	653-687
Tripura State	-	688-705
Nagaland	-	706-723
Wardha	-	724-741
Pasighat	-	742-745
Naharlagun	-	746-748
Patiala	-	749-750

POPULATION BASED CANCER REGISTRY, BANGALORE

Kidwai Memorial Institute of Oncology, Bangalore

Dr M. Vijayakumar, Principal Investigator and Director, KMIO
Dr K. Ramachandra Reddy, Co-Principal Investigator & Head
Dr C. Ramesh, Co-Principal Investigator & Head (*from 30th Sep. 2011*)

Bangalore, the capital of the state of Karnataka is located on the Deccan Plateau in the south-eastern part of Karnataka. It is among the top 10 preferred entrepreneurial locations in the world. Bangalore referred to as the Garden City of India has an abundance of flora and fauna and enjoys a pleasant and equable climate throughout the year. Bangalore is one of the major economic centres and a leading Information Technology centre of India. Besides Kidwai Memorial Institute of Oncology (KMIO) where the Population Based Cancer Registry (PBCR) is housed, there are several other corporate/private hospitals which have come up in the last few years. They are providing cancer care and are contributing data to the PBCR of Bangalore.

The registry was established in 1981 as a part of the National Cancer Registry Programme of the Indian Council of Medical Research and is providing data on cancer cases from 1982. KMIO also has a Hospital Based Cancer Registry (HBCR) and more than one third cancer cases of PBCR are from the base institution. The PBCR is funded partly by the Indian Council of Medical Research (ICMR). The registry is headed by a Principal Investigator, who is the Director of the Institute, a Co-Principal Investigator, who is a Professor and Head of the Department of Epidemiology and Biostatistics which includes both PBCR and HBCR.

There are 475 data sources, comprising cancer hospitals, general and private hospitals, teaching hospitals, pathology laboratories, city corporation death units and the city municipal death registration offices. The registry staff visit the sources and scrutinize the records kept in the medical records and pathology departments. They abstract the information from the cases of the residents of the registry area (minimum duration of residence being one year).

When the registry was started in 1981 the area of Bangalore urban agglomeration was 191 sq. kms and at present it has expanded to 741 sq. kms. The 1991 census and 2001 census population figures are used to estimate population for the year under report using difference distribution method and the estimated population for the years 2008 and 2009 were 7.2 million and 7.5 million respectively. PBCR Bangalore covers about 0.6% of the national population and the childhood population (age 0-14 years) in the registry area is about 26%. During the year 2008-09, a total number of 13415 cancer cases were included with 6026 males and 7389 females (M:F sex ratio being 1:1.2). The crude incidence rate, age adjusted incidence rates and truncated incidence rates per 100,000 population were 78.4, 113.7 and 165.4 in males and 105.6, 137.2 and 270.8 in females respectively.

The collected data is transmitted to NCRP every year to further process the data and prepare consolidated reports. The data analyzed at the base institution is used for dissemination among the Governmental and Research agencies enabling for formulation and implementation of policies for cancer care and also for the purposes of creating awareness among the public for prevention and early detection of cancer.

**Staff of Department of Epidemiology and Biostatistics
(Population Based Cancer Registry), Bangalore**

Mr Vijay C.R.	:	Assistant Professor
Mr Krishna Reddy K.V.	:	Junior Biostatistician
Mr Gopalakrishnappa B.R.	:	Field Supervisor
Mr Venkatesh T.	:	Supervisor
Mr Srirama Reddy N.M.	:	Asst. Social Scientist
Mr Rajanna	:	Asst. Social Scientist
Mr Venugopal T.C.	:	Asst. Social Scientist
Mr Srinivasa	:	Asst. Social Scientist
Mr Dayananda C.S.	:	Asst. Social Scientist
Mr Manjunath P.	:	Asst. Social Scientist
Mrs Shoba H.N.	:	Second Division Clerk
Mr Kanthu K.	:	Attender

TABLE BLR-1: Main Sources of Registration of Incident Cases of Cancer: 2008-2009 - Bangalore

Name of the Institution	Number	%
Kidwai Memorial Institute of Oncology	3638	27.1
Bangalore Institute of Oncology	2515	18.7
M S Ramaiah Medical College	1191	8.9
Manipal Hospital	1061	7.9
Curie Institute of Oncology	705	5.3
St. John's Medical College and Hospital	678	5.1
Karunashraya Ausp Centre	574	4.3
Apollo Hospital	209	1.6
St. Marthas Hospital	199	1.5
Vaidehi Hospital	178	1.3
Bhagwan Mahaveer Jain Hospital	173	1.3
St. Philomenas Hospital	168	1.3
Others	2126	15.8
Total	13415	100.0

1. Institutions listed have registered at least one percent of all cases in the registry for the combined years 2008-2009.
2. The numbers and proportion listed are the minimum number of cases. Institutions could have registered/ reported more cases, since duplicate registrations and non-resident/registry cases are not included.

Figure BLR-1
Population Pyramid showing Age Distribution: 2008-2009
BANGALORE




TABLE BLR-2
Population by Five Year Age Group and Gender: 2008-2009
Number and Relative Proportion (%)
BANGALORE

Age Group	Males		Females	
	Number	%	Number	%
00-04	556120	7.23	511719	7.31
05-09	578748	7.53	551079	7.87
10-14	659341	8.58	612441	8.75
15-19	725342	9.43	683773	9.77
20-24	951064	12.37	833550	11.91
25-29	899422	11.70	830502	11.86
30-34	698881	9.09	592071	8.46
35-39	632878	8.23	604189	8.63
40-44	495514	6.44	421473	6.02
45-49	452967	5.89	398611	5.69
50-54	345501	4.49	290841	4.15
55-59	213167	2.77	191662	2.74
60-64	180586	2.35	165943	2.37
65-69	118957	1.55	125476	1.79
70-74	87785	1.14	87568	1.25
75+	92293	1.20	99377	1.42
Total	7688566	100.00	7000275	100.00

TABLE BLR-3(a): Number of Incident Cancers by Five Year Age Group and Site (ICD-10): 2008-2009 - Males

%= Relative Proportion of Cancers of All Sites.

ICD-10	Site	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75+	Unkn	Total	%
C00	Lip	-	-	-	-	-	-	-	-	-	-	1	1	2	2	1	1	-	8	0.13
C01-C02	Tongue	-	-	-	-	2	8	8	17	20	16	36	34	47	33	24	23	1	269	4.46
C03-C06	Mouth	-	-	-	-	-	2	9	16	11	25	32	40	28	39	16	18	-	236	3.92
C07-C08	Salivary Gland	-	-	-	1	2	2	1	1	-	3	3	4	4	5	4	1	-	31	0.51
C09	Tonsil	-	-	-	-	-	-	1	3	4	2	8	9	10	6	7	5	-	55	0.91
C10	Oth. Oropharynx	-	-	-	-	-	-	-	2	-	4	8	11	11	8	6	6	-	56	0.93
C11	Nasopharynx	-	1	1	1	-	3	4	1	1	3	6	4	5	-	1	-	-	31	0.51
C12-C13	Hypopharynx	-	-	-	-	-	1	2	5	6	23	21	29	25	45	29	33	-	219	3.63
C14	Pharynx Unspecified	-	-	-	-	-	-	1	3	-	3	6	13	10	10	5	6	-	57	0.95
C15	Oesophagus	-	-	-	-	-	-	4	10	9	28	43	66	57	60	45	59	2	383	6.36
C16	Stomach	-	-	-	-	2	7	9	14	23	43	47	81	75	70	51	55	-	477	7.92
C17	Small Intestine	-	-	-	-	-	-	-	-	-	1	3	3	2	-	1	7	-	17	0.28
C18	Colon	-	-	2	3	1	4	8	6	6	14	21	25	23	40	22	29	-	204	3.39
C19-C20	Rectum	-	-	-	2	2	11	9	8	15	16	18	34	35	42	28	33	-	253	4.20
C21	Anus & Anal Canal	-	-	-	-	-	2	-	2	-	1	4	3	5	1	3	2	-	23	0.38
C22	Liver	1	1	-	-	1	1	2	4	13	6	20	28	51	35	45	60	-	268	4.45
C23-C24	Gallbladder etc.	-	-	-	-	-	1	1	1	2	3	6	10	9	13	12	5	-	63	1.05
C25	Pancreas	-	-	-	2	-	2	-	2	8	10	17	11	10	11	12	15	-	100	1.66
C30-C31	Nose, Sinuses etc.	-	-	-	-	1	1	1	3	3	4	4	5	5	2	2	9	-	40	0.66
C32	Larynx	-	-	-	-	1	-	-	3	4	13	33	26	29	35	21	23	-	188	3.12
C33-C34	Lung etc.	-	-	-	-	-	3	9	6	15	26	47	70	84	87	86	98	1	532	8.83
C37-C38	Oth. Thoracic Organs	-	-	-	-	-	1	4	1	3	-	-	2	3	4	5	2	-	25	0.41
C40-C41	Bone	2	6	3	6	10	7	2	4	2	2	7	2	4	1	1	6	-	65	1.08
C43	Melanoma of Skin	-	1	-	-	-	1	-	-	1	-	-	3	1	2	2	-	-	11	0.18
C44	Other Skin	-	-	1	-	-	1	-	4	6	10	11	9	12	13	16	16	1	100	1.66
C45	Mesothelioma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C46	Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C47+C49	Conn. & Soft Tissue	2	1	1	3	3	5	4	3	2	1	6	5	6	3	-	2	-	47	0.78
C50	Breast	-	-	-	1	-	1	1	4	3	7	5	10	5	5	6	10	-	58	0.96
C60	Penis	-	-	-	-	-	4	1	6	7	2	11	7	8	3	5	9	-	63	1.05
C61	Prostate	-	-	-	-	-	-	-	-	1	1	15	31	61	66	84	146	1	406	6.74
C62	Testis	3	-	-	1	2	12	6	6	5	1	1	-	-	4	-	-	-	41	0.68
C63	Other Male Genital	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	2	0.03
C64	Kidney etc.	7	2	1	1	1	-	3	5	6	7	16	13	19	19	8	18	-	126	2.09
C65	Renal Pelvis	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	3	0.05
C66	Ureter	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C67	Bladder	-	-	1	-	-	1	1	2	4	2	15	22	30	23	30	32	-	163	2.70
C68	Uns. Urinary Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	0.02
C69	Eye	3	1	1	-	-	-	-	1	-	1	2	-	1	-	-	1	-	11	0.18
C70-C72	Brain, NS	9	8	5	8	1	12	25	17	18	24	15	17	23	13	12	11	-	218	3.62
C73	Thyroid	-	-	3	-	6	6	8	8	5	8	8	8	13	9	8	8	-	98	1.63
C74	Adrenal Gland	4	-	2	-	-	-	-	1	2	-	-	-	-	-	-	-	-	9	0.15
C81	Hodgkins Disease	1	7	8	4	7	9	10	8	5	6	3	5	6	6	6	12	-	103	1.71
C82-C85,C96	NHL	5	4	9	6	11	10	10	17	18	27	32	22	32	21	32	24	-	280	4.65
C88	Malig Imn.Prol D	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C90	Multiple Myeloma	-	-	-	1	-	2	-	1	1	4	14	18	15	20	11	13	-	100	1.66
C91	Lymphoid Leuk.	20	11	14	4	6	11	3	5	4	4	2	10	7	4	4	4	-	113	1.88
C92-C94	Myeloid Leukaemia	2	6	4	4	7	14	10	6	4	9	11	8	13	6	8	9	-	121	2.01
C95	Leukaemia Uns	3	5	1	1	1	-	1	5	1	2	5	5	2	5	4	2	-	43	0.71
O&U*	Other and Uns	-	3	1	2	3	3	7	12	8	26	24	36	51	51	38	44	-	309	5.13
	All Sites	62	57	58	51	70	148	165	223	246	388	587	740	843	824	701	857	6	6026	100.0

* O&U includes the Sites (ICD-10: C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)

TABLE BLR-3(b): Number of Incident Cancers by Five Year Age Group and Site (ICD-10): 2008-2009 - Females

%= Relative Proportion of Cancers of All Sites.

ICD-10	Site	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75+	Unkn	Total	%
C00	Lip	-	-	-	-	-	-	1	1	1	-	-	1	1	-	-	2	-	7	0.09
C01-C02	Tongue	-	-	-	-	-	1	1	2	5	5	7	8	14	9	4	9	-	65	0.88
C03-C06	Mouth	-	-	-	-	1	-	3	2	21	40	44	41	48	43	31	35	1	310	4.20
C07-C08	Salivary Gland	-	-	-	1	1	7	2	2	1	2	2	6	6	1	-	1	-	32	0.43
C09	Tonsil	-	-	-	-	-	-	-	-	1	1	2	-	1	3	2	2	-	12	0.16
C10	Oth. Oropharynx	-	-	-	-	-	-	-	-	1	-	-	-	2	1	1	2	-	7	0.09
C11	Nasopharynx	-	-	1	1	-	1	-	2	1	1	-	4	1	-	1	1	-	14	0.19
C12-C13	Hypopharynx	-	-	-	1	-	4	-	6	2	4	3	5	3	3	2	5	-	38	0.51
C14	Pharynx Unspecified	-	-	-	1	-	-	1	2	-	3	1	2	2	1	-	7	-	20	0.27
C15	Oesophagus	-	-	-	-	1	2	4	12	14	28	34	49	59	54	33	49	-	339	4.59
C16	Stomach	1	-	-	-	7	6	9	13	13	27	35	26	41	44	24	38	-	284	3.84
C17	Small Intestine	-	-	-	-	-	-	2	-	1	3	2	5	3	-	-	2	-	18	0.24
C18	Colon	-	-	-	-	6	5	3	7	15	8	18	22	15	18	17	26	-	160	2.17
C19-C20	Rectum	-	-	-	2	1	3	8	4	15	13	19	20	24	15	10	15	-	149	2.02
C21	Anus & Anal Canal	-	-	-	-	-	-	-	-	2	1	1	2	3	5	5	6	-	25	0.34
C22	Liver	-	-	-	1	-	1	4	3	2	7	10	12	11	9	17	15	-	92	1.25
C23-C24	Gallbladder etc.	-	-	-	-	-	-	1	4	3	9	6	10	12	11	7	14	-	77	1.04
C25	Pancreas	-	-	-	-	-	1	2	1	-	3	6	4	6	6	2	10	-	41	0.55
C30-C31	Nose, Sinuses etc.	-	-	-	1	-	-	2	1	1	3	5	5	2	2	3	5	-	30	0.41
C32	Larynx	-	-	-	1	-	-	-	1	-	4	1	3	1	4	1	8	-	24	0.32
C33-C34	Lung etc.	-	-	-	-	1	4	4	14	9	25	21	35	40	39	28	24	-	244	3.30
C37-C38	Oth. Thoracic Organs	-	-	-	-	1	-	-	1	-	3	2	6	2	3	5	4	-	27	0.37
C40-C41	Bone	1	1	7	6	3	2	1	1	6	4	4	3	3	1	-	4	-	47	0.64
C43	Melanoma of Skin	-	-	-	-	-	-	-	1	1	-	1	1	-	-	2	-	-	6	0.08
C44	Other Skin	-	-	-	-	2	1	1	5	7	8	10	4	14	9	7	13	-	81	1.10
C45	Mesothelioma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C46	Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C47+C49	Conn. & Soft Tissue	2	2	3	2	1	3	6	4	1	4	3	3	4	4	2	5	-	49	0.66
C50	Breast	-	-	-	1	6	37	79	143	187	283	290	297	237	186	126	142	3	2017	27.30
C51	Vulva	-	-	-	-	1	1	-	-	-	-	1	-	2	6	8	10	-	29	0.39
C52	Vagina	-	-	-	-	1	-	-	1	3	4	2	4	6	7	1	6	-	35	0.47
C53	Cervix Uteri	-	-	-	-	2	9	35	79	94	154	147	167	120	108	53	65	-	1033	13.98
C54	Corpus Uteri	-	-	-	-	-	2	9	8	18	22	45	56	52	52	27	19	-	310	4.20
C55	Uterus Unspecified	-	-	-	-	-	-	2	4	2	6	8	6	9	11	4	7	-	59	0.80
C56	Ovary etc.	1	-	3	1	10	13	13	21	35	52	52	72	54	38	26	27	-	418	5.66
C57	Other Female Genital	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C58	Placenta	-	-	-	-	-	2	-	-	1	-	-	-	-	-	-	-	-	3	0.04
C64	Kidney etc.	6	1	-	1	1	2	2	1	5	3	4	5	7	4	4	8	-	54	0.73
C65	Renal Pelvis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C66	Ureter	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	0.01
C67	Bladder	-	-	-	-	-	-	-	-	2	5	5	8	12	7	8	19	-	66	0.89
C68	Uns.Urinary Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C69	Eye	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	0.03
C70-C72	Brain, NS	5	8	7	2	6	10	10	17	7	18	19	19	18	8	5	9	-	168	2.27
C73	Thyroid	-	-	2	3	18	22	22	19	20	25	18	21	15	15	7	9	2	218	2.95
C74	Adrenal Gland	2	1	-	-	-	1	-	1	-	-	-	-	-	-	-	1	-	6	0.08
C81	Hodgkins Disease	1	1	2	1	4	7	3	4	-	1	2	3	4	3	3	4	-	43	0.58
C82-C85,C96	NHL	1	5	2	3	7	7	5	9	13	18	27	15	21	17	17	24	-	191	2.58
C88	Malig Imm.Prol D	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C90	Multiple Myeloma	-	-	-	-	-	1	1	-	1	9	9	14	9	7	7	10	-	68	0.92
C91	Lymphoid Leuk.	12	10	10	4	4	3	1	2	2	5	2	2	4	2	2	7	1	73	0.99
C92-C94	Myeloid Leukaemia	6	3	8	5	4	4	10	17	8	9	13	10	14	9	8	5	-	133	1.80
C95	Leukaemia Uns	3	-	-	-	-	1	2	1	-	1	2	3	3	1	1	-	-	18	0.24
O&U *	Other and Uns	4	1	3	7	3	7	7	9	22	17	25	36	32	24	21	28	-	246	3.33
	All Sites	46	33	48	45	92	170	256	425	543	838	908	1015	937	791	532	703	7	7389	100.0

* O&U includes the Sites (ICD-10: C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)

TABLE BLR-4(a): Average Annual Age Specific, Crude (CR), Age Adjusted (AAR) (with Standard Error (SE)) and Truncated (35-64 yrs) (TR) Incidence Rate per 100,000 population: 2008-2009 - Males

ICD-10	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	>75	CR	AAR	SE	TR	
C00	-	-	-	-	-	-	-	-	-	-	0.3	0.5	1.1	1.7	1.1	1.1	0.1	0.17	0.06	0.3	
C01-C02	-	-	-	-	0.2	0.9	1.1	2.7	4.0	3.5	10.4	15.9	26.0	27.7	27.3	24.9	3.5	4.85	0.31	9.1	
C03-C06	-	-	-	-	-	0.2	1.3	2.5	2.2	5.5	9.3	18.8	15.5	32.8	18.2	19.5	3.1	4.28	0.29	7.9	
C07-C08	-	-	-	0.1	0.2	0.2	0.1	0.2	-	0.7	0.9	1.9	2.2	4.2	4.6	1.1	0.4	0.55	0.10	0.8	
C09	-	-	-	-	-	-	0.1	0.5	0.8	0.4	2.3	4.2	5.5	5.0	8.0	5.4	0.7	1.04	0.14	2.0	
C10	-	-	-	-	-	-	-	0.3	-	0.9	2.3	5.2	6.1	6.7	6.8	6.5	0.7	1.11	0.15	2.1	
C11	-	0.2	0.2	0.1	-	0.3	0.6	0.2	0.2	0.7	1.7	1.9	2.8	-	1.1	-	0.4	0.46	0.09	1.1	
C12-C13	-	-	-	-	-	0.1	0.3	0.8	1.2	5.1	6.1	13.6	13.8	37.8	33.0	35.8	2.8	4.36	0.30	5.9	
C14	-	-	-	-	-	-	0.1	0.5	-	0.7	1.7	6.1	5.5	8.4	5.7	6.5	0.7	1.13	0.15	2.0	
C15	-	-	-	-	-	-	0.6	1.6	1.8	6.2	12.4	31.0	31.6	50.4	51.3	63.9	5.0	7.55	0.40	11.9	
C16	-	-	-	-	0.2	0.8	1.3	2.2	4.6	9.5	13.6	38.0	41.5	58.8	58.1	59.6	6.2	9.12	0.43	15.6	
C17	-	-	-	-	-	-	-	-	-	0.2	0.9	1.4	1.1	-	1.1	7.6	0.2	0.33	0.08	0.5	
C18	-	-	0.3	0.4	0.1	0.4	1.1	0.9	1.2	3.1	6.1	11.7	12.7	33.6	25.1	31.4	2.7	3.91	0.28	5.2	
C19-C20	-	-	-	0.3	0.2	1.2	1.3	1.3	3.0	3.5	5.2	15.9	19.4	35.3	31.9	35.8	3.3	4.77	0.31	6.9	
C21	-	-	-	-	-	0.2	-	0.3	-	0.2	1.2	1.4	2.8	0.8	3.4	2.2	0.3	0.41	0.09	0.8	
C22	0.2	0.2	-	-	0.1	0.1	0.3	0.6	2.6	1.3	5.8	13.1	28.2	29.4	51.3	65.0	3.5	5.50	0.34	7.2	
C23-C24	-	-	-	-	-	0.1	0.1	0.2	0.4	0.7	1.7	4.7	5.0	10.9	13.7	5.4	0.8	1.27	0.16	1.8	
C25	-	-	-	0.3	-	0.2	-	0.3	1.6	2.2	4.9	5.2	5.5	9.2	13.7	16.3	1.3	1.84	0.19	3.0	
C30-C31	-	-	-	-	0.1	0.1	0.1	0.5	0.6	0.9	1.2	2.3	2.8	1.7	2.3	9.8	0.5	0.70	0.11	1.2	
C32	-	-	-	-	0.1	-	-	0.5	0.8	2.9	9.6	12.2	16.1	29.4	23.9	24.9	2.4	3.72	0.28	6.0	
C33-C34	-	-	-	-	-	0.3	1.3	0.9	3.0	5.7	13.6	32.8	46.5	73.1	98.0	106.2	6.9	10.82	0.48	14.3	
C37-C38	-	-	-	-	-	0.1	0.6	0.2	0.6	-	-	0.9	1.7	3.4	5.7	2.2	0.3	0.45	0.10	0.5	
C40-C41	0.4	1.0	0.5	0.8	1.1	0.8	0.3	0.6	0.4	0.4	2.0	0.9	2.2	0.8	1.1	6.5	0.8	0.92	0.12	1.0	
C43	-	0.2	-	-	-	0.1	-	-	0.2	-	-	1.4	0.6	1.7	2.3	-	0.1	0.21	0.07	0.3	
C44	-	-	0.2	-	-	0.1	-	0.6	1.2	2.2	3.2	4.2	6.6	10.9	18.2	17.3	1.3	1.90	0.20	2.7	
C45	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
C46	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
C47+C49	0.4	0.2	0.2	0.4	0.3	0.6	0.6	0.5	0.4	0.2	1.7	2.3	3.3	2.5	-	2.2	0.6	0.71	0.11	1.2	
C50	-	-	-	0.1	-	0.1	0.1	0.6	0.6	1.5	1.4	4.7	2.8	4.2	6.8	10.8	0.8	1.05	0.14	1.7	
C60	-	-	-	-	-	0.4	0.1	0.9	1.4	0.4	3.2	3.3	4.4	2.5	5.7	9.8	0.8	1.06	0.14	2.1	
C61	-	-	-	-	-	-	-	-	0.2	0.2	4.3	14.5	33.8	55.5	95.7	158.2	5.3	8.92	0.45	7.0	
C62	0.5	-	-	0.1	0.2	1.3	0.9	0.9	1.0	0.2	0.3	-	-	3.4	-	-	0.5	0.50	0.09	0.5	
C63	-	-	-	-	-	-	-	-	-	-	-	-	1.1	-	-	-	-	0.04	0.03	0.1	
C64	1.3	0.3	0.2	0.1	0.1	-	0.4	0.8	1.2	1.5	4.6	6.1	10.5	16.0	9.1	19.5	1.6	2.41	0.22	3.6	
C65	-	-	-	-	-	-	-	-	-	-	-	-	1.1	0.8	-	-	-	0.07	0.04	0.1	
C66	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
C67	-	-	0.2	-	-	0.1	0.1	0.3	0.8	0.4	4.3	10.3	16.6	19.3	34.2	34.7	2.1	3.38	0.27	4.5	
C68	-	-	-	-	-	-	-	-	-	-	-	-	-	0.8	-	-	-	0.03	0.03	-	
C69	0.5	0.2	0.2	-	-	-	-	0.2	-	0.2	0.6	-	0.6	-	-	1.1	0.1	0.19	0.06	0.2	
C70-C72	1.6	1.4	0.8	1.1	0.1	1.3	3.6	2.7	3.6	5.3	4.3	8.0	12.7	10.9	13.7	11.9	2.8	3.41	0.25	5.6	
C73	-	-	0.5	-	0.6	0.7	1.1	1.3	1.0	1.8	2.3	3.8	7.2	7.6	9.1	8.7	1.3	1.59	0.17	2.6	
C74	0.7	-	0.3	-	-	-	-	0.2	0.4	-	-	-	-	-	-	-	-	0.1	0.15	0.05	0.1
C81	0.2	1.2	1.2	0.6	0.7	1.0	1.4	1.3	1.0	1.3	0.9	2.3	3.3	5.0	6.8	13.0	1.3	1.56	0.16	1.6	
C82-C85,C96	0.9	0.7	1.4	0.8	1.2	1.1	1.4	2.7	3.6	6.0	9.3	10.3	17.7	17.7	36.5	26.0	3.6	4.74	0.30	7.5	
C88	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
C90	-	-	-	0.1	-	0.2	-	0.2	0.2	0.9	4.1	8.4	8.3	16.8	12.5	14.1	1.3	2.01	0.21	3.1	
C91	3.6	1.9	2.1	0.6	0.6	1.2	0.4	0.8	0.8	0.9	0.6	4.7	3.9	3.4	4.6	4.3	1.5	1.84	0.18	1.7	
C92-C94	0.4	1.0	0.6	0.6	0.7	1.6	1.4	0.9	0.8	2.0	3.2	3.8	7.2	5.0	9.1	9.8	1.6	1.87	0.18	2.7	
C95	0.5	0.9	0.2	0.1	0.1	-	0.1	0.8	0.2	0.4	1.4	2.3	1.1	4.2	4.6	2.2	0.6	0.75	0.12	1.0	
O&U *	-	0.5	0.2	0.3	0.3	0.3	1.0	1.9	1.6	5.7	6.9	16.9	28.2	42.9	43.3	47.7	4.0	6.02	0.35	8.7	
All	11.1	9.8	8.8	7.0	7.4	16.5	23.6	35.2	49.6	85.7	169.9	347.1	466.8	692.7	798.5	928.6	78.4	113.7	1.51	165.4	

* O&U includes the Sites (ICD-10: C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)

TABLE BLR-4(b): Average Annual Age Specific, Crude (CR), Age Adjusted (AAR) (with Standard Error (SE)) and Truncated (35-64 yrs) (TR) Incidence Rate per 100,000 population: 2008-2009 - Females

ICD-10	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	>75	CR	AAR	SE	TR
C00	-	-	-	-	-	-	0.2	0.2	0.2	-	-	0.5	0.6	-	-	2.0	0.1	0.12	0.05	0.2
C01-C02	-	-	-	-	-	0.1	0.2	0.3	1.2	1.3	2.4	4.2	8.4	7.2	4.6	9.1	0.9	1.30	0.16	2.6
C03-C06	-	-	-	-	0.1	-	0.5	0.3	5.0	10.0	15.1	21.4	28.9	34.3	35.4	35.2	4.4	6.17	0.36	11.9
C07-C08	-	-	-	0.1	0.1	0.8	0.3	0.3	0.2	0.5	0.7	3.1	3.6	0.8	-	1.0	0.5	0.52	0.10	1.2
C09	-	-	-	-	-	-	-	-	0.2	0.3	0.7	-	0.6	2.4	2.3	2.0	0.2	0.25	0.07	0.3
C10	-	-	-	-	-	-	-	-	0.2	-	-	-	1.2	0.8	1.1	2.0	0.1	0.15	0.06	0.2
C11	-	-	0.2	0.1	-	0.1	-	0.3	0.2	0.3	-	2.1	0.6	-	1.1	1.0	0.2	0.24	0.07	0.5
C12-C13	-	-	-	0.1	-	0.5	-	1.0	0.5	1.0	1.0	2.6	1.8	2.4	2.3	5.0	0.5	0.65	0.11	1.2
C14	-	-	-	0.1	-	-	0.2	0.3	-	0.8	0.3	1.0	1.2	0.8	-	7.0	0.3	0.36	0.08	0.6
C15	-	-	-	-	0.1	0.2	0.7	2.0	3.3	7.0	11.7	25.6	35.6	43.0	37.7	49.3	4.8	6.87	0.38	12.2
C16	0.2	-	-	-	0.8	0.7	1.5	2.2	3.1	6.8	12.0	13.6	24.7	35.1	27.4	38.2	4.1	5.46	0.33	9.2
C17	-	-	-	-	-	-	0.3	-	0.2	0.8	0.7	2.6	1.8	-	-	2.0	0.3	0.33	0.08	0.9
C18	-	-	-	-	0.7	0.6	0.5	1.2	3.6	2.0	6.2	11.5	9.0	14.3	19.4	26.2	2.3	3.01	0.25	4.9
C19-C20	-	-	-	0.3	0.1	0.4	1.4	0.7	3.6	3.3	6.5	10.4	14.5	12.0	11.4	15.1	2.1	2.81	0.24	5.7
C21	-	-	-	-	-	-	-	-	0.5	0.3	0.3	1.0	1.8	4.0	5.7	6.0	0.4	0.53	0.11	0.6
C22	-	-	-	0.1	-	0.1	0.7	0.5	0.5	1.8	3.4	6.3	6.6	7.2	19.4	15.1	1.3	1.82	0.19	2.7
C23-C24	-	-	-	-	-	-	0.2	0.7	0.7	2.3	2.1	5.2	7.2	8.8	8.0	14.1	1.1	1.53	0.18	2.6
C25	-	-	-	-	-	0.1	0.3	0.2	-	0.8	2.1	2.1	3.6	4.8	2.3	10.1	0.6	0.81	0.13	1.2
C30-C31	-	-	-	0.1	-	-	0.3	0.2	0.2	0.8	1.7	2.6	1.2	1.6	3.4	5.0	0.4	0.56	0.10	1.0
C32	-	-	-	0.1	-	-	-	0.2	-	1.0	0.3	1.6	0.6	3.2	1.1	8.1	0.3	0.47	0.10	0.6
C33-C34	-	-	-	-	0.1	0.5	0.7	2.3	2.1	6.3	7.2	18.3	24.1	31.1	32.0	24.2	3.5	4.84	0.32	8.7
C37-C38	-	-	-	-	0.1	-	-	0.2	-	0.8	0.7	3.1	1.2	2.4	5.7	4.0	0.4	0.54	0.11	0.8
C40-C41	0.2	0.2	1.1	0.9	0.4	0.2	0.2	0.2	1.4	1.0	1.4	1.6	1.8	0.8	-	4.0	0.7	0.75	0.11	1.2
C43	-	-	-	-	-	-	-	0.2	0.2	-	0.3	0.5	-	-	2.3	-	0.1	0.11	0.05	0.2
C44	-	-	-	-	0.2	0.1	0.2	0.8	1.7	2.0	3.4	2.1	8.4	7.2	8.0	13.1	1.2	1.54	0.18	2.8
C45	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C46	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C47+C49	0.4	0.4	0.5	0.3	0.1	0.4	1.0	0.7	0.2	1.0	1.0	1.6	2.4	3.2	2.3	5.0	0.7	0.82	0.12	1.0
C50	-	-	-	0.1	0.7	4.5	13.3	23.7	44.4	71.0	99.7	155.0	142.8	148.2	143.9	142.9	28.8	36.65	0.84	81.4
C51	-	-	-	-	0.1	0.1	-	-	-	-	0.3	-	1.2	4.8	9.1	10.1	0.4	0.61	0.12	0.2
C52	-	-	-	-	0.1	-	-	0.2	0.7	1.0	0.7	2.1	3.6	5.6	1.1	6.0	0.5	0.70	0.12	1.2
C53	-	-	-	-	0.2	1.1	5.9	13.1	22.3	38.6	50.5	87.1	72.3	86.1	60.5	65.4	14.8	18.91	0.61	43.1
C54	-	-	-	-	-	0.2	1.5	1.3	4.3	5.5	15.5	29.2	31.3	41.4	30.8	19.1	4.4	6.22	0.36	12.5
C55	-	-	-	-	-	-	0.3	0.7	0.5	1.5	2.8	3.1	5.4	8.8	4.6	7.0	0.8	1.15	0.15	2.1
C56	0.2	-	0.5	0.1	1.2	1.6	2.2	3.5	8.3	13.0	17.9	37.6	32.5	30.3	29.7	27.2	6.0	7.67	0.39	16.7
C57	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C58	-	-	-	-	-	0.2	-	-	0.2	-	-	-	-	-	-	-	-	0.03	0.02	-
C64	1.2	0.2	-	0.1	0.1	0.2	0.3	0.2	1.2	0.8	1.4	2.6	4.2	3.2	4.6	8.1	0.8	1.04	0.15	1.5
C65	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C66	-	-	-	-	-	-	-	-	-	-	-	-	-	0.8	-	-	-	0.02	0.02	-
C67	-	-	-	-	-	-	-	-	0.5	1.3	1.7	4.2	7.2	5.6	9.1	19.1	0.9	1.38	0.17	2.1
C68	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C69	0.2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1.0	-	0.04	0.03	-
C70-C72	1.0	1.5	1.1	0.3	0.7	1.2	1.7	2.8	1.7	4.5	6.5	9.9	10.8	6.4	5.7	9.1	2.4	2.83	0.23	5.5
C73	-	-	0.3	0.4	2.2	2.6	3.7	3.1	4.7	6.3	6.2	11.0	9.0	12.0	8.0	9.1	3.1	3.34	0.24	6.3
C74	0.4	0.2	-	-	-	0.1	-	0.2	-	-	-	-	-	-	-	1.0	0.1	0.10	0.05	-
C81	0.2	0.2	0.3	0.1	0.5	0.8	0.5	0.7	-	0.3	0.7	1.6	2.4	2.4	3.4	4.0	0.6	0.69	0.11	0.8
C82-C85,C96	0.2	0.9	0.3	0.4	0.8	0.8	0.8	1.5	3.1	4.5	9.3	7.8	12.7	13.5	19.4	24.2	2.7	3.47	0.26	5.9
C88	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C90	-	-	-	-	-	0.1	0.2	-	0.2	2.3	3.1	7.3	5.4	5.6	8.0	10.1	1.0	1.36	0.17	2.6
C91	2.3	1.8	1.6	0.6	0.5	0.4	0.2	0.3	0.5	1.3	0.7	1.0	2.4	1.6	2.3	7.0	1.0	1.27	0.16	1.0
C92-C94	1.2	0.5	1.3	0.7	0.5	0.5	1.7	2.8	1.9	2.3	4.5	5.2	8.4	7.2	9.1	5.0	1.9	2.24	0.20	3.8
C95	0.6	-	-	-	-	0.1	0.3	0.2	-	0.3	0.7	1.6	1.8	0.8	1.1	-	0.3	0.34	0.08	0.6
O&U *	0.8	0.2	0.5	1.0	0.4	0.8	1.2	1.5	5.2	4.3	8.6	18.8	19.3	19.1	24.0	28.2	3.5	4.64	0.30	8.4
All	9.0	6.0	7.8	6.6	11.0	20.5	43.2	70.3	128.8	210.2	312.2	529.6	564.7	630.4	607.5	707.4	105.6	137.2	1.64	270.8

* O&U includes the Sites (ICD-10: C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)

TABLE BLR-5(a): Number (#) and Proportion (%) of Cancers by Site (ICD-10) and Method of Diagnosis: 2008-2009 - Males

ICD-10	Site	Clinical		Microscopic		X-Ray/Imaging		DCO		Others		Unknown		Total	
		#	%	#	%	#	%	#	%	#	%	#	%	#	%
C00	Lip	-	-	7	87.5	-	-	1	12.5	-	-	-	-	8	100.0
C01-C02	Tongue	15	5.6	240	89.2	-	-	12	4.5	-	-	2	0.7	269	100.0
C03-C06	Mouth	10	4.2	219	92.8	-	-	7	3.0	-	-	-	-	236	100.0
C07-C08	Salivary Gland	-	-	28	90.3	-	-	3	9.7	-	-	-	-	31	100.0
C09	Tonsil	1	1.8	52	94.5	-	-	2	3.6	-	-	-	-	55	100.0
C10	Oth. Oropharynx	5	8.9	49	87.5	-	-	2	3.6	-	-	-	-	56	100.0
C11	Nasopharynx	1	3.2	29	93.5	-	-	1	3.2	-	-	-	-	31	100.0
C12-C13	Hypopharynx	7	3.2	207	94.5	1	0.5	4	1.8	-	-	-	-	219	100.0
C14	Pharynx Unspecified	2	3.5	38	66.7	-	-	17	29.8	-	-	-	-	57	100.0
C15	Oesophagus	16	4.2	332	86.7	-	-	35	9.1	-	-	-	-	383	100.0
C16	Stomach	11	2.3	426	89.3	2	0.4	37	7.8	-	-	1	0.2	477	100.0
C17	Small Intestine	1	5.9	15	88.2	-	-	1	5.9	-	-	-	-	17	100.0
C18	Colon	8	3.9	180	88.2	2	1.0	11	5.4	-	-	3	1.5	204	100.0
C19-C20	Rectum	11	4.3	229	90.5	-	-	12	4.7	-	-	1	0.4	253	100.0
C21	Anus & Anal Canal	-	-	23	100.0	-	-	-	-	-	-	-	-	23	100.0
C22	Liver	3	1.1	201	75.0	5	1.9	58	21.6	-	-	1	0.4	268	100.0
C23-C24	Gallbladder etc.	2	3.2	56	88.9	-	-	5	7.9	-	-	-	-	63	100.0
C25	Pancreas	8	8.0	73	73.0	2	2.0	15	15.0	1	1.0	1	1.0	100	100.0
C30-C31	Nose, Sinuses etc.	-	-	37	92.5	-	-	2	5.0	-	-	1	2.5	40	100.0
C32	Larynx	6	3.2	170	90.4	1	0.5	11	5.9	-	-	-	-	188	100.0
C33-C34	Lung etc.	20	3.8	425	79.9	15	2.8	68	12.8	-	-	4	0.8	532	100.0
C37-C38	Other Thoracic Organs	1	4.0	24	96.0	-	-	-	-	-	-	-	-	25	100.0
C40-C41	Bone	2	3.1	60	92.3	-	-	2	3.1	-	-	1	1.5	65	100.0
C43	Melanoma of Skin	-	-	11	100.0	-	-	-	-	-	-	-	-	11	100.0
C44	Other Skin	-	-	96	96.0	-	-	2	2.0	-	-	2	2.0	100	100.0
C45	Mesothelioma	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C46	Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C47+C49	Conn. & Soft Tissue	-	-	47	100.0	-	-	-	-	-	-	-	-	47	100.0
C50	Breast	5	8.6	52	89.7	-	-	1	1.7	-	-	-	-	58	100.0
C60	Penis	2	3.2	60	95.2	-	-	1	1.6	-	-	-	-	63	100.0
C61	Prostate	7	1.7	360	88.7	2	0.5	35	8.6	-	-	2	0.5	406	100.0
C62	Testis	-	-	41	100.0	-	-	-	-	-	-	-	-	41	100.0
C63	Other Male Genital	-	-	2	100.0	-	-	-	-	-	-	-	-	2	100.0
C64	Kidney etc.	-	-	123	97.6	-	-	3	2.4	-	-	-	-	126	100.0
C65	Renal Pelvis	-	-	3	100.0	-	-	-	-	-	-	-	-	3	100.0
C66	Ureter	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C67	Bladder	2	1.2	146	89.6	-	-	14	8.6	-	-	1	0.6	163	100.0
C68	Uns. Urinary Organs	1	100.0	-	-	-	-	-	-	-	-	-	-	1	100.0
C69	Eye	-	-	10	90.9	1	9.1	-	-	-	-	-	-	11	100.0
C70-C72	Brain, Nervous System	-	-	201	92.2	4	1.8	13	6.0	-	-	-	-	218	100.0
C73	Thyroid	-	-	95	96.9	-	-	3	3.1	-	-	-	-	98	100.0
C74	Adrenal Gland	-	-	9	100.0	-	-	-	-	-	-	-	-	9	100.0
C81	Hodgkins Disease	-	-	101	98.1	-	-	2	1.9	-	-	-	-	103	100.0
C82-C85,C96	NHL	-	-	268	95.7	-	-	12	4.3	-	-	-	-	280	100.0
C88	Malig Imn.Prol D	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C90	Multiple Myeloma	1	1.0	88	88.0	1	1.0	7	7.0	2	2.0	1	1.0	100	100.0
C91	Lymphoid Leuk.	-	-	110	97.3	-	-	3	2.7	-	-	-	-	113	100.0
C92-C94	Myeloid Leukaemia	-	-	118	97.5	-	-	2	1.7	-	-	1	0.8	121	100.0
C95	Leukaemia Uns	-	-	39	90.7	-	-	4	9.3	-	-	-	-	43	100.0
O&U*	Other and Uns	17	5.5	225	72.8	3	1.0	64	20.7	-	-	-	-	309	100.0
All Sites		165	2.7	5325	88.4	39	0.6	472	7.8	3	-	22	0.4	6026	100.0

* O&U includes the Sites (ICD-10: C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)

TABLE BLR-5(b): Number (#) and Proportion (%) of Cancers by Site (ICD-10) and Method of Diagnosis: 2008-2009 - Females

ICD-10	Site	Clinical		Microscopic		X-Ray/Imaging		DCO		Others		Unknown		Total	
		#	%	#	%	#	%	#	%	#	%	#	%	#	%
C00	Lip	-	-	7	100.0	-	-	-	-	-	-	-	-	7	100.0
C01-C02	Tongue	2	3.1	62	95.4	-	-	1	1.5	-	-	-	-	65	100.0
C03-C06	Mouth	13	4.2	286	92.3	1	0.3	9	2.9	-	-	1	0.3	310	100.0
C07-C08	Salivary Gland	-	-	31	96.9	-	-	1	3.1	-	-	-	-	32	100.0
C09	Tonsil	-	-	11	91.7	-	-	1	8.3	-	-	-	-	12	100.0
C10	Oth. Oropharynx	-	-	7	100.0	-	-	-	-	-	-	-	-	7	100.0
C11	Nasopharynx	-	-	14	100.0	-	-	-	-	-	-	-	-	14	100.0
C12-C13	Hypopharynx	1	2.6	36	94.7	-	-	1	2.6	-	-	-	-	38	100.0
C14	Pharynx Unspecified	1	5.0	7	35.0	-	-	12	60.0	-	-	-	-	20	100.0
C15	Oesophagus	12	3.5	292	86.1	4	1.2	28	8.3	2	0.6	1	0.3	339	100.0
C16	Stomach	6	2.1	245	86.3	1	0.4	31	10.9	-	-	1	0.4	284	100.0
C17	Small Intestine	-	-	16	88.9	-	-	2	11.1	-	-	-	-	18	100.0
C18	Colon	4	2.5	144	90.0	-	-	12	7.5	-	-	-	-	160	100.0
C19-C20	Rectum	4	2.7	136	91.3	-	-	6	4.0	1	0.7	2	1.3	149	100.0
C21	Anus & Anal Canal	1	4.0	22	88.0	-	-	2	8.0	-	-	-	-	25	100.0
C22	Liver	3	3.3	68	73.9	2	2.2	19	20.7	-	-	-	-	92	100.0
C23-C24	Gallbladder etc.	5	6.5	64	83.1	1	1.3	6	7.8	-	-	1	1.3	77	100.0
C25	Pancreas	1	2.4	34	82.9	-	-	5	12.2	1	2.4	-	-	41	100.0
C30-C31	Nose, Sinuses etc.	2	6.7	28	93.3	-	-	-	-	-	-	-	-	30	100.0
C32	Larynx	1	4.2	22	91.7	-	-	1	4.2	-	-	-	-	24	100.0
C33-C34	Lung etc.	15	6.1	206	84.4	4	1.6	17	7.0	-	-	2	0.8	244	100.0
C37-C38	Other Thoracic Organs	2	7.4	23	85.2	1	3.7	1	3.7	-	-	-	-	27	100.0
C40-C41	Bone	4	8.5	38	80.9	1	2.1	3	6.4	-	-	1	2.1	47	100.0
C43	Melanoma of Skin	-	-	6	100.0	-	-	-	-	-	-	-	-	6	100.0
C44	Other Skin	-	-	80	98.8	-	-	-	-	-	-	1	1.2	81	100.0
C45	Mesothelioma	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C46	Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C47+C49	Conn. & Soft Tissue	-	-	47	95.9	-	-	2	4.1	-	-	-	-	49	100.0
C50	Breast	65	3.2	1886	93.5	1	-	49	2.4	1	-	15	0.7	2017	100.0
C51	Vulva	-	-	28	96.6	-	-	1	3.4	-	-	-	-	29	100.0
C52	Vagina	-	-	35	100.0	-	-	-	-	-	-	-	-	35	100.0
C53	Cervix Uteri	27	2.6	963	93.2	-	-	35	3.4	-	-	8	0.8	1033	100.0
C54	Corpus Uteri	5	1.6	301	97.1	-	-	4	1.3	-	-	-	-	310	100.0
C55	Uterus Unspecified	1	1.7	37	62.7	1	1.7	20	33.9	-	-	-	-	59	100.0
C56	Ovary etc.	17	4.1	379	90.7	5	1.2	13	3.1	-	-	4	1.0	418	100.0
C57	Other Female Genital	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C58	Placenta	-	-	-	-	-	-	-	-	3	100.0	-	-	3	100.0
C64	Kidney etc.	1	1.9	49	90.7	-	-	4	7.4	-	-	-	-	54	100.0
C65	Renal Pelvis	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C66	Ureter	-	-	1	100.0	-	-	-	-	-	-	-	-	1	100.0
C67	Bladder	2	3.0	61	92.4	-	-	3	4.5	-	-	-	-	66	100.0
C68	Uns. Urinary Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C69	Eye	-	-	2	100.0	-	-	-	-	-	-	-	-	2	100.0
C70-C72	Brain, Nervous System	2	1.2	154	91.7	3	1.8	9	5.4	-	-	-	-	168	100.0
C73	Thyroid	2	0.9	209	95.9	1	0.5	5	2.3	-	-	1	0.5	218	100.0
C74	Adrenal Gland	-	-	6	100.0	-	-	-	-	-	-	-	-	6	100.0
C81	Hodgkins Disease	-	-	39	90.7	-	-	4	9.3	-	-	-	-	43	100.0
C82-C85,C96	NHL	-	-	188	98.4	-	-	3	1.6	-	-	-	-	191	100.0
C88	Malig Imn.Prol D	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C90	Multiple Myeloma	-	-	58	85.3	1	1.5	9	13.2	-	-	-	-	68	100.0
C91	Lymphoid Leuk.	-	-	71	97.3	-	-	2	2.7	-	-	-	-	73	100.0
C92-C94	Myeloid Leukaemia	-	-	126	94.7	-	-	6	4.5	-	-	1	0.8	133	100.0
C95	Leukaemia Uns	-	-	15	83.3	-	-	3	16.7	-	-	-	-	18	100.0
O&U *	Other and Uns	16	6.5	179	72.8	6	2.4	45	18.3	-	-	-	-	246	100.0
	All Sites	215	2.9	6719	90.9	33	0.4	375	5.1	8	0.1	39	0.5	7389	100.0

* O&U includes the Sites (ICD-10: C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)

TABLE BLR-6(a): Number (#) and Proportion (%) of Cancers by Site (ICD-10) and Detailed Microscopic Diagnosis: 2008-2009 - Males

ICD-10	Site	Pri. Hist		Sec. Hist		Cytology		Blood Film		Bone Marrow		Others		Total	
		#	%	#	%	#	%	#	%	#	%	#	%	#	%
C00	Lip	7	87.5	-	-	-	-	-	-	-	-	1	12.5	8	100.0
C01-C02	Tongue	174	64.7	3	1.1	63	23.4	-	-	-	-	29	10.8	269	100.0
C03-C06	Mouth	186	78.8	-	-	33	14.0	-	-	-	-	17	7.2	236	100.0
C07-C08	Salivary Gland	22	71.0	1	3.2	5	16.1	-	-	-	-	3	9.7	31	100.0
C09	Tonsil	33	60.0	1	1.8	18	32.7	-	-	-	-	3	5.5	55	100.0
C10	Oth. Oropharynx	31	55.4	2	3.6	16	28.6	-	-	-	-	7	12.5	56	100.0
C11	Nasopharynx	24	77.4	2	6.5	3	9.7	-	-	-	-	2	6.5	31	100.0
C12-C13	Hypopharynx	138	63.0	2	0.9	67	30.6	-	-	-	-	12	5.5	219	100.0
C14	Pharynx Unspecified	29	50.9	1	1.8	8	14.0	-	-	-	-	19	33.3	57	100.0
C15	Oesophagus	321	83.8	4	1.0	7	1.8	-	-	-	-	51	13.3	383	100.0
C16	Stomach	417	87.4	3	0.6	6	1.3	-	-	-	-	51	10.7	477	100.0
C17	Small Intestine	15	88.2	-	-	-	-	-	-	-	-	2	11.8	17	100.0
C18	Colon	179	87.7	-	-	1	0.5	-	-	-	-	24	11.8	204	100.0
C19-C20	Rectum	226	89.3	3	1.2	-	-	-	-	-	-	24	9.5	253	100.0
C21	Anus & Anal Canal	22	95.7	-	-	1	4.3	-	-	-	-	-	-	23	100.0
C22	Liver	144	53.7	1	0.4	56	20.9	-	-	-	-	67	25.0	268	100.0
C23-C24	Gallbladder etc.	51	81.0	3	4.8	2	3.2	-	-	-	-	7	11.1	63	100.0
C25	Pancreas	58	58.0	5	5.0	10	10.0	-	-	-	-	27	27.0	100	100.0
C30-C31	Nose, Sinuses etc.	32	80.0	-	-	5	12.5	-	-	-	-	3	7.5	40	100.0
C32	Larynx	153	81.4	-	-	17	9.0	-	-	-	-	18	9.6	188	100.0
C33-C34	Lung etc.	268	50.4	21	3.9	134	25.2	1	0.2	1	0.2	107	20.1	532	100.0
C37-C38	Other Thoracic Organs	18	72.0	-	-	6	24.0	-	-	-	-	1	4.0	25	100.0
C40-C41	Bone	55	84.6	-	-	5	7.7	-	-	-	-	5	7.7	65	100.0
C43	Melanoma of Skin	10	90.9	1	9.1	-	-	-	-	-	-	-	-	11	100.0
C44	Other Skin	95	95.0	-	-	1	1.0	-	-	-	-	4	4.0	100	100.0
C45	Mesothelioma	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C46	Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C47+C49	Conn. & Soft Tissue	43	91.5	-	-	4	8.5	-	-	-	-	-	-	47	100.0
C50	Breast	46	79.3	-	-	6	10.3	-	-	-	-	6	10.3	58	100.0
C60	Penis	59	93.7	-	-	1	1.6	-	-	-	-	3	4.8	63	100.0
C61	Prostate	355	87.4	1	0.2	4	1.0	-	-	-	-	46	11.3	406	100.0
C62	Testis	40	97.6	-	-	1	2.4	-	-	-	-	-	-	41	100.0
C63	Other Male Genital	2	100.0	-	-	-	-	-	-	-	-	-	-	2	100.0
C64	Kidney etc.	119	94.4	1	0.8	3	2.4	-	-	-	-	3	2.4	126	100.0
C65	Renal Pelvis	3	100.0	-	-	-	-	-	-	-	-	-	-	3	100.0
C66	Ureter	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C67	Bladder	145	89.0	-	-	1	0.6	-	-	-	-	17	10.4	163	100.0
C68	Uns. Urinary Organs	-	-	-	-	-	-	-	-	-	-	1	100.0	1	100.0
C69	Eye	10	90.9	-	-	-	-	-	-	-	-	1	9.1	11	100.0
C70-C72	Brain, Nervous System	201	92.2	-	-	-	-	-	-	-	-	17	7.8	218	100.0
C73	Thyroid	82	83.7	1	1.0	12	12.2	-	-	-	-	3	3.1	98	100.0
C74	Adrenal Gland	7	77.8	-	-	2	22.2	-	-	-	-	-	-	9	100.0
C81	Hodgkins Disease	94	91.3	-	-	5	4.9	-	-	2	1.9	2	1.9	103	100.0
C82-C85,C96	NHL	241	86.1	-	-	18	6.4	-	-	9	3.2	12	4.3	280	100.0
C88	Malig Imn.Prol D	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C90	Multiple Myeloma	16	16.0	-	-	1	1.0	-	-	71	71.0	12	12.0	100	100.0
C91	Lymphoid Leuk.	2	1.8	-	-	-	-	12	10.6	96	85.0	3	2.7	113	100.0
C92-C94	Myeloid Leukaemia	1	0.8	-	-	-	-	12	9.9	105	86.8	3	2.5	121	100.0
C95	Leukaemia Uns	-	-	-	-	-	-	6	14.0	33	76.7	4	9.3	43	100.0
O&U *	Other and Uns	50	16.2	86	27.8	88	28.5	-	-	1	0.3	84	27.2	309	100.0
	All Sites	4224	70.1	142	2.4	610	10.1	31	0.5	318	5.3	701	11.6	6026	100.0

* O&U includes the Sites (ICD-10: C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)

TABLE BLR-6(b): Number (#) and Proportion (%) of Cancers by Site (ICD-10) and Detailed Microscopic Diagnosis: 2008-2009 - Females

ICD-10	Site	Pri. Hist		Sec. Hist		Cytology		Blood Film		Bone Marrow		Others		Total	
		#	%	#	%	#	%	#	%	#	%	#	%	#	%
C00	Lip	7	100.0	-	-	-	-	-	-	-	-	-	-	7	100.0
C01-C02	Tongue	49	75.4	-	-	13	20.0	-	-	-	-	3	4.6	65	100.0
C03-C06	Mouth	244	78.7	-	-	41	13.2	-	-	1	0.3	24	7.7	310	100.0
C07-C08	Salivary Gland	27	84.4	1	3.1	3	9.4	-	-	-	-	1	3.1	32	100.0
C09	Tonsil	11	91.7	-	-	-	-	-	-	-	-	1	8.3	12	100.0
C10	Oth. Oropharynx	6	85.7	-	-	1	14.3	-	-	-	-	-	-	7	100.0
C11	Nasopharynx	12	85.7	-	-	2	14.3	-	-	-	-	-	-	14	100.0
C12-C13	Hypopharynx	31	81.6	-	-	5	13.2	-	-	-	-	2	5.3	38	100.0
C14	Pharynx Unspecified	6	30.0	-	-	1	5.0	-	-	-	-	13	65.0	20	100.0
C15	Oesophagus	285	84.1	1	0.3	6	1.8	-	-	-	-	47	13.9	339	100.0
C16	Stomach	238	83.8	3	1.1	4	1.4	-	-	-	-	39	13.7	284	100.0
C17	Small Intestine	16	88.9	-	-	-	-	-	-	-	-	2	11.1	18	100.0
C18	Colon	143	89.4	1	0.6	-	-	-	-	-	-	16	10.0	160	100.0
C19-C20	Rectum	133	89.3	2	1.3	1	0.7	-	-	-	-	13	8.7	149	100.0
C21	Anus & Anal Canal	22	88.0	-	-	-	-	-	-	-	-	3	12.0	25	100.0
C22	Liver	52	56.5	-	-	16	17.4	-	-	-	-	24	26.1	92	100.0
C23-C24	Gallbladder etc.	57	74.0	2	2.6	5	6.5	-	-	-	-	13	16.9	77	100.0
C25	Pancreas	27	65.9	3	7.3	4	9.8	-	-	-	-	7	17.1	41	100.0
C30-C31	Nose, Sinuses etc.	24	80.0	1	3.3	3	10.0	-	-	-	-	2	6.7	30	100.0
C32	Larynx	18	75.0	-	-	4	16.7	-	-	-	-	2	8.3	24	100.0
C33-C34	Lung etc.	139	57.0	11	4.5	56	23.0	-	-	-	-	38	15.6	244	100.0
C37-C38	Other Thoracic Organs	10	37.0	-	-	13	48.1	-	-	-	-	4	14.8	27	100.0
C40-C41	Bone	31	66.0	2	4.3	5	10.6	-	-	-	-	9	19.1	47	100.0
C43	Melanoma of Skin	5	83.3	1	16.7	-	-	-	-	-	-	-	-	6	100.0
C44	Other Skin	71	87.7	-	-	9	11.1	-	-	-	-	1	1.2	81	100.0
C45	Mesothelioma	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C46	Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C47+C49	Conn. & Soft Tissue	40	81.6	1	2.0	6	12.2	-	-	-	-	2	4.1	49	100.0
C50	Breast	1682	83.4	5	0.2	198	9.8	-	-	1	-	131	6.5	2017	100.0
C51	Vulva	28	96.6	-	-	-	-	-	-	-	-	1	3.4	29	100.0
C52	Vagina	35	100.0	-	-	-	-	-	-	-	-	-	-	35	100.0
C53	Cervix Uteri	956	92.5	1	0.1	6	0.6	-	-	-	-	70	6.8	1033	100.0
C54	Corpus Uteri	300	96.8	1	0.3	-	-	-	-	-	-	9	2.9	310	100.0
C55	Uterus Unspecified	37	62.7	-	-	-	-	-	-	-	-	22	37.3	59	100.0
C56	Ovary etc.	340	81.3	4	1.0	35	8.4	-	-	-	-	39	9.3	418	100.0
C57	Other Female Genital	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C58	Placenta	-	-	-	-	-	-	-	-	-	-	3	100.0	3	100.0
C64	Kidney etc.	44	81.5	-	-	5	9.3	-	-	-	-	5	9.3	54	100.0
C65	Renal Pelvis	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C66	Ureter	1	100.0	-	-	-	-	-	-	-	-	-	-	1	100.0
C67	Bladder	61	92.4	-	-	-	-	-	-	-	-	5	7.6	66	100.0
C68	Uns. Urinary Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C69	Eye	2	100.0	-	-	-	-	-	-	-	-	-	-	2	100.0
C70-C72	Brain, Nervous System	154	91.7	-	-	-	-	-	-	-	-	14	8.3	168	100.0
C73	Thyroid	183	83.9	2	0.9	24	11.0	-	-	-	-	9	4.1	218	100.0
C74	Adrenal Gland	6	100.0	-	-	-	-	-	-	-	-	-	-	6	100.0
C81	Hodgkins Disease	37	86.0	-	-	1	2.3	-	-	1	2.3	4	9.3	43	100.0
C82-C85,C96	NHL	170	89.0	-	-	12	6.3	-	-	6	3.1	3	1.6	191	100.0
C88	Malig Imn.Prol D	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C90	Multiple Myeloma	4	5.9	-	-	-	-	-	-	54	79.4	10	14.7	68	100.0
C91	Lymphoid Leuk.	-	-	-	-	-	-	2	2.7	69	94.5	2	2.7	73	100.0
C92-C94	Myeloid Leukaemia	1	0.8	-	-	-	-	18	13.5	107	80.5	7	5.3	133	100.0
C95	Leukaemia Uns	-	-	-	-	-	-	2	11.1	13	72.2	3	16.7	18	100.0
O&U *	Other and Uns	64	26.0	65	26.4	49	19.9	-	-	1	0.4	67	27.2	246	100.0
	All Sites	5809	78.6	107	1.4	528	7.1	22	0.3	253	3.4	670	9.1	7389	100.0

* O&U includes the Sites (ICD-10: C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)

TABLE BLR-7(a): Number of Cancer Deaths by Five Year Age Group and Site (ICD-10): 2008-2009 – Males

%= Relative Proportion of Cancers of All Sites.

ICD-10	Site	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75+	Unkn	Total	%
C00	Lip	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	0.05
C01-C02	Tongue	-	-	-	-	-	3	3	4	7	6	13	12	13	10	7	4	-	82	3.79
C03-C06	Mouth	-	-	-	-	-	-	1	5	5	6	6	14	5	12	3	9	-	66	3.05
C07-C08	Salivary Gland	-	-	-	-	-	-	-	-	-	-	1	-	-	1	2	-	-	4	0.19
C09	Tonsil	-	-	-	-	-	-	-	-	1	1	3	4	1	3	1	3	-	17	0.79
C10	Oth. Oropharynx	-	-	-	-	-	-	-	1	-	-	3	3	2	3	2	3	1	18	0.83
C11	Nasopharynx	-	-	-	-	-	-	-	-	-	-	2	1	1	-	-	1	-	5	0.23
C12-C13	Hypopharynx	-	-	-	-	-	-	-	1	2	6	5	6	6	10	5	7	-	48	2.22
C14	Pharynx Unspecified	-	-	-	-	-	-	-	1	1	1	3	3	4	6	4	2	-	25	1.16
C15	Oesophagus	-	1	-	1	-	-	2	2	5	5	14	26	17	28	21	33	2	157	7.27
C16	Stomach	-	1	-	-	1	1	3	8	7	12	19	32	32	34	29	23	2	204	9.44
C17	Small Intestine	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	2	-	6	0.28
C18	Colon	-	-	-	-	-	-	1	3	1	4	3	9	10	15	12	19	-	77	3.56
C19-C20	Rectum	-	-	-	1	-	3	1	-	4	6	5	12	11	13	9	9	1	75	3.47
C21	Anus & Anal Canal	-	-	-	-	-	-	-	-	-	1	1	-	1	2	-	1	-	6	0.28
C22	Liver	1	1	-	-	2	-	1	1	10	3	14	21	41	24	33	41	1	194	8.98
C23-C24	Gallbladder etc.	-	-	-	-	-	-	1	1	1	2	2	3	7	4	5	4	-	30	1.39
C25	Pancreas	-	-	-	1	-	-	-	-	4	7	11	7	8	7	9	8	-	62	2.87
C30-C31	Nose, Sinuses etc.	-	-	-	-	-	-	-	-	-	2	1	-	-	2	-	2	-	7	0.32
C32	Larynx	-	-	-	-	-	-	-	2	2	2	8	8	6	3	9	6	-	46	2.13
C33-C34	Lung etc.	-	-	-	-	-	1	5	3	9	16	16	34	36	53	53	56	-	282	13.05
C37-C38	Other Thoracic Organs	-	-	-	-	-	-	1	1	2	-	1	-	1	-	-	2	-	8	0.37
C40-C41	Bone	-	-	-	-	2	-	1	-	-	-	1	2	2	1	-	2	-	11	0.51
C43	Melanoma of Skin	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	2	0.09
C44	Other Skin	-	-	-	-	-	-	-	-	-	2	3	2	5	2	3	2	1	20	0.93
C45	Mesothelioma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C46	Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C47+C49	Conn. & Soft Tissue	-	-	-	1	-	-	1	-	-	1	2	1	1	1	1	1	-	10	0.46
C50	Breast	-	-	-	-	-	1	1	1	-	2	-	3	2	3	3	6	-	22	1.02
C60	Penis	-	-	-	-	-	1	-	1	1	1	4	2	-	1	2	2	-	15	0.69
C61	Prostate	1	-	-	-	-	-	-	-	-	-	3	5	14	17	21	64	-	125	5.78
C62	Testis	-	-	1	-	-	1	-	-	2	-	-	-	-	-	-	1	-	5	0.23
C63	Other Male Genital	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C64	Kidney etc.	-	-	-	-	1	1	-	1	-	1	5	4	5	4	2	7	-	31	1.43
C65	Renal Pelvis	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	0.05
C66	Ureter	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C67	Bladder	-	-	-	-	-	-	-	1	1	-	4	3	10	5	9	13	-	46	2.13
C68	Uns. Urinary Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C69	Eye	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C70-C72	Brain, NS	2	3	2	2	-	2	2	3	2	3	3	4	5	3	4	4	-	44	2.04
C73	Thyroid	-	-	-	-	-	-	-	1	-	-	1	3	3	2	3	4	-	17	0.79
C74	Adrenal Gland	-	1	2	-	-	-	-	-	-	1	-	-	-	-	-	-	-	4	0.19
C81	Hodgkins Disease	-	-	-	-	1	-	1	1	-	1	-	-	1	3	-	6	-	14	0.65
C82-C85,C96	NHL	1	-	1	-	1	-	-	6	9	6	12	9	12	8	10	11	1	87	4.03
C88	Malig Imn.Prol D	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C90	Multiple Myeloma	-	-	-	-	-	2	-	1	1	3	2	6	4	6	8	7	-	40	1.85
C91	Lymphoid Leuk.	-	3	2	1	1	2	1	3	3	1	1	3	2	1	3	3	-	30	1.39
C92-C94	Myeloid Leukaemia	1	1	-	1	2	3	5	-	-	5	5	3	4	1	4	5	-	40	1.85
C95	Leukaemia Uns	2	1	-	1	-	-	2	1	1	2	2	2	3	2	4	1	1	25	1.16
O&U *	Other and Uns	-	2	-	1	-	3	1	3	4	7	14	20	22	26	23	26	-	152	7.03
	All Sites	8	14	8	10	11	24	34	56	85	116	196	269	298	316	305	401	10	2161	100.00

* O&U includes the Sites (ICD-10: C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)

TABLE BLR-7(b): Number of Cancer Deaths by Five Year Age Group and Site (ICD-10): 2008-2009 – Females

%= Relative Proportion of Cancers of All Sites.

ICD-10	Site	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75+	Unkn	Total	%
C00	Lip	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	2	0.10
C01-C02	Tongue	-	-	-	-	-	-	-	1	2	-	1	1	4	2	1	5	-	17	0.88
C03-C06	Mouth	-	-	-	-	-	-	1	-	5	5	5	6	11	8	10	8	1	60	3.12
C07-C08	Salivary Gland	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	0.05
C09	Tonsil	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	2	0.10
C10	Oth. Oropharynx	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	0.05
C11	Nasopharynx	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C12-C13	Hypopharynx	-	-	-	-	1	-	1	-	-	-	1	2	1	1	-	2	-	9	0.47
C14	Pharynx Unspecified	-	-	-	-	-	-	1	1	-	3	1	-	1	1	1	6	-	15	0.78
C15	Oesophagus	-	-	-	-	2	-	1	1	8	11	10	14	11	12	16	28	-	114	5.93
C16	Stomach	-	-	-	-	1	3	3	3	2	6	8	7	11	22	11	21	-	98	5.10
C17	Small Intestine	-	-	-	-	-	-	1	-	-	1	1	1	-	-	-	1	-	5	0.26
C18	Colon	-	-	-	-	1	2	-	4	3	2	1	8	8	7	5	12	-	53	2.76
C19-C20	Rectum	-	-	-	-	1	-	4	2	-	5	2	4	2	3	3	7	-	33	1.72
C21	Anus & Anal Canal	-	-	-	-	-	-	-	-	-	-	-	1	-	2	1	2	-	6	0.31
C22	Liver	-	-	-	1	-	-	2	-	2	5	5	6	8	3	11	14	-	57	2.96
C23-C24	Gallbladder etc.	-	-	-	-	-	-	-	2	-	3	1	3	3	5	3	11	-	31	1.61
C25	Pancreas	-	-	-	-	-	1	-	-	-	2	2	1	4	5	1	9	-	25	1.30
C30-C31	Nose, Sinuses etc.	-	-	-	-	-	-	-	-	-	-	1	2	-	1	1	-	-	5	0.26
C32	Larynx	-	-	-	-	-	-	-	1	-	-	-	1	-	1	-	1	-	4	0.21
C33-C34	Lung etc.	-	-	-	-	-	-	1	6	6	9	6	15	15	21	12	13	1	105	5.46
C37-C38	Other Thoracic Organs	-	-	-	1	-	-	-	-	-	1	1	1	-	2	3	-	-	9	0.47
C40-C41	Bone	-	-	-	-	1	-	1	-	2	2	-	2	-	1	-	2	-	11	0.57
C43	Melanoma of Skin	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	0.05
C44	Other Skin	-	-	-	-	-	-	-	-	-	-	-	3	-	-	1	3	-	7	0.36
C45	Mesothelioma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C46	Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C47+C49	Conn. & Soft Tissue	-	-	-	-	-	-	-	2	-	-	-	1	2	1	3	1	-	10	0.52
C50	Breast	-	-	-	-	-	3	11	19	23	50	61	68	51	54	27	44	4	415	21.58
C51	Vulva	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	7	-	9	0.47
C52	Vagina	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	2	-	5	0.26
C53	Cervix Uteri	-	-	-	-	-	2	2	9	22	27	26	34	17	20	21	31	1	212	11.02
C54	Corpus Uteri	-	-	-	-	-	-	-	-	-	3	1	8	8	12	6	8	-	46	2.39
C55	Uterus Unspecified	-	-	-	-	-	-	-	1	2	1	3	5	3	7	3	6	-	31	1.61
C56	Ovary etc.	1	-	-	-	2	4	1	8	4	11	16	21	26	13	16	17	2	142	7.38
C57	Other Female Genital	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C58	Placenta	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C64	Kidney etc.	-	-	-	1	-	-	-	-	3	-	1	1	2	-	3	6	-	17	0.88
C65	Renal Pelvis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C66	Ureter	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C67	Bladder	-	-	-	-	-	-	-	-	-	-	2	1	5	-	1	6	-	15	0.78
C68	Uns. Urinary Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C69	Eye	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	0.05
C70-C72	Brain, NS	-	4	-	2	1	1	-	1	-	6	6	4	3	6	2	5	-	41	2.13
C73	Thyroid	-	-	-	-	-	-	-	1	1	2	4	4	1	5	2	4	-	24	1.25
C74	Adrenal Gland	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	0.10
C81	Hodgkins Disease	-	-	-	-	-	-	-	-	-	-	-	1	-	2	2	2	-	7	0.36
C82-C85,C96	NHL	-	-	-	-	1	-	1	2	3	4	8	7	2	2	5	10	1	46	2.39
C88	Malig Imn.Prol D	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	0.05
C90	Multiple Myeloma	1	-	-	-	-	1	-	1	-	4	5	5	3	2	2	7	-	31	1.61
C91	Lymphoid Leuk.	2	1	1	1	1	2	-	-	1	2	-	1	-	1	1	3	1	18	0.94
C92-C94	Myeloid Leukaemia	1	2	1	2	2	2	4	2	3	5	4	6	4	5	6	2	1	52	2.70
C95	Leukaemia Uns	-	-	-	-	-	-	-	-	-	1	2	2	2	1	-	1	-	9	0.47
O&U *	Other and Uns	1	-	-	2	1	5	1	3	6	7	12	20	12	13	12	23	-	118	6.14
	All Sites	7	7	2	10	15	27	35	73	98	179	197	268	221	245	194	333	12	1923	100.00

* O&U includes the Sites (ICD-10: C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)

TABLE BLR-8(a): Average Annual Age Specific, Crude (CR), Age Adjusted (AAR) (with Standard Error (SE)) and Truncated (35-64 Yrs) (TR) Mortality Rate per 100,000 population: 2008-2009 - Males

ICD-10	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	>75	CR	AAR	SE	TR
C00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1.1	-	-	0.02	-
C01-C02	-	-	-	-	-	0.3	0.4	0.6	1.4	1.3	3.8	5.6	7.2	8.4	8.0	4.3	1.1	1.5	0.17	2.9
C03-C06	-	-	-	-	-	-	0.1	0.8	1.0	1.3	1.7	6.6	2.8	10.1	3.4	9.8	0.9	1.2	0.16	2.1
C07-C08	-	-	-	-	-	-	-	-	-	-	0.3	-	-	0.8	2.3	-	0.1	0.1	0.04	-
C09	-	-	-	-	-	-	-	-	0.2	0.2	0.9	1.9	0.6	2.5	1.1	3.3	0.2	0.3	0.08	0.5
C10	-	-	-	-	-	-	-	0.2	-	-	0.9	1.4	1.1	2.5	2.3	3.3	0.2	0.3	0.08	0.5
C11	-	-	-	-	-	-	-	-	-	-	0.6	0.5	0.6	-	-	1.1	0.1	0.1	0.04	0.2
C12-C13	-	-	-	-	-	-	-	0.2	0.4	1.3	1.4	2.8	3.3	8.4	5.7	7.6	0.6	0.9	0.14	1.4
C14	-	-	-	-	-	-	-	0.2	0.2	0.2	0.9	1.4	2.2	5.0	4.6	2.2	0.3	0.5	0.10	0.7
C15	-	0.2	-	0.1	-	-	0.3	0.3	1.0	1.1	4.1	12.2	9.4	23.5	23.9	35.8	2.0	3.2	0.26	3.9
C16	-	0.2	-	-	0.1	0.1	0.4	1.3	1.4	2.6	5.5	15.0	17.7	28.6	33.0	24.9	2.7	4.0	0.29	6.1
C17	-	-	-	-	-	-	-	-	-	-	0.6	0.9	-	-	-	2.2	0.1	0.1	0.05	0.2
C18	-	-	-	-	-	-	0.1	0.5	0.2	0.9	0.9	4.2	5.5	12.6	13.7	20.6	1.0	1.6	0.19	1.7
C19-C20	-	-	-	0.1	-	0.3	0.1	-	0.8	1.3	1.4	5.6	6.1	10.9	10.3	9.8	1.0	1.4	0.17	2.2
C21	-	-	-	-	-	-	-	-	-	0.2	0.3	-	0.6	1.7	-	1.1	0.1	0.1	0.05	0.2
C22	0.2	0.2	-	-	0.2	-	0.1	0.2	2.0	0.7	4.1	9.9	22.7	20.2	37.6	44.4	2.5	4.0	0.29	5.4
C23-C24	-	-	-	-	-	-	0.1	0.2	0.2	0.4	0.6	1.4	3.9	3.4	5.7	4.3	0.4	0.6	0.11	0.9
C25	-	-	-	0.1	-	-	-	-	0.8	1.5	3.2	3.3	4.4	5.9	10.3	8.7	0.8	1.2	0.15	2.0
C30-C31	-	-	-	-	-	-	-	-	-	0.4	0.3	-	-	1.7	-	2.2	0.1	0.1	0.05	0.1
C32	-	-	-	-	-	-	-	0.3	0.4	0.4	2.3	3.8	3.3	2.5	10.3	6.5	0.6	0.9	0.13	1.5
C33-C34	-	-	-	-	-	0.1	0.7	0.5	1.8	3.5	4.6	15.9	19.9	44.6	60.4	60.7	3.7	5.8	0.35	6.5
C37-C38	-	-	-	-	-	-	0.1	0.2	0.4	-	0.3	-	0.6	-	-	2.2	0.1	0.1	0.05	0.2
C40-C41	-	-	-	-	0.2	-	0.1	-	-	-	0.3	0.9	1.1	0.8	-	2.2	0.1	0.2	0.06	0.3
C43	-	-	-	-	-	-	-	-	-	-	0.3	-	-	-	1.1	-	-	-	0.03	-
C44	-	-	-	-	-	-	-	-	-	0.4	0.9	0.9	2.8	1.7	3.4	2.2	0.3	0.4	0.09	0.7
C45	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C46	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C47+C49	-	-	-	0.1	-	-	0.1	-	-	0.2	0.6	0.5	0.6	0.8	1.1	1.1	0.1	0.2	0.06	0.3
C50	-	-	-	-	-	0.1	0.1	0.2	-	0.4	-	1.4	1.1	2.5	3.4	6.5	0.3	0.4	0.09	0.4
C60	-	-	-	-	-	0.1	-	0.2	0.2	0.2	1.2	0.9	-	0.8	2.3	2.2	0.2	0.3	0.07	0.4
C61	0.2	-	-	-	-	-	-	-	-	-	0.9	2.3	7.8	14.3	23.9	69.3	1.6	2.8	0.25	1.4
C62	-	-	0.2	-	-	0.1	-	-	0.4	-	-	-	-	-	-	1.1	0.1	0.1	0.03	0.1
C63	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C64	-	-	-	-	0.1	0.1	-	0.2	-	0.2	1.4	1.9	2.8	3.4	2.3	7.6	0.4	0.6	0.11	0.9
C65	-	-	-	-	-	-	-	-	-	-	-	-	0.6	-	-	-	-	-	0.02	0.1
C66	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C67	-	-	-	-	-	-	-	0.2	0.2	-	1.2	1.4	5.5	4.2	10.3	14.1	0.6	1.0	0.14	1.2
C68	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C69	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C70-C72	0.4	0.5	0.3	0.3	-	0.2	0.3	0.5	0.4	0.7	0.9	1.9	2.8	2.5	4.6	4.3	0.6	0.8	0.12	1.0
C73	-	-	-	-	-	-	-	0.2	-	-	0.3	1.4	1.7	1.7	3.4	4.3	0.2	0.4	0.09	0.5
C74	-	0.2	0.3	-	-	-	-	-	-	0.2	-	-	-	-	-	-	0.1	0.1	0.03	-
C81	-	-	-	-	0.1	-	0.1	0.2	-	0.2	-	-	0.6	2.5	-	6.5	0.2	0.3	0.08	0.1
C82-C85,C96	0.2	-	0.2	-	0.1	-	-	0.9	1.8	1.3	3.5	4.2	6.6	6.7	11.4	11.9	1.1	1.6	0.18	2.8
C88	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C90	-	-	-	-	-	0.2	-	0.2	0.2	0.7	0.6	2.8	2.2	5.0	9.1	7.6	0.5	0.8	0.13	0.9
C91	-	0.5	0.3	0.1	0.1	0.2	0.1	0.5	0.6	0.2	0.3	1.4	1.1	0.8	3.4	3.3	0.4	0.5	0.09	0.6
C92-C94	0.2	0.2	-	0.1	0.2	0.3	0.7	-	-	1.1	1.4	1.4	2.2	0.8	4.6	5.4	0.5	0.6	0.11	0.9
C95	0.4	0.2	-	0.1	-	-	0.3	0.2	0.2	0.4	0.6	0.9	1.7	1.7	4.6	1.1	0.3	0.4	0.09	0.6
O&U *	-	0.3	-	0.1	-	0.3	0.1	0.5	0.8	1.5	4.1	9.4	12.2	21.9	26.2	28.2	2.0	3.1	0.25	4.0
All	1.4	2.4	1.2	1.4	1.2	2.7	4.9	8.8	17.2	25.6	56.7	126.2	165.0	265.6	347.4	434.5	28.1	42.4	0.94	56.7

* O&U includes the Sites (ICD-10: C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)

TABLE BLR-8(b): Average Annual Age Specific, Crude (CR), Age Adjusted (AAR) (with Standard Error (SE)) and Truncated (35-64 Yrs) (TR) Mortality Rate per 100,000 population: 2008-2009 - Females

ICD-10	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	>75	CR	AAR	SE	TR
C00	-	-	-	-	-	-	-	0.2	-	-	-	-	-	0.8	-	-	-	-	0.03	-
C01-C02	-	-	-	-	-	-	-	0.2	0.5	-	0.3	0.5	2.4	1.6	1.1	5.0	0.2	0.3	0.09	0.6
C03-C06	-	-	-	-	-	-	0.2	-	1.2	1.3	1.7	3.1	6.6	6.4	11.4	8.1	0.9	1.2	0.16	2.0
C07-C08	-	-	-	-	-	-	-	-	-	-	-	0.5	-	-	-	-	-	-	0.02	0.1
C09	-	-	-	-	-	-	-	-	-	-	-	-	-	0.8	1.1	-	-	-	0.03	-
C10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1.0	-	-	0.02	-
C11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C12-C13	-	-	-	-	-	0.1	-	0.2	-	-	0.3	1.0	0.6	0.8	-	2.0	0.1	0.2	0.06	0.3
C14	-	-	-	-	-	-	0.2	0.2	-	0.8	0.3	-	0.6	0.8	1.1	6.0	0.2	0.3	0.07	0.3
C15	-	-	-	-	0.2	-	0.2	0.2	1.9	2.8	3.4	7.3	6.6	9.6	18.3	28.2	1.6	2.3	0.22	3.3
C16	-	-	-	-	0.1	0.4	0.5	0.5	0.5	1.5	2.8	3.7	6.6	17.5	12.6	21.1	1.4	2.0	0.20	2.2
C17	-	-	-	-	-	-	0.2	-	-	0.3	0.3	0.5	-	-	-	1.0	0.1	0.1	0.04	0.2
C18	-	-	-	-	0.1	0.2	-	0.7	0.7	0.5	0.3	4.2	4.8	5.6	5.7	12.1	0.8	1.0	0.15	1.6
C19-C20	-	-	-	-	0.1	-	0.7	0.3	-	1.3	0.7	2.1	1.2	2.4	3.4	7.0	0.5	0.6	0.11	0.8
C21	-	-	-	-	-	-	-	-	-	-	-	0.5	-	1.6	1.1	2.0	0.1	0.1	0.05	0.1
C22	-	-	-	0.1	-	-	0.3	-	0.5	1.3	1.7	3.1	4.8	2.4	12.6	14.1	0.8	1.1	0.15	1.6
C23-C24	-	-	-	-	-	-	-	0.3	-	0.8	0.3	1.6	1.8	4.0	3.4	11.1	0.4	0.6	0.11	0.7
C25	-	-	-	-	-	0.1	-	-	-	0.5	0.7	0.5	2.4	4.0	1.1	9.1	0.4	0.5	0.10	0.6
C30-C31	-	-	-	-	-	-	-	-	-	-	0.3	1.0	-	0.8	1.1	-	0.1	0.1	0.05	0.2
C32	-	-	-	-	-	-	-	0.2	-	-	-	0.5	-	0.8	-	1.0	0.1	0.1	0.04	0.1
C33-C34	-	-	-	-	-	-	0.2	1.0	1.4	2.3	2.1	7.8	9.0	16.7	13.7	13.1	1.5	2.1	0.21	3.4
C37-C38	-	-	-	0.1	-	-	-	-	-	0.3	0.3	0.5	-	1.6	3.4	-	0.1	0.2	0.06	0.2
C40-C41	-	-	-	-	0.1	-	0.2	-	0.5	0.5	-	1.0	-	0.8	-	2.0	0.2	0.2	0.06	0.3
C43	-	-	-	-	-	-	-	0.2	-	-	-	-	-	-	-	-	-	-	0.01	-
C44	-	-	-	-	-	-	-	-	-	-	-	1.6	-	-	1.1	3.0	0.1	0.1	0.06	0.2
C45	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C46	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C47+C49	-	-	-	-	-	-	-	0.3	-	-	-	0.5	1.2	0.8	3.4	1.0	0.1	0.2	0.07	0.3
C50	-	-	-	-	-	0.4	1.9	3.1	5.5	12.5	21.0	35.5	30.7	43.0	30.8	44.3	5.9	7.9	0.40	16.0
C51	-	-	-	-	-	-	-	-	-	-	-	-	0.6	0.8	-	7.0	0.1	0.2	0.06	0.1
C52	-	-	-	-	-	-	-	-	-	0.3	-	-	-	0.8	1.1	2.0	0.1	0.1	0.05	-
C53	-	-	-	-	-	0.2	0.3	1.5	5.2	6.8	8.9	17.7	10.2	15.9	24.0	31.2	3.0	4.0	0.28	7.7
C54	-	-	-	-	-	-	-	-	-	0.8	0.3	4.2	4.8	9.6	6.9	8.1	0.7	1.0	0.15	1.4
C55	-	-	-	-	-	-	-	0.2	0.5	0.3	1.0	2.6	1.8	5.6	3.4	6.0	0.4	0.6	0.12	0.9
C56	0.2	-	-	-	0.2	0.5	0.2	1.3	0.9	2.8	5.5	11.0	15.7	10.4	18.3	17.1	2.0	2.8	0.24	5.3
C57	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C58	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C64	-	-	-	0.1	-	-	-	-	0.7	-	0.3	0.5	1.2	-	3.4	6.0	0.2	0.3	0.08	0.4
C65	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C66	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C67	-	-	-	-	-	-	-	-	-	-	0.7	0.5	3.0	-	1.1	6.0	0.2	0.3	0.08	0.6
C68	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C69	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1.0	-	-	0.02	-
C70-C72	-	0.7	-	0.3	0.1	0.1	-	0.2	-	1.5	2.1	2.1	1.8	4.8	2.3	5.0	0.6	0.8	0.12	1.2
C73	-	-	-	-	-	-	-	0.2	0.2	0.5	1.4	2.1	0.6	4.0	2.3	4.0	0.3	0.5	0.10	0.7
C74	0.2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1.0	-	-	0.03	-
C81	-	-	-	-	-	-	-	-	-	-	-	0.5	-	1.6	2.3	2.0	0.1	0.2	0.06	0.1
C82-C85,C96	-	-	-	-	0.1	-	0.2	0.3	0.7	1.0	2.8	3.7	1.2	1.6	5.7	10.1	0.7	0.8	0.13	1.5
C88	-	-	-	-	0.1	-	-	-	-	-	-	-	-	-	-	-	-	-	0.01	-
C90	0.2	-	-	-	-	0.1	-	0.2	-	1.0	1.7	2.6	1.8	1.6	2.3	7.0	0.4	0.6	0.11	1.1
C91	0.4	0.2	0.2	0.1	0.1	0.2	-	-	0.2	0.5	-	0.5	-	0.8	1.1	3.0	0.3	0.3	0.07	0.2
C92-C94	0.2	0.4	0.2	0.3	0.2	0.2	0.7	0.3	0.7	1.3	1.4	3.1	2.4	4.0	6.9	2.0	0.7	0.9	0.13	1.4
C95	-	-	-	-	-	-	-	-	-	0.3	0.7	1.0	1.2	0.8	-	1.0	0.1	0.2	0.06	0.4
O&U *	0.2	-	-	0.3	0.1	0.6	0.2	0.5	1.4	1.8	4.1	10.4	7.2	10.4	13.7	23.1	1.7	2.3	0.22	3.7
All	1.4	1.3	0.3	1.5	1.8	3.3	5.9	12.1	23.3	44.9	67.7	139.8	133.2	195.3	221.5	335.1	27.5	37.3	0.87	61.7

* O&U includes the Sites (ICD-10: C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)

**TABLE BLR-9(a): Cumulative Rate (Cu.Rate%) & Cumulative Risk (Cu.Risk)
of individual sites (ICD-10) based on age specific rates
(from 0-64 years and from 0-74 Years) 2008-2009 - Males**

ICD-10	Site	0 - 64 Years		0 - 74 Years	
		Cu. Rate %	Cu. Risk	Cu. Rate%	Cu. Risk
C00	Lip	-	-	-	-
C01-C02	Tongue	0.3	0.3	0.6	0.6
C03-C06	Mouth	0.3	0.3	0.5	0.5
C07-C08	Salivary Gland	-	-	0.1	0.1
C09	Tonsil	0.1	0.1	0.1	0.1
C10	Oth. Oropharynx	0.1	0.1	0.1	0.1
C11	Nasopharynx	-	-	-	-
C12-C13	Hypopharynx	0.2	0.2	0.6	0.6
C14	Pharynx Unspecified	0.1	0.1	0.1	0.1
C15	Oesophagus	0.4	0.4	0.9	0.9
C16	Stomach	0.6	0.6	1.1	1.1
C17	Small Intestine	-	-	-	-
C18	Colon	0.2	0.2	0.5	0.5
C19-C20	Rectum	0.3	0.3	0.6	0.6
C21	Anus & Anal Canal	-	-	0.1	0.1
C22	Liver	0.3	0.3	0.7	0.7
C23-C24	Gallbladder etc.	0.1	0.1	0.2	0.2
C25	Pancreas	0.1	0.1	0.2	0.2
C30-C31	Nose, Sinuses etc.	-	-	0.1	0.1
C32	Larynx	0.2	0.2	0.5	0.5
C33-C34	Lung etc.	0.5	0.5	1.4	1.4
C37-C38	Other Thoracic Organs	-	-	0.1	0.1
C40-C41	Bone	0.1	0.1	0.1	0.1
C43	Melanoma of Skin	-	-	-	-
C44	Other Skin	0.1	0.1	0.2	0.2
C45	Mesothelioma	-	-	-	-
C46	Kaposi Sarcoma	-	-	-	-
C47+C49	Conn. & Soft Tissue	0.1	0.1	0.1	0.1
C50	Breast	0.1	0.1	0.1	0.1
C60	Penis	0.1	0.1	0.1	0.1
C61	Prostate	0.3	0.3	1.0	1.0
C62	Testis	-	-	-	-
C63	Other Male Genital	-	-	-	-
C64	Kidney etc.	0.1	0.1	0.3	0.3
C65	Renal Pelvis	-	-	-	-
C66	Ureter	-	-	-	-
C67	Bladder	0.2	0.2	0.4	0.4
C68	Uns.Urinary Organs	-	-	-	-
C69	Eye	-	-	-	-
C70-C72	Brain, Nervous System	0.2	0.2	0.4	0.4
C73	Thyroid	0.1	0.1	0.2	0.2
C74	Adrenal Gland	-	-	-	-
C81	Hodgkins Disease	0.1	0.1	0.1	0.1
C82-C85,C96	NHL	0.3	0.3	0.6	0.6
C88	Malig Imn.Prol D	-	-	-	-
C90	Multiple Myeloma	0.1	0.1	0.3	0.3
C91	Lymphoid Leuk.	0.1	0.1	0.1	0.2
C92-C94	Myeloid Leukaemia	0.1	0.1	0.2	0.2
C95	Leukaemia Uns	-	-	0.1	0.1
O&U*	Other and Uns	0.3	0.3	0.7	0.8
	All Sites	6.19	6.01	13.65	12.76

* O&U includes the Sites (ICD-10: C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)

**TABLE BLR-9(b): Cumulative Rate (Cu.Rate%) & Cumulative Risk (Cu.Risk)
of individual sites (ICD-10) based on age specific rates
(from 0-64 years and from 0-74 Years) 2008-2009 - Females**

ICD-10	Site	0 - 64 Years		0 - 74 Years	
		Cu. Rate %	Cu. Risk	Cu. Rate%	Cu. Risk
C00	Lip	-	-	-	-
C01-C02	Tongue	0.1	0.1	0.1	0.1
C03-C06	Mouth	0.4	0.4	0.8	0.8
C07-C08	Salivary Gland	-	-	0.1	0.1
C09	Tonsil	-	-	-	-
C10	Oth. Oropharynx	-	-	-	-
C11	Nasopharynx	-	-	-	-
C12-C13	Hypopharynx	-	-	0.1	0.1
C14	Pharynx Unspecified	-	-	-	-
C15	Oesophagus	0.4	0.4	0.8	0.8
C16	Stomach	0.3	0.3	0.6	0.6
C17	Small Intestine	-	-	-	-
C18	Colon	0.2	0.2	0.3	0.3
C19-C20	Rectum	0.2	0.2	0.3	0.3
C21	Anus & Anal Canal	-	-	0.1	0.1
C22	Liver	0.1	0.1	0.2	0.2
C23-C24	Gallbladder etc.	0.1	0.1	0.2	0.2
C25	Pancreas	-	-	0.1	0.1
C30-C31	Nose, Sinuses etc.	-	-	0.1	0.1
C32	Larynx	-	-	-	-
C33-C34	Lung etc.	0.3	0.3	0.6	0.6
C37-C38	Other Thoracic Organs	-	-	0.1	0.1
C40-C41	Bone	0.1	0.1	0.1	0.1
C43	Melanoma of Skin	-	-	-	-
C44	Other Skin	0.1	0.1	0.2	0.2
C45	Mesothelioma	-	-	-	-
C46	Kaposi Sarcoma	-	-	-	-
C47+C49	Conn. & Soft Tissue	-	-	0.1	0.1
C50	Breast	2.8	2.7	4.1	4.2
C51	Vulva	-	-	0.1	0.1
C52	Vagina	-	-	0.1	0.1
C53	Cervix Uteri	1.5	1.4	2.2	2.2
C54	Corpus Uteri	0.4	0.4	0.8	0.8
C55	Uterus Unspecified	0.1	0.1	0.1	0.1
C56	Ovary etc.	0.6	0.6	0.9	0.9
C57	Other Female Genital	-	-	-	-
C58	Placenta	-	-	-	-
C64	Kidney etc.	0.1	0.1	0.1	0.1
C65	Renal Pelvis	-	-	-	-
C66	Ureter	-	-	-	-
C67	Bladder	0.1	0.1	0.1	0.1
C68	Uns.Urinary Organs	-	-	-	-
C69	Eye	-	-	-	-
C70-C72	Brain, Nervous System	0.2	0.2	0.3	0.3
C73	Thyroid	0.2	0.2	0.3	0.3
C74	Adrenal Gland	-	-	-	-
C81	Hodgkins Disease	-	-	0.1	0.1
C82-C85,C96	NHL	0.2	0.2	0.4	0.4
C88	Malig Imn.Prol D	-	-	-	-
C90	Multiple Myeloma	0.1	0.1	0.2	0.2
C91	Lymphoid Leuk.	0.1	0.1	0.1	0.1
C92-C94	Myeloid Leukaemia	0.2	0.2	0.2	0.2
C95	Leukaemia Uns	-	-	-	-
O&U *	Other and Uns	0.3	0.3	0.5	0.5
	All Sites	9.60	9.15	15.79	14.61

* O&U includes the Sites (ICD-10: C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)