

POPULATION BASED CANCER REGISTRY, DIBRUGARH

Assam Medical College Hospital, Dibrugarh

Prof (Dr) A.K. Adhikari

Principal cum Chief Supdt, AMCH & Principal Investigator, HBCR & POCSS Project

Dr M.S. Ali

Principal Investigator, PBCR, Dibrugarh

PBCR covering the district of Dibrugarh located in the eastern part of Assam was established in 2003 along with five (5) PBCRs of N.E Region under NCRP of ICMR. The registry has completed nine (9) years of operation on 31st December, 2011.

During this tenure, PBCR, Dibrugarh has been able to generate authentic and quality data on incidence, the pattern and burden of cancer in the district albeit a few shortcomings. The accrued data have shown pointers to the burden and pattern of cancers amenable to specific epidemiological studies and cancer control measures.

During the formative years the registry had to face several administrative and technical problems. Some of them have been sorted out but some are still there to be resolved at the district health and civil authority level. Cooperation from the nursing homes, private hospitals and diagnostic laboratories have been partial in the sense that these centres do not fill-up all the columns of the abridged proforma specifically designed for the purpose on the pretext of shortage of staff. Nor do they allow our field staff to look into their records for fear of breaching confidentiality and as a result incompleteness of data persists.

Moreover, the base institution Assam Medical College Hospital (AMCH) being only a tertiary teaching hospital lacks the provision of oncology wing manned by oncologists. Increase in health awareness among the populace has made more and more affluent cancer patients to go to well equipped cancer centres and private hospitals outside Dibrugarh for diagnosis and treatment. In the absence of a referral board or any such coordination in the district, it is not possible to know the whereabouts of the patients. What the registry eventually receives from the laboratory reports and DCO records of some of these patients are usually incomplete and lacking information on the extent of disease, treatment, date of diagnosis, primary site etc. In this context, cancer mortality data continues to serve as a major and potential source of registration for Dibrugarh PBCR.

The vast population of the district is rural (around 80%). It has been observed over the years that not all deaths are reported in the VSD centres and the compliance is even worse in rural area especially in case of female deaths. To improve upon the completeness and reliability of cancer mortality data of the district, it is essential to consider the following options seriously. (a) To make medical certification of death error-free and mandatory; (b) VSD centres should be computerised and manned by trained staff

for facilitating collection of all cause mortality data; (c) Village heads/collection panchayat officials should be held responsible/accountable for any lapses in death reporting; (d) Unmatched cancer deaths (DCNs) must be actively followed up for primary site/date of diagnosis.

Most of the perennial problems in cancer registration in the district can be solved to a large extent if cancer can be made a notifiable disease in Assam for which a persistent concerted effort from all the three PBCRs of the state would be required.

Staff Position of PBCR, Dibrugarh

Sri S.K. Bhuyan, MIT	:	Computer Programmer
Mr C. Hazarika, MSc	:	Statistician
Mrs R. Mahanta, MSc	:	Medical Social Worker
Mr C. Chetia, MSc	:	Medical Social Worker
Mr S. Barua, MA	:	Medical Social Worker
Mrs R.D. Singh, MCA	:	Data Entry Operator

**TABLE DIB-1: Main Sources of Registration of Incident Cases of Cancer: 2009-2011
Dibrugarh District**

Name of the Institution	Number	%
AMCH, Dibrugarh	1449	58.2
Madona Laboratory	187	7.5
Aditya Diagnostic Laboratory	152	6.1
Municipality Board, Dibrugarh	122	4.9
BBCI, Guwahati	112	4.5
Sankardev Hospital & Research Centre	75	3.0
Tengakhata PHC	50	2.0
Marwari Arogya Bhawan Hospital, Jyoti Nagar, Dibrugarh	44	1.8
Life Line Laboratory	42	1.7
Birth & Death Registration, AMCH, Dibrugarh	32	1.3
Khowang PHC	32	1.3
Oil Hospital, Duliajan	29	1.2
Naharani CHC	28	1.1
Others	134	5.4
Total	2488	100.0

1. Institutions listed have registered at least one percent of all cases in the registry for the combined years 2009-2011.
2. The numbers and proportion listed are the minimum number of cases. Institutions could have registered/ reported more cases, since duplicate registrations and non-resident/registry cases are not included.

Figure DBR -1
Population Pyramid showing Age Distribution: 2009-2011
DIBRUGARH DISTRICT




TABLE DIB-2
Population by Five Year Age Group and Gender: 2009-2011
Number and Relative Proportion (%)
DIBRUGARH DISTRICT

Age Group	Males		Females	
	Number	%	Number	%
00-04	158401	7.73	148492	7.58
05-09	228973	11.18	217531	11.10
10-14	251084	12.26	238114	12.15
15-19	196227	9.58	194180	9.91
20-24	190301	9.29	188539	9.62
25-29	169144	8.26	186129	9.50
30-34	157482	7.69	169168	8.63
35-39	181889	8.88	169903	8.67
40-44	133345	6.51	112299	5.73
45-49	112769	5.51	97519	4.98
50-54	84256	4.11	65490	3.34
55-59	59166	2.89	49498	2.53
60-64	45386	2.22	46979	2.40
65-69	30804	1.50	34321	1.75
70-74	23921	1.17	21477	1.10
75+	24889	1.22	20506	1.05
Total	2048037	100.00	1960145	100.00

TABLE DIB-3(a): Number of Incident Cancers by Five Year Age Group and Site (ICD-10): 2009-2011 - Males

%= Relative Proportion of Cancers of All Sites.

ICD-10	Site	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75+	Unkn	Total	%
C00	Lip	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	2	-	4	0.28
C01-C02	Tongue	-	-	-	-	-	1	-	4	3	4	5	15	11	2	9	9	-	63	4.38
C03-C06	Mouth	-	-	-	-	-	1	1	4	9	10	23	22	26	14	11	8	-	129	8.97
C07-C08	Salivary Gland	-	-	-	-	-	-	-	-	-	-	2	1	1	-	-	-	-	4	0.28
C09	Tonsil	-	-	-	-	-	1	-	1	4	3	2	3	5	4	2	2	-	27	1.88
C10	Oth. Oropharynx	-	-	-	-	-	-	1	-	2	3	4	2	4	2	5	4	-	27	1.88
C11	Nasopharynx	-	-	-	-	-	-	1	1	-	2	2	3	-	-	1	-	-	10	0.70
C12-C13	Hypopharynx	-	-	-	-	-	-	-	7	17	27	31	20	27	14	14	14	-	171	11.89
C14	Pharynx Unspecified	-	-	-	-	-	-	-	2	-	4	2	7	5	5	3	3	-	31	2.16
C15	Oesophagus	-	-	-	-	-	2	-	5	16	19	35	36	28	31	22	18	-	212	14.74
C16	Stomach	-	-	-	-	-	-	2	5	5	17	9	15	16	14	13	12	-	108	7.51
C17	Small Intestine	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	1	-	3	0.21
C18	Colon	-	-	-	1	2	-	-	3	3	2	6	3	2	3	5	1	-	31	2.16
C19-C20	Rectum	-	-	-	-	1	2	1	6	10	1	4	6	4	2	4	1	-	42	2.92
C21	Anus & Anal Canal	-	-	-	-	-	-	-	-	-	1	1	1	3	-	-	-	-	6	0.42
C22	Liver	-	-	-	-	-	-	3	4	6	8	6	8	7	4	2	8	-	56	3.89
C23-C24	Gallbladder etc.	-	-	-	-	-	-	2	-	3	7	3	7	4	6	8	5	-	45	3.13
C25	Pancreas	-	-	-	-	-	-	-	1	-	1	4	1	2	2	-	2	-	13	0.90
C30-C31	Nose, Sinuses etc.	-	-	-	-	-	-	-	-	1	1	1	-	-	-	1	-	-	4	0.28
C32	Larynx	-	-	-	-	-	-	1	2	1	1	11	3	7	9	2	9	-	46	3.20
C33-C34	Lung etc.	1	-	-	-	-	1	-	2	-	5	10	5	11	8	7	7	-	57	3.96
C37-C38	Other Thoracic Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	2	0.14
C40-C41	Bone	-	-	-	-	-	-	-	-	-	1	1	2	1	2	-	2	-	9	0.63
C43	Melanoma of Skin	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	2	0.14
C44	Other Skin	-	-	-	1	-	-	-	-	-	2	-	1	2	1	-	1	-	8	0.56
C45	Mesothelioma	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	0.07
C46	Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C47+C49	Conn. & Soft Tissue	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	-	3	0.21
C50	Breast	-	-	-	-	-	1	-	-	1	2	1	-	-	2	-	-	-	7	0.49
C60	Penis	-	-	-	-	-	-	1	1	2	4	5	3	-	1	2	-	-	19	1.32
C61	Prostate	-	-	-	-	-	-	-	-	-	2	2	2	-	4	5	7	-	22	1.53
C62	Testis	-	-	-	-	2	3	2	1	2	2	-	1	2	-	1	-	-	16	1.11
C63	Other Male Genital	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	0.07
C64	Kidney etc.	-	-	-	-	-	-	-	-	-	-	2	-	-	1	2	1	-	6	0.42
C65	Renal Pelvis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	0.07
C66	Ureter	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C67	Bladder	-	-	-	1	-	-	-	2	3	3	4	1	3	2	3	3	-	25	1.74
C68	Uns.Urinary Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C69	Eye	3	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	5	0.35
C70-C72	Brain, NS	2	1	1	-	-	-	1	2	2	-	2	3	1	-	1	-	-	16	1.11
C73	Thyroid	-	-	-	-	-	-	-	1	1	2	1	-	-	2	-	-	-	7	0.49
C74	Adrenal Gland	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	0.07
C81	Hodgkins Disease	-	-	3	-	1	1	-	1	-	-	-	-	-	-	-	-	-	6	0.42
C82-C85,C96	NHL	2	-	2	1	1	2	3	2	4	3	6	6	2	4	3	4	-	45	3.13
C88	Malig Imn.Prol D	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C90	Multiple Myeloma	-	-	-	-	-	-	-	-	1	-	1	2	2	2	-	1	-	9	0.63
C91	Lymphoid Leuk.	3	2	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	8	0.56
C92-C94	Myeloid Leukaemia	1	-	-	2	3	2	3	-	1	1	-	2	-	-	-	-	-	15	1.04
C95	Leukaemia Uns	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	2	0.14
O&U*	Other and Uns	1	1	-	-	-	1	1	4	9	19	14	17	12	16	10	8	-	113	7.86
	All Sites	13	5	8	7	10	18	23	62	107	161	206	199	189	158	137	135	-	1438	100.0

* O&U includes the Sites (ICD-10: C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)

TABLE DIB-3(b): Number of Incident Cancers by Five Year Age Group and Site (ICD-10): 2009-2011 - Females

%= Relative Proportion of Cancers of All Sites.

ICD-10	Site	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75+	Unkn	Total	%
C00	Lip	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	1	-	3	0.29
C01-C02	Tongue	-	-	-	-	1	-	-	1	-	3	2	3	5	-	-	3	-	18	1.71
C03-C06	Mouth	-	-	-	-	-	1	1	3	3	10	3	11	10	6	3	5	-	56	5.33
C07-C08	Salivary Gland	-	-	-	-	-	-	1	1	-	-	1	1	1	-	-	-	-	5	0.48
C09	Tonsil	-	-	-	-	-	-	-	1	1	1	1	2	1	-	1	-	-	8	0.76
C10	Oth. Oropharynx	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	2	0.19
C11	Nasopharynx	-	-	-	1	-	2	-	1	-	-	1	-	-	-	1	-	-	6	0.57
C12-C13	Hypopharynx	-	-	-	-	-	2	-	4	3	1	4	4	2	3	3	2	-	28	2.67
C14	Pharynx Unspecified	-	-	-	-	-	1	-	1	-	-	1	-	1	-	1	-	-	5	0.48
C15	Oesophagus	-	-	-	-	-	1	2	5	10	12	21	9	18	15	6	5	-	104	9.90
C16	Stomach	-	-	-	-	-	1	-	2	9	10	10	5	9	7	1	3	-	57	5.43
C17	Small Intestine	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	2	0.19
C18	Colon	-	-	-	-	2	1	1	4	4	5	1	3	4	3	-	-	-	28	2.67
C19-C20	Rectum	-	-	-	-	1	1	2	3	7	5	4	5	2	1	2	1	-	34	3.24
C21	Anus & Anal Canal	-	-	-	-	1	1	-	2	1	-	-	2	-	-	-	1	-	8	0.76
C22	Liver	-	-	-	-	-	1	1	-	2	3	5	1	3	-	2	2	-	20	1.90
C23-C24	Gallbladder etc.	-	-	-	-	-	1	1	9	11	17	15	16	20	11	3	3	-	107	10.19
C25	Pancreas	-	-	-	-	-	-	1	-	-	2	1	2	-	-	2	-	-	8	0.76
C30-C31	Nose, Sinuses etc.	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	0.10
C32	Larynx	-	-	-	-	-	-	-	-	1	-	1	1	-	-	1	-	-	4	0.38
C33-C34	Lung etc.	-	-	-	-	-	-	1	4	5	1	-	2	1	1	3	5	-	23	2.19
C37-C38	Oth. Thoracic Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C40-C41	Bone	-	-	3	1	1	-	-	1	1	-	-	-	-	-	-	-	-	7	0.67
C43	Melanoma of Skin	-	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-	3	0.29
C44	Other Skin	-	-	-	-	-	2	-	1	-	2	-	1	2	-	1	-	-	9	0.86
C45	Mesothelioma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C46	Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C47+C49	Conn. & Soft Tissue	-	-	-	-	-	-	-	2	-	1	-	-	-	1	-	-	-	4	0.38
C50	Breast	-	-	-	-	2	9	7	33	23	26	31	17	17	4	3	1	-	173	16.48
C51	Vulva	-	-	-	-	-	-	1	-	-	-	2	1	1	2	-	-	-	7	0.67
C52	Vagina	-	-	-	-	-	-	-	-	1	-	1	-	1	-	2	-	-	5	0.48
C53	Cervix Uteri	-	-	-	-	1	3	2	14	11	6	12	12	12	3	6	2	-	84	8.00
C54	Corpus Uteri	-	-	-	-	-	-	1	1	1	3	3	2	1	2	1	-	-	15	1.43
C55	Uterus Unspecified	-	-	-	-	-	1	-	1	1	1	1	3	1	1	1	-	-	11	1.05
C56	Ovary etc.	-	-	3	1	2	8	5	5	6	12	12	11	5	5	6	4	-	85	8.10
C57	Other Female Genital	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	2	0.19
C58	Placenta	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	2	0.19
C64	Kidney etc.	-	-	-	-	-	-	-	-	1	2	1	1	-	-	-	-	-	5	0.48
C65	Renal Pelvis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C66	Ureter	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C67	Bladder	-	-	-	-	-	-	-	-	1	1	1	1	1	-	1	-	-	6	0.57
C68	Uns.Urinary Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C69	Eye	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	0.10
C70-C72	Brain, NS	2	-	-	-	-	1	-	2	1	-	1	1	-	1	-	1	-	10	0.95
C73	Thyroid	-	-	-	-	-	1	-	2	-	1	1	2	-	-	2	-	-	9	0.86
C74	Adrenal Gland	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	0.10
C81	Hodgkins Disease	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C82-C85,C96	NHL	-	3	-	1	1	1	-	1	-	1	1	1	1	3	1	-	-	15	1.43
C88	Malig Imn.Prof D	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C90	Multiple Myeloma	-	-	-	-	-	1	-	-	1	2	-	-	-	-	-	-	-	4	0.38
C91	Lymphoid Leuk.	1	1	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	4	0.38
C92-C94	Myeloid Leukaemia	-	1	2	-	-	1	-	1	2	1	1	-	-	-	-	-	-	9	0.86
C95	Leukaemia Uns	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
O&U*	Other and Uns	-	-	-	-	2	1	-	1	5	6	10	7	10	6	2	2	-	52	4.95
	All Sites	4	5	8	5	14	42	29	108	114	137	152	128	132	75	56	41	-	1050	100.0

* O&U includes the Sites (ICD-10: C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)

TABLE DIB-4(a): Average Annual Age Specific, Crude (CR), Age Adjusted (AAR) (with Standard Error (SE)) and Truncated (35-64 yrs) (TR) Incidence Rate per 100,000 population: 2009-2011 - Males

ICD-10	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	>75	CR	AAR	SE	TR
C00	-	-	-	-	-	-	-	-	-	0.9	1.2	-	-	-	-	8.0	0.2	0.27	0.14	0.4
C01-C02	-	-	-	-	-	0.6	-	2.2	2.2	3.5	5.9	25.4	24.2	6.5	37.6	36.2	3.1	4.48	0.58	8.9
C03-C06	-	-	-	-	-	0.6	0.6	2.2	6.7	8.9	27.3	37.2	57.3	45.4	46.0	32.1	6.3	9.22	0.84	20.0
C07-C08	-	-	-	-	-	-	-	-	-	-	2.4	1.7	2.2	-	-	-	0.2	0.27	0.14	0.9
C09	-	-	-	-	-	0.6	-	0.5	3.0	2.7	2.4	5.1	11.0	13.0	8.4	8.0	1.3	1.90	0.38	3.7
C10	-	-	-	-	-	-	0.6	-	1.5	2.7	4.7	3.4	8.8	6.5	20.9	16.1	1.3	1.95	0.38	3.1
C11	-	-	-	-	-	-	0.6	0.5	-	1.8	2.4	5.1	-	-	4.2	-	0.5	0.58	0.19	1.5
C12-C13	-	-	-	-	-	-	-	3.8	12.7	23.9	36.8	33.8	59.5	45.4	58.5	56.2	8.3	11.66	0.92	25.8
C14	-	-	-	-	-	-	-	1.1	-	3.5	2.4	11.8	11.0	16.2	12.5	12.1	1.5	2.29	0.42	4.2
C15	-	-	-	-	-	1.2	-	2.7	12.0	16.8	41.5	60.8	61.7	100.6	92.0	72.3	10.4	15.27	1.08	28.6
C16	-	-	-	-	-	-	1.3	2.7	3.7	15.1	10.7	25.4	35.3	45.4	54.3	48.2	5.3	7.74	0.77	13.7
C17	-	-	-	-	-	-	-	-	-	0.9	1.2	-	-	-	-	4.0	0.1	0.19	0.11	0.4
C18	-	-	-	0.5	1.1	-	-	1.6	2.2	1.8	7.1	5.1	4.4	9.7	20.9	4.0	1.5	2.00	0.38	3.5
C19-C20	-	-	-	-	0.5	1.2	0.6	3.3	7.5	0.9	4.7	10.1	8.8	6.5	16.7	4.0	2.1	2.48	0.40	5.5
C21	-	-	-	-	-	-	-	-	-	0.9	1.2	1.7	6.6	-	-	-	0.3	0.44	0.18	1.4
C22	-	-	-	-	-	-	1.9	2.2	4.5	7.1	7.1	13.5	15.4	13.0	8.4	32.1	2.7	3.66	0.51	7.6
C23-C24	-	-	-	-	-	-	1.3	-	2.2	6.2	3.6	11.8	8.8	19.5	33.4	20.1	2.2	3.24	0.50	4.9
C25	-	-	-	-	-	-	-	0.5	-	0.9	4.7	1.7	4.4	6.5	-	8.0	0.6	0.92	0.26	1.8
C30-C31	-	-	-	-	-	-	-	-	0.7	0.9	1.2	-	-	-	4.2	-	0.2	0.24	0.12	0.5
C32	-	-	-	-	-	-	0.6	1.1	0.7	0.9	13.1	5.1	15.4	29.2	8.4	36.2	2.2	3.44	0.52	5.3
C33-C34	0.6	-	-	-	-	0.6	-	1.1	-	4.4	11.9	8.5	24.2	26.0	29.3	28.1	2.8	4.28	0.58	7.2
C37-C38	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4.2	4.0	0.1	0.16	0.12	-
C40-C41	-	-	-	-	-	-	-	-	-	0.9	1.2	3.4	2.2	6.5	-	8.0	0.4	0.69	0.23	1.1
C43	-	-	-	-	-	-	-	-	-	-	-	-	2.2	3.2	-	-	0.1	0.19	0.13	0.3
C44	-	-	-	0.5	-	-	-	-	-	1.8	-	1.7	4.4	3.2	-	4.0	0.4	0.57	0.21	1.1
C45	-	-	-	-	-	-	-	-	-	-	1.2	-	-	-	-	-	-	0.06	0.06	0.2
C46	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C47+C49	-	-	-	-	-	-	-	0.5	-	-	2.4	-	-	-	-	-	0.1	0.15	0.09	0.5
C50	-	-	-	-	-	0.6	-	-	0.7	1.8	1.2	-	-	6.5	-	-	0.3	0.45	0.18	0.7
C60	-	-	-	-	-	-	0.6	0.5	1.5	3.5	5.9	5.1	-	3.2	8.4	-	0.9	1.14	0.27	2.7
C61	-	-	-	-	-	-	-	-	-	1.8	2.4	3.4	-	13.0	20.9	28.1	1.1	1.73	0.37	1.2
C62	-	-	-	-	1.1	1.8	1.3	0.5	1.5	1.8	-	1.7	4.4	-	4.2	-	0.8	0.86	0.23	1.5
C63	-	-	-	-	-	-	-	-	0.7	-	-	-	-	-	-	-	-	0.04	0.04	0.1
C64	-	-	-	-	-	-	-	-	-	-	2.4	-	-	3.2	8.4	4.0	0.3	0.46	0.19	0.4
C65	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4.0	-	0.08	0.08	-
C66	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C67	-	-	-	0.5	-	-	-	1.1	2.2	2.7	4.7	1.7	6.6	6.5	12.5	12.1	1.2	1.66	0.35	3.0
C68	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C69	1.9	-	-	-	-	-	-	-	-	-	1.2	1.7	-	-	-	-	0.2	0.35	0.16	0.4
C70-C72	1.3	0.4	0.4	-	-	-	0.6	1.1	1.5	-	2.4	5.1	2.2	-	4.2	-	0.8	0.92	0.24	1.8
C73	-	-	-	-	-	-	-	0.5	0.7	1.8	1.2	-	-	6.5	-	-	0.3	0.44	0.18	0.8
C74	-	-	-	-	-	-	-	-	-	0.9	-	-	-	-	-	-	-	0.05	0.05	0.2
C81	-	-	1.2	-	0.5	0.6	-	0.5	-	-	-	-	-	-	-	-	0.3	0.23	0.09	0.1
C82-C85,C96	1.3	-	0.8	0.5	0.5	1.2	1.9	1.1	3.0	2.7	7.1	10.1	4.4	13.0	12.5	16.1	2.2	2.83	0.44	4.3
C88	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C90	-	-	-	-	-	-	-	-	0.7	-	1.2	3.4	4.4	6.5	-	4.0	0.4	0.69	0.24	1.3
C91	1.9	0.9	0.8	0.5	-	-	-	-	-	-	-	-	-	-	-	-	0.4	0.43	0.16	-
C92-C94	0.6	-	-	1.0	1.6	1.2	1.9	-	0.7	0.9	-	3.4	-	-	-	-	0.7	0.74	0.20	0.8
C95	-	0.4	-	-	-	-	-	-	-	0.9	-	-	-	-	-	-	0.1	0.10	0.07	0.2
O&U *	0.6	0.4	-	-	-	0.6	0.6	2.2	6.7	16.8	16.6	28.7	26.4	51.9	41.8	32.1	5.5	7.83	0.76	14.8
All	8.2	2.2	3.2	3.6	5.3	10.6	14.6	34.1	80.2	142.8	244.5	336.3	416.4	512.9	572.7	542.4	70.2	99.4	2.71	186.3

* O&U includes the Sites (ICD-10: C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)

TABLE DIB-4(b): Average Annual Age Specific, Crude (CR), Age Adjusted (AAR) (with Standard Error (SE)) and Truncated (35-64 yrs) (TR) Incidence Rate per 100,000 population: 2009-2011 - Females

ICD-10	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	>75	CR	AAR	SE	TR
C00	-	-	-	-	-	-	0.6	0.6	-	-	-	-	-	-	-	4.9	0.2	0.17	0.11	0.1
C01-C02	-	-	-	-	0.5	-	-	0.6	-	3.1	3.1	6.1	10.6	-	-	14.6	0.9	1.38	0.33	3.4
C03-C06	-	-	-	-	-	0.5	0.6	1.8	2.7	10.3	4.6	22.2	21.3	17.5	14.0	24.4	2.9	4.22	0.58	9.2
C07-C08	-	-	-	-	-	-	0.6	0.6	-	-	1.5	2.0	2.1	-	-	-	0.3	0.31	0.15	0.9
C09	-	-	-	-	-	-	-	0.6	0.9	1.0	1.5	4.0	2.1	-	4.7	-	0.4	0.57	0.21	1.5
C10	-	-	-	-	-	-	-	-	-	-	-	2.0	2.1	-	-	-	0.1	0.17	0.12	0.5
C11	-	-	-	0.5	-	1.1	-	0.6	-	-	1.5	-	-	-	4.7	-	0.3	0.34	0.15	0.4
C12-C13	-	-	-	-	-	1.1	-	2.4	2.7	1.0	6.1	8.1	4.3	8.7	14.0	9.8	1.4	1.98	0.39	3.7
C14	-	-	-	-	-	0.5	-	0.6	-	-	1.5	-	2.1	-	4.7	-	0.3	0.33	0.16	0.6
C15	-	-	-	-	-	0.5	1.2	2.9	8.9	12.3	32.1	18.2	38.3	43.7	27.9	24.4	5.3	7.78	0.78	17.1
C16	-	-	-	-	-	0.5	-	1.2	8.0	10.3	15.3	10.1	19.2	20.4	4.7	14.6	2.9	4.14	0.56	10.0
C17	-	-	-	-	-	-	-	-	-	2.1	-	-	-	-	-	-	0.1	0.12	0.09	0.4
C18	-	-	-	-	1.1	0.5	0.6	2.4	3.6	5.1	1.5	6.1	8.5	8.7	-	-	1.4	1.75	0.35	4.3
C19-C20	-	-	-	-	0.5	0.5	1.2	1.8	6.2	5.1	6.1	10.1	4.3	2.9	9.3	4.9	1.7	2.19	0.39	5.4
C21	-	-	-	-	0.5	0.5	-	1.2	0.9	-	-	4.0	-	-	-	4.9	0.4	0.47	0.18	0.9
C22	-	-	-	-	-	0.5	0.6	-	1.8	3.1	7.6	2.0	6.4	-	9.3	9.8	1.0	1.47	0.34	3.3
C23-C24	-	-	-	-	-	0.5	0.6	5.3	9.8	17.4	22.9	32.3	42.6	32.1	14.0	14.6	5.5	7.70	0.77	19.7
C25	-	-	-	-	-	-	0.6	-	-	2.1	1.5	4.0	-	-	9.3	-	0.4	0.58	0.21	1.2
C30-C31	-	-	-	-	-	-	-	-	0.9	-	-	-	-	-	-	-	0.1	0.05	0.05	0.2
C32	-	-	-	-	-	-	-	-	0.9	-	1.5	2.0	-	-	4.7	-	0.2	0.30	0.15	0.7
C33-C34	-	-	-	-	-	-	0.6	2.4	4.5	1.0	-	4.0	2.1	2.9	14.0	24.4	1.2	1.61	0.35	2.3
C37-C38	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C40-C41	-	-	1.3	0.5	0.5	-	-	0.6	0.9	-	-	-	-	-	-	-	0.4	0.29	0.11	0.3
C43	-	-	-	-	-	-	-	-	-	-	3.1	-	2.1	-	-	-	0.2	0.24	0.14	0.8
C44	-	-	-	-	-	1.1	-	0.6	-	2.1	-	2.0	4.3	-	4.7	-	0.5	0.59	0.21	1.3
C45	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C46	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C47+C49	-	-	-	-	-	-	-	1.2	-	1.0	-	-	-	2.9	-	-	0.2	0.22	0.12	0.4
C50	-	-	-	-	1.1	4.8	4.1	19.4	20.5	26.7	47.3	34.3	36.2	11.7	14.0	4.9	8.8	10.63	0.85	29.6
C51	-	-	-	-	-	-	0.6	-	-	-	3.1	2.0	2.1	5.8	-	-	0.4	0.53	0.20	1.0
C52	-	-	-	-	-	-	-	-	0.9	-	1.5	-	2.1	-	9.3	-	0.3	0.40	0.18	0.7
C53	-	-	-	-	0.5	1.6	1.2	8.2	9.8	6.2	18.3	24.2	25.5	8.7	27.9	9.8	4.3	5.62	0.64	14.1
C54	-	-	-	-	-	-	0.6	0.6	0.9	3.1	4.6	4.0	2.1	5.8	4.7	-	0.8	1.05	0.28	2.4
C55	-	-	-	-	-	0.5	-	0.6	0.9	1.0	1.5	6.1	2.1	2.9	4.7	-	0.6	0.78	0.24	1.8
C56	-	-	1.3	0.5	1.1	4.3	3.0	2.9	5.3	12.3	18.3	22.2	10.6	14.6	27.9	19.5	4.3	5.62	0.64	11.2
C57	-	-	-	-	-	-	-	0.6	-	-	-	-	-	-	4.7	-	0.1	0.13	0.10	0.1
C58	-	-	-	-	-	-	0.6	-	0.9	-	-	-	-	-	-	-	0.1	0.09	0.06	0.2
C64	-	-	-	-	-	-	-	-	0.9	2.1	1.5	2.0	-	-	-	-	0.3	0.33	0.15	1.1
C65	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C66	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C67	-	-	-	-	-	-	-	-	0.9	1.0	1.5	2.0	2.1	-	4.7	-	0.3	0.45	0.19	1.2
C68	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C69	0.7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.1	0.08	0.08	-
C70-C72	1.3	-	-	-	-	0.5	-	1.2	0.9	-	1.5	2.0	-	2.9	-	4.9	0.5	0.67	0.22	0.9
C73	-	-	-	-	-	0.5	-	1.2	-	1.0	1.5	4.0	-	-	9.3	-	0.5	0.60	0.21	1.2
C74	-	-	-	-	-	-	-	-	-	-	1.5	-	-	-	-	-	0.1	0.08	0.08	0.2
C81	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C82-C85,C96	-	1.4	-	0.5	0.5	0.5	-	0.6	-	1.0	1.5	2.0	2.1	8.7	4.7	-	0.8	0.96	0.26	1.1
C88	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C90	-	-	-	-	-	0.5	-	-	0.9	2.1	-	-	-	-	-	-	0.2	0.22	0.11	0.6
C91	0.7	0.5	-	0.5	-	-	-	-	-	-	-	-	2.1	-	-	-	0.2	0.26	0.13	0.3
C92-C94	-	0.5	0.8	-	-	0.5	-	0.6	1.8	1.0	1.5	-	-	-	-	-	0.5	0.44	0.15	0.9
C95	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
O&U*	-	-	-	-	1.1	0.5	-	0.6	4.5	6.2	15.3	14.1	21.3	17.5	9.3	9.8	2.7	3.89	0.55	9.2
All	2.7	2.3	3.4	2.6	7.4	22.6	17.1	63.6	101.5	140.5	232.1	258.6	281.0	218.5	260.7	199.9	53.6	71.8	2.30	166.2

* O&U includes the Sites (ICD-10: C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)

TABLE DIB-5(a): Number (#) and Proportion (%) of Cancers by Site (ICD-10) and Method of Diagnosis: 2009-2011 - Males

ICD-10	Site	Clinical		Microscopic		X-Ray/Imaging		DCO		Others		Unknown		Total	
		#	%	#	%	#	%	#	%	#	%	#	%	#	%
C00	Lip	-	-	4	100.0	-	-	-	-	-	-	-	-	4	100.0
C01-C02	Tongue	-	-	61	96.8	-	-	2	3.2	-	-	-	-	63	100.0
C03-C06	Mouth	-	-	123	95.3	-	-	6	4.7	-	-	-	-	129	100.0
C07-C08	Salivary Gland	-	-	4	100.0	-	-	-	-	-	-	-	-	4	100.0
C09	Tonsil	-	-	27	100.0	-	-	-	-	-	-	-	-	27	100.0
C10	Oth. Oropharynx	-	-	27	100.0	-	-	-	-	-	-	-	-	27	100.0
C11	Nasopharynx	-	-	8	80.0	-	-	2	20.0	-	-	-	-	10	100.0
C12-C13	Hypopharynx	-	-	160	93.6	-	-	11	6.4	-	-	-	-	171	100.0
C14	Pharynx Unspecified	-	-	20	64.5	-	-	11	35.5	-	-	-	-	31	100.0
C15	Oesophagus	-	-	171	80.7	3	1.4	33	15.6	5	2.4	-	-	212	100.0
C16	Stomach	1	0.9	82	75.9	2	1.9	19	17.6	4	3.7	-	-	108	100.0
C17	Small Intestine	-	-	2	66.7	-	-	1	33.3	-	-	-	-	3	100.0
C18	Colon	-	-	24	77.4	1	3.2	3	9.7	3	9.7	-	-	31	100.0
C19-C20	Rectum	-	-	29	69.0	2	4.8	11	26.2	-	-	-	-	42	100.0
C21	Anus & Anal Canal	-	-	5	83.3	-	-	1	16.7	-	-	-	-	6	100.0
C22	Liver	1	1.8	16	28.6	6	10.7	33	58.9	-	-	-	-	56	100.0
C23-C24	Gallbladder etc.	2	4.4	21	46.7	12	26.7	10	22.2	-	-	-	-	45	100.0
C25	Pancreas	-	-	6	46.2	-	-	6	46.2	1	7.7	-	-	13	100.0
C30-C31	Nose, Sinuses etc.	-	-	4	100.0	-	-	-	-	-	-	-	-	4	100.0
C32	Larynx	-	-	40	87.0	-	-	6	13.0	-	-	-	-	46	100.0
C33-C34	Lung etc.	1	1.8	28	49.1	8	14.0	20	35.1	-	-	-	-	57	100.0
C37-C38	Other Thoracic Organs	-	-	1	50.0	1	50.0	-	-	-	-	-	-	2	100.0
C40-C41	Bone	-	-	4	44.4	1	11.1	4	44.4	-	-	-	-	9	100.0
C43	Melanoma of Skin	-	-	2	100.0	-	-	-	-	-	-	-	-	2	100.0
C44	Other Skin	-	-	7	87.5	-	-	1	12.5	-	-	-	-	8	100.0
C45	Mesothelioma	-	-	1	100.0	-	-	-	-	-	-	-	-	1	100.0
C46	Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C47+C49	Conn. & Soft Tissue	-	-	3	100.0	-	-	-	-	-	-	-	-	3	100.0
C50	Breast	-	-	7	100.0	-	-	-	-	-	-	-	-	7	100.0
C60	Penis	-	-	18	94.7	-	-	1	5.3	-	-	-	-	19	100.0
C61	Prostate	-	-	13	59.1	2	9.1	6	27.3	1	4.5	-	-	22	100.0
C62	Testis	-	-	12	75.0	2	12.5	2	12.5	-	-	-	-	16	100.0
C63	Other Male Genital	-	-	1	100.0	-	-	-	-	-	-	-	-	1	100.0
C64	Kidney etc.	-	-	6	100.0	-	-	-	-	-	-	-	-	6	100.0
C65	Renal Pelvis	-	-	1	100.0	-	-	-	-	-	-	-	-	1	100.0
C66	Ureter	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C67	Bladder	1	4.0	20	80.0	-	-	4	16.0	-	-	-	-	25	100.0
C68	Uns. Urinary Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C69	Eye	-	-	3	60.0	1	20.0	1	20.0	-	-	-	-	5	100.0
C70-C72	Brain, Nervous System	-	-	9	56.3	3	18.8	4	25.0	-	-	-	-	16	100.0
C73	Thyroid	-	-	6	85.7	-	-	1	14.3	-	-	-	-	7	100.0
C74	Adrenal Gland	-	-	1	100.0	-	-	-	-	-	-	-	-	1	100.0
C81	Hodgkins Disease	-	-	6	100.0	-	-	-	-	-	-	-	-	6	100.0
C82-C85,C96	NHL	-	-	43	95.6	-	-	2	4.4	-	-	-	-	45	100.0
C88	Malignant Imm. Prol D	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C90	Multiple Myeloma	-	-	8	88.9	-	-	1	11.1	-	-	-	-	9	100.0
C91	Lymphoid Leuk.	-	-	8	100.0	-	-	-	-	-	-	-	-	8	100.0
C92-C94	Myeloid Leukaemia	-	-	15	100.0	-	-	-	-	-	-	-	-	15	100.0
C95	Leukaemia Uns	-	-	2	100.0	-	-	-	-	-	-	-	-	2	100.0
O&U*	Other and Uns	1	0.9	56	49.6	3	2.7	53	46.9	-	-	-	-	113	100.0
	All Sites	7	0.5	1115	77.5	47	3.3	255	17.7	14	1.0	-	-	1438	100.0

* O&U includes the Sites (ICD-10: C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)

TABLE DIB-5(b): Number (#) and Proportion (%) of Cancers by Site (ICD-10) and Method of Diagnosis: 2009-2011 - Females

ICD-10	Site	Clinical		Microscopic		X-Ray/Imaging		DCO		Others		Unknown		Total	
		#	%	#	%	#	%	#	%	#	%	#	%	#	%
C00	Lip	-	-	3	100.0	-	-	-	-	-	-	-	-	3	100.0
C01-C02	Tongue	-	-	18	100.0	-	-	-	-	-	-	-	-	18	100.0
C03-C06	Mouth	1	1.8	52	92.9	-	-	3	5.4	-	-	-	-	56	100.0
C07-C08	Salivary Gland	-	-	5	100.0	-	-	-	-	-	-	-	-	5	100.0
C09	Tonsil	-	-	8	100.0	-	-	-	-	-	-	-	-	8	100.0
C10	Oth. Oropharynx	-	-	2	100.0	-	-	-	-	-	-	-	-	2	100.0
C11	Nasopharynx	-	-	5	83.3	-	-	1	16.7	-	-	-	-	6	100.0
C12-C13	Hypopharynx	-	-	28	100.0	-	-	-	-	-	-	-	-	28	100.0
C14	Pharynx Unspecified	-	-	2	40.0	-	-	3	60.0	-	-	-	-	5	100.0
C15	Oesophagus	-	-	90	86.5	1	1.0	12	11.5	1	1.0	-	-	104	100.0
C16	Stomach	1	1.8	43	75.4	5	8.8	8	14.0	-	-	-	-	57	100.0
C17	Small Intestine	-	-	1	50.0	1	50.0	-	-	-	-	-	-	2	100.0
C18	Colon	-	-	25	89.3	2	7.1	-	-	1	3.6	-	-	28	100.0
C19-C20	Rectum	1	2.9	29	85.3	3	8.8	1	2.9	-	-	-	-	34	100.0
C21	Anus & Anal Canal	-	-	8	100.0	-	-	-	-	-	-	-	-	8	100.0
C22	Liver	-	-	3	15.0	5	25.0	12	60.0	-	-	-	-	20	100.0
C23-C24	Gallbladder etc.	2	1.9	70	65.4	23	21.5	12	11.2	-	-	-	-	107	100.0
C25	Pancreas	-	-	3	37.5	3	37.5	2	25.0	-	-	-	-	8	100.0
C30-C31	Nose, Sinuses etc.	-	-	1	100.0	-	-	-	-	-	-	-	-	1	100.0
C32	Larynx	-	-	3	75.0	1	25.0	-	-	-	-	-	-	4	100.0
C33-C34	Lung etc.	2	8.7	10	43.5	2	8.7	9	39.1	-	-	-	-	23	100.0
C37-C38	Other Thoracic Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C40-C41	Bone	-	-	7	100.0	-	-	-	-	-	-	-	-	7	100.0
C43	Melanoma of Skin	-	-	3	100.0	-	-	-	-	-	-	-	-	3	100.0
C44	Other Skin	-	-	9	100.0	-	-	-	-	-	-	-	-	9	100.0
C45	Mesothelioma	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C46	Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C47+C49	Conn. & Soft Tissue	-	-	3	75.0	1	25.0	-	-	-	-	-	-	4	100.0
C50	Breast	-	-	163	94.2	2	1.2	8	4.6	-	-	-	-	173	100.0
C51	Vulva	-	-	7	100.0	-	-	-	-	-	-	-	-	7	100.0
C52	Vagina	-	-	2	40.0	1	20.0	1	20.0	1	20.0	-	-	5	100.0
C53	Cervix Uteri	1	1.2	77	91.7	1	1.2	5	6.0	-	-	-	-	84	100.0
C54	Corpus Uteri	-	-	15	100.0	-	-	-	-	-	-	-	-	15	100.0
C55	Uterus Unspecified	-	-	10	90.9	-	-	1	9.1	-	-	-	-	11	100.0
C56	Ovary etc.	1	1.2	62	72.9	15	17.6	7	8.2	-	-	-	-	85	100.0
C57	Other Female Genital	-	-	2	100.0	-	-	-	-	-	-	-	-	2	100.0
C58	Placenta	-	-	2	100.0	-	-	-	-	-	-	-	-	2	100.0
C64	Kidney etc.	-	-	5	100.0	-	-	-	-	-	-	-	-	5	100.0
C65	Renal Pelvis	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C66	Ureter	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C67	Bladder	-	-	5	83.3	1	16.7	-	-	-	-	-	-	6	100.0
C68	Uns. Urinary Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C69	Eye	-	-	1	100.0	-	-	-	-	-	-	-	-	1	100.0
C70-C72	Brain, Nervous System	-	-	6	60.0	1	10.0	3	30.0	-	-	-	-	10	100.0
C73	Thyroid	-	-	6	66.7	1	11.1	2	22.2	-	-	-	-	9	100.0
C74	Adrenal Gland	-	-	1	100.0	-	-	-	-	-	-	-	-	1	100.0
C81	Hodgkins Disease	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C82-C85,C96	NHL	-	-	14	93.3	-	-	1	6.7	-	-	-	-	15	100.0
C88	Malig Imn.Prol D	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C90	Multiple Myeloma	-	-	4	100.0	-	-	-	-	-	-	-	-	4	100.0
C91	Lymphoid Leuk.	-	-	4	100.0	-	-	-	-	-	-	-	-	4	100.0
C92-C94	Myeloid Leukaemia	-	-	8	88.9	-	-	1	11.1	-	-	-	-	9	100.0
C95	Leukaemia Uns	-	-	-	-	-	-	-	-	-	-	-	-	-	-
O&U *	Other and Uns	2	3.8	25	48.1	4	7.7	21	40.4	-	-	-	-	52	100.0
	All Sites	11	1.0	850	81.0	73	7.0	113	10.8	3	0.3	-	-	1050	100.0

* O&U includes the Sites (ICD-10: C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)

TABLE DIB-6(a): Number (#) and Proportion (%) of Cancers by Site (ICD-10) and Detailed Microscopic Diagnosis: 2009-2011 - Males

ICD-10	Site	Pri. Hist		Sec. Hist		Cytology		Blood Film		Bone Marrow		Others		Total	
		#	%	#	%	#	%	#	%	#	%	#	%	#	%
C00	Lip	4	100.0	-	-	-	-	-	-	-	-	-	-	4	100.0
C01-C02	Tongue	56	88.9	1	1.6	4	6.3	-	-	-	-	2	3.2	63	100.0
C03-C06	Mouth	120	93.0	1	0.8	2	1.6	-	-	-	-	6	4.7	129	100.0
C07-C08	Salivary Gland	4	100.0	-	-	-	-	-	-	-	-	-	-	4	100.0
C09	Tonsil	27	100.0	-	-	-	-	-	-	-	-	-	-	27	100.0
C10	Oth. Oropharynx	26	96.3	-	-	1	3.7	-	-	-	-	-	-	27	100.0
C11	Nasopharynx	8	80.0	-	-	-	-	-	-	-	-	2	20.0	10	100.0
C12-C13	Hypopharynx	151	88.3	4	2.3	5	2.9	-	-	-	-	11	6.4	171	100.0
C14	Pharynx Unspecified	20	64.5	-	-	-	-	-	-	-	-	11	35.5	31	100.0
C15	Oesophagus	171	80.7	-	-	-	-	-	-	-	-	41	19.3	212	100.0
C16	Stomach	79	73.1	-	-	3	2.8	-	-	-	-	26	24.1	108	100.0
C17	Small Intestine	1	33.3	-	-	1	33.3	-	-	-	-	1	33.3	3	100.0
C18	Colon	24	77.4	-	-	-	-	-	-	-	-	7	22.6	31	100.0
C19-C20	Rectum	28	66.7	-	-	1	2.4	-	-	-	-	13	31.0	42	100.0
C21	Anus & Anal Canal	5	83.3	-	-	-	-	-	-	-	-	1	16.7	6	100.0
C22	Liver	6	10.7	-	-	10	17.9	-	-	-	-	40	71.4	56	100.0
C23-C24	Gallbladder etc.	16	35.6	-	-	5	11.1	-	-	-	-	24	53.3	45	100.0
C25	Pancreas	6	46.2	-	-	-	-	-	-	-	-	7	53.8	13	100.0
C30-C31	Nose, Sinuses etc.	4	100.0	-	-	-	-	-	-	-	-	-	-	4	100.0
C32	Larynx	39	84.8	1	2.2	-	-	-	-	-	-	6	13.0	46	100.0
C33-C34	Lung etc.	15	26.3	-	-	13	22.8	-	-	-	-	29	50.9	57	100.0
C37-C38	Other Thoracic Organs	-	-	-	-	1	50.0	-	-	-	-	1	50.0	2	100.0
C40-C41	Bone	4	44.4	-	-	-	-	-	-	-	-	5	55.6	9	100.0
C43	Melanoma of Skin	2	100.0	-	-	-	-	-	-	-	-	-	-	2	100.0
C44	Other Skin	7	87.5	-	-	-	-	-	-	-	-	1	12.5	8	100.0
C45	Mesothelioma	1	100.0	-	-	-	-	-	-	-	-	-	-	1	100.0
C46	Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C47+C49	Conn. & Soft Tissue	3	100.0	-	-	-	-	-	-	-	-	-	-	3	100.0
C50	Breast	5	71.4	-	-	2	28.6	-	-	-	-	-	-	7	100.0
C60	Penis	17	89.5	1	5.3	-	-	-	-	-	-	1	5.3	19	100.0
C61	Prostate	12	54.5	1	4.5	-	-	-	-	-	-	9	40.9	22	100.0
C62	Testis	11	68.8	-	-	1	6.3	-	-	-	-	4	25.0	16	100.0
C63	Other Male Genital	-	-	1	100.0	-	-	-	-	-	-	-	-	1	100.0
C64	Kidney etc.	5	83.3	1	16.7	-	-	-	-	-	-	-	-	6	100.0
C65	Renal Pelvis	1	100.0	-	-	-	-	-	-	-	-	-	-	1	100.0
C66	Ureter	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C67	Bladder	18	72.0	-	-	2	8.0	-	-	-	-	5	20.0	25	100.0
C68	Uns. Urinary Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C69	Eye	3	60.0	-	-	-	-	-	-	-	-	2	40.0	5	100.0
C70-C72	Brain, Nervous System	9	56.3	-	-	-	-	-	-	-	-	7	43.8	16	100.0
C73	Thyroid	3	42.9	-	-	3	42.9	-	-	-	-	1	14.3	7	100.0
C74	Adrenal Gland	1	100.0	-	-	-	-	-	-	-	-	-	-	1	100.0
C81	Hodgkins Disease	6	100.0	-	-	-	-	-	-	-	-	-	-	6	100.0
C82-C85,C96	NHL	33	73.3	-	-	9	20.0	-	-	1	2.2	2	4.4	45	100.0
C88	Malig Imn.Prol D	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C90	Multiple Myeloma	-	-	-	-	-	-	-	-	8	88.9	1	11.1	9	100.0
C91	Lymphoid Leuk.	-	-	-	-	-	-	-	-	8	100.0	-	-	8	100.0
C92-C94	Myeloid Leukaemia	-	-	-	-	-	-	-	-	15	100.0	-	-	15	100.0
C95	Leukaemia Uns	-	-	-	-	-	-	-	-	2	100.0	-	-	2	100.0
O&U*	Other and Uns	5	4.4	34	30.1	17	15.0	-	-	-	-	57	50.4	113	100.0
	All Sites	956	66.5	45	3.1	80	5.6	-	-	34	2.4	323	22.5	1438	100.0

* O&U includes the Sites (ICD-10: C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)

TABLE DIB-6(b): Number (#) and Proportion (%) of Cancers by Site (ICD-10) and Detailed Microscopic Diagnosis: 2009-2011 - Females

ICD-10	Site	Pri. Hist		Sec. Hist		Cytology		Blood Film		Bone Marrow		Others		Total	
		#	%	#	%	#	%	#	%	#	%	#	%	#	%
C00	Lip	3	100.0	-	-	-	-	-	-	-	-	-	-	3	100.0
C01-C02	Tongue	17	94.4	-	-	1	5.6	-	-	-	-	-	-	18	100.0
C03-C06	Mouth	51	91.1	-	-	1	1.8	-	-	-	-	4	7.1	56	100.0
C07-C08	Salivary Gland	3	60.0	-	-	2	40.0	-	-	-	-	-	-	5	100.0
C09	Tonsil	8	100.0	-	-	-	-	-	-	-	-	-	-	8	100.0
C10	Oth. Oropharynx	2	100.0	-	-	-	-	-	-	-	-	-	-	2	100.0
C11	Nasopharynx	5	83.3	-	-	-	-	-	-	-	-	1	16.7	6	100.0
C12-C13	Hypopharynx	27	96.4	-	-	1	3.6	-	-	-	-	-	-	28	100.0
C14	Pharynx Unspecified	2	40.0	-	-	-	-	-	-	-	-	3	60.0	5	100.0
C15	Oesophagus	90	86.5	-	-	-	-	-	-	-	-	14	13.5	104	100.0
C16	Stomach	40	70.2	1	1.8	2	3.5	-	-	-	-	14	24.6	57	100.0
C17	Small Intestine	1	50.0	-	-	-	-	-	-	-	-	1	50.0	2	100.0
C18	Colon	21	75.0	1	3.6	3	10.7	-	-	-	-	3	10.7	28	100.0
C19-C20	Rectum	27	79.4	-	-	2	5.9	-	-	-	-	5	14.7	34	100.0
C21	Anus & Anal Canal	8	100.0	-	-	-	-	-	-	-	-	-	-	8	100.0
C22	Liver	1	5.0	-	-	2	10.0	-	-	-	-	17	85.0	20	100.0
C23-C24	Gallbladder etc.	55	51.4	-	-	15	14.0	-	-	-	-	37	34.6	107	100.0
C25	Pancreas	2	25.0	-	-	1	12.5	-	-	-	-	5	62.5	8	100.0
C30-C31	Nose, Sinuses etc.	1	100.0	-	-	-	-	-	-	-	-	-	-	1	100.0
C32	Larynx	3	75.0	-	-	-	-	-	-	-	-	1	25.0	4	100.0
C33-C34	Lung etc.	3	13.0	-	-	7	30.4	-	-	-	-	13	56.5	23	100.0
C37-C38	Other Thoracic Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C40-C41	Bone	4	57.1	-	-	3	42.9	-	-	-	-	-	-	7	100.0
C43	Melanoma of Skin	2	66.7	-	-	1	33.3	-	-	-	-	-	-	3	100.0
C44	Other Skin	9	100.0	-	-	-	-	-	-	-	-	-	-	9	100.0
C45	Mesothelioma	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C46	Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C47+C49	Conn. & Soft Tissue	2	50.0	-	-	1	25.0	-	-	-	-	1	25.0	4	100.0
C50	Breast	134	77.5	-	-	29	16.8	-	-	-	-	10	5.8	173	100.0
C51	Vulva	6	85.7	1	14.3	-	-	-	-	-	-	-	-	7	100.0
C52	Vagina	2	40.0	-	-	-	-	-	-	-	-	3	60.0	5	100.0
C53	Cervix Uteri	76	90.5	-	-	1	1.2	-	-	-	-	7	8.3	84	100.0
C54	Corpus Uteri	13	86.7	-	-	2	13.3	-	-	-	-	-	-	15	100.0
C55	Uterus Unspecified	10	90.9	-	-	-	-	-	-	-	-	1	9.1	11	100.0
C56	Ovary etc.	58	68.2	3	3.5	1	1.2	-	-	-	-	23	27.1	85	100.0
C57	Other Female Genital	2	100.0	-	-	-	-	-	-	-	-	-	-	2	100.0
C58	Placenta	1	50.0	1	50.0	-	-	-	-	-	-	-	-	2	100.0
C64	Kidney etc.	5	100.0	-	-	-	-	-	-	-	-	-	-	5	100.0
C65	Renal Pelvis	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C66	Ureter	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C67	Bladder	5	83.3	-	-	-	-	-	-	-	-	1	16.7	6	100.0
C68	Uns. Urinary Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C69	Eye	1	100.0	-	-	-	-	-	-	-	-	-	-	1	100.0
C70-C72	Brain, Nervous System	6	60.0	-	-	-	-	-	-	-	-	4	40.0	10	100.0
C73	Thyroid	6	66.7	-	-	-	-	-	-	-	-	3	33.3	9	100.0
C74	Adrenal Gland	1	100.0	-	-	-	-	-	-	-	-	-	-	1	100.0
C81	Hodgkins Disease	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C82-C85,C96	NHL	9	60.0	1	6.7	4	26.7	-	-	-	-	1	6.7	15	100.0
C88	Malignant Immunoproliferative Disorders	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C90	Multiple Myeloma	1	25.0	-	-	-	-	-	-	3	75.0	-	-	4	100.0
C91	Lymphoid Leuk.	-	-	-	-	-	-	-	-	4	100.0	-	-	4	100.0
C92-C94	Myeloid Leukaemia	-	-	-	-	-	-	-	-	8	88.9	1	11.1	9	100.0
C95	Leukaemia Unspecified	-	-	-	-	-	-	-	-	-	-	-	-	-	-
O&U*	Other and Unspecified	4	7.7	10	19.2	11	21.2	-	-	-	-	27	51.9	52	100.0
	All Sites	727	69.2	18	1.7	90	8.6	-	-	15	1.4	200	19.0	1050	100.0

* O&U includes the Sites (ICD-10: C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)

TABLE DIB-7(a): Number of Cancer Deaths by Five Year Age Group and Site (ICD-10): 2009-2011 – Males

%= Relative Proportion of Cancers of All Sites.

ICD-10	Site	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75+	Unkn	Total	%
C00	Lip	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C01-C02	Tongue	-	-	-	-	-	-	-	1	1	1	-	1	2	1	2	2	-	11	2.47
C03-C06	Mouth	-	-	-	-	-	-	-	-	-	2	4	1	2	1	-	1	-	11	2.47
C07-C08	Salivary Gland	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	0.22
C09	Tonsil	-	-	-	-	-	-	1	-	-	-	-	-	-	1	1	-	-	3	0.67
C10	Oth. Oropharynx	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	1	-	4	0.90
C11	Nasopharynx	-	-	-	-	-	-	-	-	-	-	2	1	-	-	1	-	-	4	0.90
C12-C13	Hypopharynx	-	-	-	-	-	-	-	1	-	3	8	3	4	1	1	5	-	26	5.83
C14	Pharynx Unspecified	-	-	-	-	-	-	-	1	-	1	1	4	2	2	2	2	-	15	3.36
C15	Oesophagus	-	-	-	-	-	1	-	3	3	6	10	11	13	8	11	8	-	74	16.59
C16	Stomach	-	-	-	-	-	-	-	3	2	5	3	5	6	5	9	7	-	45	10.09
C17	Small Intestine	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	2	0.45
C18	Colon	-	-	-	-	-	-	-	-	-	-	2	1	1	-	1	-	-	5	1.12
C19-C20	Rectum	-	-	-	-	-	1	-	2	3	1	2	2	3	3	1	-	-	18	4.04
C21	Anus & Anal Canal	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	0.22
C22	Liver	-	-	-	-	-	-	3	4	2	6	4	5	4	5	-	5	-	38	8.52
C23-C24	Gallbladder etc.	-	-	-	-	-	-	-	1	-	4	2	1	1	4	3	2	-	18	4.04
C25	Pancreas	-	-	-	-	-	-	-	-	-	1	2	-	-	1	-	2	-	6	1.35
C30-C31	Nose, Sinuses etc.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	0.22
C32	Larynx	-	-	-	-	-	-	1	-	1	-	3	-	1	-	1	4	-	11	2.47
C33-C34	Lung etc.	1	-	-	-	-	-	-	-	-	4	6	3	5	4	4	4	-	31	6.95
C37-C38	Other Thoracic Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	0.22
C40-C41	Bone	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	2	-	5	1.12
C43	Melanoma of Skin	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C44	Other Skin	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	0.22
C45	Mesothelioma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C46	Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C47 + C49	Conn. & Soft Tissue	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C50	Breast	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C60	Penis	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	2	0.45
C61	Prostate	-	-	-	-	-	-	-	-	-	1	-	1	-	2	-	2	-	6	1.35
C62	Testis	-	-	-	-	1	-	-	-	1	-	-	-	1	-	-	-	-	3	0.67
C63	Other Male Genital	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C64	Kidney etc.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	0.22
C65	Renal Pelvis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C66	Ureter	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C67	Bladder	-	-	-	-	-	-	-	1	-	2	-	-	1	1	-	1	-	6	1.35
C68	Uns. Urinary Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C69	Eye	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	2	0.45
C70-C72	Brain, Nervous System	-	-	-	-	-	-	-	-	2	1	1	1	1	-	-	-	-	6	1.35
C73	Thyroid	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	2	0.45
C74	Adrenal Gland	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C81	Hodgkins Disease	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C82-C85,C96	NHL	-	-	-	2	-	1	1	1	-	2	1	2	-	-	-	-	-	10	2.24
C88	Malig Imn.Prol D	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C90	Multiple Myeloma	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	0.22
C91	Lymphoid Leuk.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C92-C94	Myeloid Leukaemia	1	1	-	1	2	-	2	-	2	1	-	1	1	2	-	1	-	15	3.36
C95	Leukaemia Uns	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
O&U*	Other and Uns	-	-	-	-	-	1	-	5	5	8	7	9	7	6	6	6	-	60	13.45
	All Sites	2	1	-	4	3	4	8	24	23	49	64	55	56	49	48	56	-	446	100.00

* O&U includes the Sites (ICD-10: C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)

TABLE DIB-7(b): Number of Cancer Deaths by Five Year Age Group and Site (ICD-10): 2009-2011 – Females

% = Relative Proportion of Cancers of All Sites.

ICD-10	Site	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75+	Unkn	Total	%
C00	Lip	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C01-C02	Tongue	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	2	0.87
C03-C06	Mouth	-	-	-	-	-	1	1	-	1	1	1	1	1	1	1	-	-	9	3.90
C07-C08	Salivary Gland	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	0.43
C09	Tonsil	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C10	Oth. Oropharynx	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C11	Nasopharynx	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	0.43
C12-C13	Hypopharynx	-	-	-	-	-	-	-	-	1	-	-	-	-	-	2	1	-	4	1.73
C14	Pharynx Unspecified	-	-	-	-	-	-	-	2	-	-	2	-	-	1	1	-	-	6	2.60
C15	Oesophagus	-	-	-	-	-	-	2	1	2	2	1	3	3	4	3	-	-	21	9.09
C16	Stomach	-	-	-	-	-	-	-	-	4	3	-	1	2	1	1	3	-	15	6.49
C17	Small Intestine	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C18	Colon	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	0.43
C19-C20	Rectum	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	1	-	3	1.30
C21	Anus & Anal Canal	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C22	Liver	-	-	-	-	-	-	1	-	1	2	4	1	2	1	3	1	-	16	6.93
C23-C24	Gallbladder etc.	-	-	-	-	-	-	-	-	3	6	2	2	6	4	2	2	-	27	11.69
C25	Pancreas	-	-	-	-	-	-	-	-	-	-	1	1	-	-	2	-	-	4	1.73
C30-C31	Nose, Sinuses etc.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C32	Larynx	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C33-C34	Lung etc.	-	-	-	-	-	-	-	2	3	1	-	1	1	1	2	3	-	14	6.06
C37-C38	Other Thoracic Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C40-C41	Bone	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C43	Melanoma of Skin	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C44	Other Skin	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C45	Mesothelioma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C46	Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C47+C49	Conn. & Soft Tissue	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	0.43
C50	Breast	-	-	-	-	-	-	-	3	6	3	5	3	3	2	1	-	-	26	11.26
C51	Vulva	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C52	Vagina	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	2	0.87
C53	Cervix Uteri	-	-	-	-	-	1	-	2	1	-	4	1	-	1	-	-	-	10	4.33
C54	Corpus Uteri	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	0.43
C55	Uterus Unspecified	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	0.43
C56	Ovary etc.	-	-	-	-	-	1	1	1	-	1	5	2	-	3	1	1	-	16	6.93
C57	Other Female Genital	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C58	Placenta	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C64	Kidney etc.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C65	Renal Pelvis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C66	Ureter	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C67	Bladder	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	0.43
C68	Uns.Urinary Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C69	Eye	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C70-C72	Brain, Nervous System	-	-	-	-	-	1	-	1	-	-	-	1	-	1	-	1	-	5	2.16
C73	Thyroid	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	-	-	3	1.30
C74	Adrenal Gland	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C81	Hodgkins Disease	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C82-C85,C96	NHL	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	2	0.87
C88	Malig Imn.Prol D	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C90	Multiple Myeloma	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	2	0.87
C91	Lymphoid Leuk.	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	0.43
C92-C94	Myeloid Leukaemia	-	-	-	-	-	1	-	1	4	-	1	1	-	-	-	-	-	8	3.46
C95	Leukaemia Uns	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	2	0.87
O&U *	Other and Uns	-	-	-	-	2	-	-	-	1	3	5	4	4	5	-	2	-	26	11.26
	All Sites	-	1	-	1	3	7	5	14	27	25	35	23	26	25	24	15	-	231	100.00

* O&U includes the Sites (ICD-10: C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)

TABLE DIB-8(a): Average Annual Age Specific, Crude (CR), Age Adjusted (AAR) (with Standard Error (SE)) and Truncated (35-64 Yrs) (TR) Mortality Rate per 100,000 population: 2009-2011 - Males

ICD-10	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	>75	CR	AAR	SE	TR
C00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C01-C02	-	-	-	-	-	-	-	0.5	0.7	0.9	-	1.7	4.4	3.2	8.4	8.0	0.5	0.8	0.25	1.2
C03-C06	-	-	-	-	-	-	-	-	-	1.8	4.7	1.7	4.4	3.2	-	4.0	0.5	0.8	0.24	1.9
C07-C08	-	-	-	-	-	-	-	-	0.7	-	-	-	-	-	-	-	-	-	0.04	0.1
C09	-	-	-	-	-	-	0.6	-	-	-	-	-	-	3.2	4.2	-	0.1	0.2	0.13	-
C10	-	-	-	-	-	-	-	-	-	-	1.2	-	2.2	-	4.2	4.0	0.2	0.3	0.16	0.5
C11	-	-	-	-	-	-	-	-	-	-	2.4	1.7	-	-	4.2	-	0.2	0.3	0.14	0.6
C12-C13	-	-	-	-	-	-	-	0.5	-	2.7	9.5	5.1	8.8	3.2	4.2	20.1	1.3	1.8	0.36	3.9
C14	-	-	-	-	-	-	-	0.5	-	0.9	1.2	6.8	4.4	6.5	8.4	8.0	0.7	1.1	0.30	1.9
C15	-	-	-	-	-	0.6	-	1.6	2.2	5.3	11.9	18.6	28.6	26.0	46.0	32.1	3.6	5.4	0.65	9.8
C16	-	-	-	-	-	-	-	1.6	1.5	4.4	3.6	8.5	13.2	16.2	37.6	28.1	2.2	3.3	0.51	4.8
C17	-	-	-	-	-	-	-	-	-	-	1.2	-	-	-	-	4.0	0.1	0.1	0.10	0.2
C18	-	-	-	-	-	-	-	-	-	-	2.4	1.7	2.2	-	4.2	-	0.2	0.4	0.16	0.9
C19-C20	-	-	-	-	-	0.6	-	1.1	2.2	0.9	2.4	3.4	6.6	9.7	4.2	-	0.9	1.2	0.30	2.5
C21	-	-	-	-	-	-	-	-	-	-	1.2	-	-	-	-	-	-	0.1	0.06	0.2
C22	-	-	-	-	-	-	1.9	2.2	1.5	5.3	4.7	8.5	8.8	16.2	-	20.1	1.9	2.5	0.42	4.7
C23-C24	-	-	-	-	-	-	-	0.5	-	3.5	2.4	1.7	2.2	13.0	12.5	8.0	0.9	1.3	0.32	1.7
C25	-	-	-	-	-	-	-	-	-	0.9	2.4	-	-	3.2	-	8.0	0.3	0.4	0.18	0.6
C30-C31	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4.2	-	-	0.1	0.08	-
C32	-	-	-	-	-	-	0.6	-	0.7	-	3.6	-	2.2	-	4.2	16.1	0.5	0.8	0.23	1.0
C33-C34	0.6	-	-	-	-	-	-	-	-	3.5	7.1	5.1	11.0	13.0	16.7	16.1	1.5	2.3	0.43	3.9
C37-C38	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4.2	-	-	0.1	0.08	-
C40-C41	-	-	-	-	-	-	-	-	-	-	1.2	1.7	-	3.2	-	8.0	0.2	0.4	0.17	0.4
C43	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C44	-	-	-	0.5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.05	-
C45	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C46	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C47+C49	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C50	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C60	-	-	-	-	-	-	-	-	-	-	-	1.7	-	-	4.2	-	0.1	0.2	0.11	0.2
C61	-	-	-	-	-	-	-	-	-	0.9	-	1.7	-	6.5	-	8.0	0.3	0.5	0.20	0.4
C62	-	-	-	-	0.5	-	-	-	0.7	-	-	-	2.2	-	-	-	0.1	0.2	0.11	0.4
C63	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C64	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4.2	-	-	0.1	0.08	-
C65	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C66	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C67	-	-	-	-	-	-	-	0.5	-	1.8	-	-	2.2	3.2	-	4.0	0.3	0.4	0.17	0.7
C68	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C69	-	-	-	-	-	-	-	-	-	-	1.2	1.7	-	-	-	-	0.1	0.1	0.09	0.4
C70-C72	-	-	-	-	-	-	-	-	1.5	0.9	1.2	1.7	2.2	-	-	-	0.3	0.4	0.15	1.2
C73	-	-	-	-	-	-	-	0.5	-	-	-	-	-	3.2	-	-	0.1	0.1	0.10	0.1
C74	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C81	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C82-C85,C96	-	-	-	1.0	-	0.6	0.6	0.5	-	1.8	1.2	3.4	-	-	-	-	0.5	0.5	0.17	1.1
C88	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C90	-	-	-	-	-	-	-	-	-	-	1.2	-	-	-	-	-	-	0.1	0.06	0.2
C91	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C92-C94	0.6	0.4	-	0.5	1.1	-	1.3	-	1.5	0.9	-	1.7	2.2	6.5	-	4.0	0.7	0.9	0.25	1.0
C95	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
O&U*	-	-	-	-	-	0.6	-	2.7	3.7	7.1	8.3	15.2	15.4	19.5	25.1	24.1	2.9	4.1	0.55	7.9
All	1.3	0.4	-	2.0	1.6	2.4	5.1	13.2	17.2	43.5	76.0	93.0	123.4	159.1	200.7	225.0	21.8	31.2	1.53	54.5

* O&U includes the Sites (ICD-10: C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)

TABLE DIB-8(b): Average Annual Age Specific, Crude (CR), Age Adjusted (AAR) (with Standard Error (SE)) and Truncated (35-64 Yrs) (TR) Mortality Rate per 100,000 population: 2009-2011 - Females

ICD-10	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	>75	CR	AAR	SE	TR
C00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C01-C02	-	-	-	-	-	-	-	-	-	-	-	2.0	2.1	-	-	-	0.1	0.2	0.12	0.5
C03-C06	-	-	-	-	-	0.5	0.6	-	0.9	1.0	1.5	2.0	2.1	2.9	4.7	-	0.5	0.6	0.21	1.2
C07-C08	-	-	-	-	-	-	-	-	-	-	1.5	-	-	-	-	-	0.1	0.1	0.08	0.2
C09	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C11	-	-	-	0.5	-	-	-	-	-	-	-	-	-	-	-	-	0.1	-	0.05	-
C12-C13	-	-	-	-	-	-	-	-	-	1.0	-	-	-	-	9.3	4.9	0.2	0.3	0.18	0.2
C14	-	-	-	-	-	-	-	1.2	-	-	3.1	-	-	2.9	4.7	-	0.3	0.4	0.17	0.7
C15	-	-	-	-	-	-	1.2	0.6	1.8	2.1	1.5	6.1	6.4	11.7	14.0	-	1.1	1.5	0.35	2.7
C16	-	-	-	-	-	-	-	-	3.6	3.1	-	2.0	4.3	2.9	4.7	14.6	0.8	1.1	0.30	2.1
C17	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C18	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4.7	-	0.1	0.1	0.09	-
C19-C20	-	-	-	-	-	-	-	0.6	-	1.0	-	-	-	-	-	4.9	0.2	0.2	0.12	0.3
C21	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C22	-	-	-	-	-	-	0.6	-	0.9	2.1	6.1	2.0	4.3	2.9	14.0	4.9	0.8	1.2	0.31	2.4
C23-C24	-	-	-	-	-	-	-	-	2.7	6.2	3.1	4.0	12.8	11.7	9.3	9.8	1.4	2.1	0.41	4.4
C25	-	-	-	-	-	-	-	-	-	-	1.5	2.0	-	-	9.3	-	0.2	0.3	0.17	0.5
C30-C31	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C32	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C33-C34	-	-	-	-	-	-	-	1.2	2.7	1.0	-	2.0	2.1	2.9	9.3	14.6	0.7	1.0	0.29	1.5
C37-C38	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C40-C41	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C43	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C44	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C45	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C46	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C47+C49	-	-	-	-	-	-	-	-	-	-	-	-	2.1	-	-	-	0.1	0.1	0.09	0.3
C50	-	-	-	-	-	-	-	1.8	5.3	3.1	7.6	6.1	6.4	5.8	4.7	-	1.3	1.8	0.36	4.8
C51	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C52	-	-	-	-	-	-	-	-	0.9	-	-	-	-	-	4.7	-	0.1	0.1	0.11	0.2
C53	-	-	-	-	-	0.5	-	1.2	0.9	-	6.1	2.0	-	2.9	-	-	0.5	0.6	0.21	1.6
C54	-	-	-	-	0.5	-	-	-	-	-	-	-	-	-	-	-	0.1	-	0.04	-
C55	-	-	-	-	-	0.5	-	-	-	-	-	-	-	-	-	-	0.1	-	0.04	-
C56	-	-	-	-	-	0.5	0.6	0.6	-	1.0	7.6	4.0	-	8.7	4.7	4.9	0.8	1.2	0.30	2.1
C57	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C58	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C64	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C65	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C66	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C67	-	-	-	-	-	-	-	-	-	-	1.5	-	-	-	-	-	0.1	0.1	0.08	0.2
C68	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C69	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C70-C72	-	-	-	-	-	0.5	-	0.6	-	-	-	2.0	-	2.9	-	4.9	0.3	0.3	0.16	0.4
C73	-	-	-	-	-	-	-	-	-	-	1.5	-	-	-	9.3	-	0.2	0.3	0.15	0.2
C74	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C81	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C82-C85,C96	-	-	-	-	-	-	-	-	-	-	-	-	2.1	-	4.7	-	0.1	0.2	0.13	0.3
C88	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C90	-	-	-	-	-	0.5	-	-	-	1.0	-	-	-	-	-	-	0.1	0.1	0.08	0.2
C91	-	0.5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.1	-	0.05	-
C92-C94	-	-	-	-	-	0.5	-	0.6	3.6	-	1.5	2.0	-	-	-	-	0.4	0.4	0.16	1.3
C95	-	-	-	-	-	-	-	-	-	-	1.5	-	2.1	-	-	-	0.1	0.2	0.11	0.5
O&U*	-	-	-	-	1.1	-	-	-	0.9	3.1	7.6	8.1	8.5	14.6	-	9.8	1.3	2.0	0.40	4.1
All	-	0.5	-	0.5	1.6	3.8	3.0	8.2	24.0	25.6	53.4	46.5	55.3	72.8	111.7	73.1	11.8	16.8	1.14	33.0

* O&U includes the Sites (ICD-10: C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)

**TABLE DIB-9(a): Cumulative Rate (Cu.Rate%) & Cumulative Risk (Cu.Risk)
of individual sites (ICD-10) based on age specific rates
(from 0-64 years and from 0-74 Years) 2009-2011 - Males**

ICD-10	Site	0 - 64 Years		0 - 74 Years	
		Cu. Rate %	Cu. Risk	Cu. Rate%	Cu. Risk
C00	Lip	-	-	-	-
C01-C02	Tongue	0.3	0.3	0.5	0.5
C03-C06	Mouth	0.7	0.7	1.2	1.2
C07-C08	Salivary Gland	-	-	-	-
C09	Tonsil	0.1	0.1	0.2	0.2
C10	Oth. Oropharynx	0.1	0.1	0.2	0.2
C11	Nasopharynx	0.1	0.1	0.1	0.1
C12-C13	Hypopharynx	0.9	0.8	1.4	1.4
C14	Pharynx Unspecified	0.1	0.1	0.3	0.3
C15	Oesophagus	1.0	1.0	1.9	1.9
C16	Stomach	0.5	0.5	1.0	1.0
C17	Small Intestine	-	-	-	-
C18	Colon	0.1	0.1	0.3	0.3
C19-C20	Rectum	0.2	0.2	0.3	0.3
C21	Anus & Anal Canal	0.1	0.1	0.1	0.1
C22	Liver	0.3	0.3	0.4	0.4
C23-C24	Gallbladder etc.	0.2	0.2	0.4	0.4
C25	Pancreas	0.1	0.1	0.1	0.1
C30-C31	Nose, Sinuses etc.	-	-	-	-
C32	Larynx	0.2	0.2	0.4	0.4
C33-C34	Lung etc.	0.3	0.3	0.5	0.5
C37-C38	Other Thoracic Organs	-	-	-	-
C40-C41	Bone	-	-	0.1	0.1
C43	Melanoma of Skin	-	-	-	-
C44	Other Skin	-	-	0.1	0.1
C45	Mesothelioma	-	-	-	-
C46	Kaposi Sarcoma	-	-	-	-
C47+C49	Conn. & Soft Tissue	-	-	-	-
C50	Breast	-	-	0.1	0.1
C60	Penis	0.1	0.1	0.1	0.1
C61	Prostate	-	-	0.2	0.2
C62	Testis	0.1	0.1	0.1	0.1
C63	Other Male Genital	-	-	-	-
C64	Kidney etc.	-	-	0.1	0.1
C65	Renal Pelvis	-	-	-	-
C66	Ureter	-	-	-	-
C67	Bladder	0.1	0.1	0.2	0.2
C68	Uns.Urinary Organs	-	-	-	-
C69	Eye	-	-	-	-
C70-C72	Brain, Nervous System	0.1	0.1	0.1	0.1
C73	Thyroid	-	-	0.1	0.1
C74	Adrenal Gland	-	-	-	-
C81	Hodgkins Disease	-	-	-	-
C82-C85,C96	NHL	0.2	0.2	0.3	0.3
C88	Malig Imn.Prol D	-	-	-	-
C90	Multiple Myeloma	-	-	0.1	0.1
C91	Lymphoid Leuk.	-	-	-	-
C92-C94	Myeloid Leukaemia	0.1	0.1	0.1	0.1
C95	Leukaemia Uns	-	-	-	-
O&U*	Other and Uns	0.5	0.5	1.0	1.0
	All Sites	6.51	6.30	11.94	11.25

* O&U includes the Sites (ICD-10: C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)

**TABLE DIB-9(b): Cumulative Rate (Cu.Rate%) & Cumulative Risk (Cu.Risk)
of individual sites (ICD-10) based on age specific rates
(from 0-64 years and from 0-74 Years) 2009-2011 - Females**

ICD-10	Site	0 - 64 Years		0 - 74 Years	
		Cu. Rate %	Cu. Risk	Cu. Rate%	Cu. Risk
C00	Lip	-	-	-	-
C01-C02	Tongue	0.1	0.1	0.1	0.1
C03-C06	Mouth	0.3	0.3	0.5	0.5
C07-C08	Salivary Gland	-	-	-	-
C09	Tonsil	0.1	0.1	0.1	0.1
C10	Oth. Oropharynx	-	-	-	-
C11	Nasopharynx	-	-	-	-
C12-C13	Hypopharynx	0.1	0.1	0.2	0.2
C14	Pharynx Unspecified	-	-	-	-
C15	Oesophagus	0.6	0.6	0.9	0.9
C16	Stomach	0.3	0.3	0.4	0.4
C17	Small Intestine	-	-	-	-
C18	Colon	0.1	0.1	0.2	0.2
C19-C20	Rectum	0.2	0.2	0.2	0.2
C21	Anus & Anal Canal	-	-	-	-
C22	Liver	0.1	0.1	0.2	0.2
C23-C24	Gallbladder etc.	0.7	0.7	0.9	0.9
C25	Pancreas	-	-	0.1	0.1
C30-C31	Nose, Sinuses etc.	-	-	-	-
C32	Larynx	-	-	-	-
C33-C34	Lung etc.	0.1	0.1	0.2	0.2
C37-C38	Other Thoracic Organs	-	-	-	-
C40-C41	Bone	-	-	-	-
C43	Melanoma of Skin	-	-	-	-
C44	Other Skin	-	-	0.1	0.1
C45	Mesothelioma	-	-	-	-
C46	Kaposi Sarcoma	-	-	-	-
C47+C49	Conn. & Soft Tissue	-	-	-	-
C50	Breast	1.0	1.0	1.1	1.1
C51	Vulva	-	-	0.1	0.1
C52	Vagina	-	-	0.1	0.1
C53	Cervix Uteri	0.5	0.5	0.7	0.7
C54	Corpus Uteri	0.1	0.1	0.1	0.1
C55	Uterus Unspecified	0.1	0.1	0.1	0.1
C56	Ovary etc.	0.4	0.4	0.6	0.6
C57	Other Female Genital	-	-	-	-
C58	Placenta	-	-	-	-
C64	Kidney etc.	-	-	-	-
C65	Renal Pelvis	-	-	-	-
C66	Ureter	-	-	-	-
C67	Bladder	-	-	0.1	0.1
C68	Uns.Urinary Organs	-	-	-	-
C69	Eye	-	-	-	-
C70-C72	Brain, Nervous System	-	-	0.1	0.1
C73	Thyroid	-	-	0.1	0.1
C74	Adrenal Gland	-	-	-	-
C81	Hodgkins Disease	-	-	-	-
C82-C85,C96	NHL	0.1	0.1	0.1	0.1
C88	Malig Imn.Prol D	-	-	-	-
C90	Multiple Myeloma	-	-	-	-
C91	Lymphoid Leuk.	-	-	-	-
C92-C94	Myeloid Leukaemia	-	-	-	-
C95	Leukaemia Uns	-	-	-	-
O&U*	Other and Uns	0.3	0.3	0.5	0.5
	All Sites	5.68	5.52	8.07	7.76

* O&U includes the Sites (ICD-10: C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)