

POPULATION BASED CANCER REGISTRY, SIKKIM STATE

Sir Thutob Namgyal Memorial Hospital, Gangtok

Dr Yogesh Verma, Principal Investigator
Dr Prakash Pradhan, Co-Principal Investigator

Population Based Cancer Registry was commenced in July 2003 under the North Eastern Regional Cancer Registry, Regional Medical Research Centre, Indian Council of Medical Research (ICMR). This was done as no information was available regarding the magnitude and type of various cancers in Sikkim. Sikkim is one of the smallest states of India and is bordered by three countries, China in the North, Nepal in the West and the Kingdom of Bhutan in the East. The total population as per the 2011 census is 6,07,688.

The registration is done by a group of dedicated staff. Since cancer is not a notifiable disease, cases are registered actively. The registry has 37 sources of registration and enjoys good cooperation from all of them.

The State of Sikkim does not have any cancer treatment facility but follow ups are done on most of the patients diagnosed with cancer by writing to the cancer hospitals located in Kolkata, New Delhi, Mumbai and Siliguri.

Over a period of time cancers in Sikkim have been studied and it has been found that certain ethnic populations like the Bhutia tribe are vulnerable to stomach cancers. This community shows a very high incidence of this cancer.

The mortality information is collected from the office of Births and Deaths and the Social Investigators visit all the hospitals and sources of registration to get information on the cause of death. All the deaths are compiled and matched with incident data.

The National Cancer Registry Programme under ICMR in Bangalore provides support in terms of quality and publishing of reports.

Acknowledgement

Population Based Cancer Registry would like to acknowledge the Department of Health Care, Human Service and Family Welfare, Government of Sikkim, Registrar of Births and Deaths, all the doctors and staff of Sir Thutob Namgyal Memorial Hospital, all departments of Sikkim Manipal Institute of Medical Sciences, Tadong, Private Clinics and Laboratories, Cancer Welfare Home, Kolkata, Tata Memorial Hospital, Mumbai, Rajiv Gandhi Cancer Hospital, Delhi and North Bengal Oncology Centre, Siliguri for their kind support in providing data.

Registry Staff (PBCR), Gangtok

Dr S. Pradhan	:	Research Officer
Mr Saroj Deep Sapkota	:	Computer Programmer
Mr B.N. Bhattarai	:	Statistician
Mr Pranay Giri	:	Social Investigator
Mr Prakash Sundas	:	Social Investigator

**TABLE SKM-1: Main Sources of Registration of Incident Cases of Cancer: 2009-2011
Sikkim State**

Name of the Institution	Number	%
STNM Hospital, Gangtok	856	70.6
CRH, Tadong	114	9.4
Private Clinic	63	5.2
District Hospital, Namchi	35	2.9
Births and Deaths, Kazi Road, Gangtok	23	1.9
District Hospital, Singtam	21	1.7
District Hospital, Gyalshing	19	1.6
Others	81	6.7
Total	1212	100.0

- Institutions listed have registered at least one percent of all cases in the registry for the combined years 2009-2011.*
- The numbers and proportion listed are the minimum number of cases. Institutions could have registered/ reported more cases, since duplicate registrations and non-resident/registry cases are not included.*

Figure SKM -1
Population Pyramid showing Age Distribution:2009-2011
SIKKIM




TABLE SKM-2
Population by Five Year Age Group and Gender:2009-2011
Number and Relative Proportion (%)
SIKKIM STATE

Age Group	Males		Females	
	Number	%	Number	%
00-04	82022	7.3	76770	7.8
05-09	116464	10.3	114125	11.6
10-14	143706	12.7	139566	14.1
15-19	135135	11.9	129312	13.1
20-24	121396	10.7	102280	10.4
25-29	97994	8.7	88178	8.9
30-34	88987	7.9	70226	7.1
35-39	86976	7.7	69712	7.1
40-44	69408	6.1	51291	5.2
45-49	54101	4.8	40202	4.1
50-54	37713	3.3	29498	3.0
55-59	27700	2.5	20380	2.1
60-64	21783	1.9	18765	1.9
65-69	19133	1.7	15414	1.6
70-74	14901	1.3	10441	1.1
75+	14564	1.3	10736	1.1
Total	1131983	100.00	986896	100.00

TABLE SKM-3(a): Number of Incident Cancers by Five Year Age Group and Site (ICD-10):2009-2011 - Males

% = Relative Proportion of Cancers of All Sites.

ICD-10	Site	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75+	Unkn	Total	%
C00	Lip	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	0.16
C01-C02	Tongue	-	-	-	-	-	-	-	-	1	4	2	2	-	4	1	-	-	14	2.23
C03-C06	Mouth	-	-	-	-	-	-	1	-	4	2	7	3	-	1	3	1	-	22	3.51
C07-C08	Salivary Gland	-	-	-	-	-	-	1	-	-	1	1	1	3	-	-	2	-	9	1.44
C09	Tonsil	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	2	0.32
C10	Oth. Oropharynx	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	2	0.32
C11	Nasopharynx	-	-	-	-	-	-	1	2	3	4	-	2	6	2	1	2	-	23	3.67
C12-C13	Hypopharynx	-	-	-	-	-	-	-	-	1	-	-	2	-	5	2	4	-	14	2.23
C14	Pharynx Unspecified	-	-	-	-	-	-	-	-	-	-	-	1	2	1	-	-	-	4	0.64
C15	Oesophagus	-	-	-	-	1	-	-	-	1	5	7	6	6	8	7	12	-	53	8.45
C16	Stomach	-	-	-	-	-	1	1	1	4	11	11	9	11	18	19	14	-	100	15.95
C17	Small Intestine	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C18	Colon	-	-	-	-	1	-	1	2	-	1	-	1	2	3	2	1	-	14	2.23
C19-C20	Rectum	-	-	-	-	-	-	-	1	-	-	-	2	1	3	-	1	-	8	1.28
C21	Anus & Anal Canal	-	-	-	-	-	-	-	-	2	-	-	-	-	-	1	-	-	3	0.48
C22	Liver	-	-	-	-	-	1	2	1	3	3	7	7	4	10	10	8	-	56	8.93
C23-C24	Gallbladder etc.	-	-	-	-	-	-	1	1	-	2	3	2	1	1	4	1	-	16	2.55
C25	Pancreas	-	-	-	-	1	1	-	1	-	-	1	-	2	-	-	-	-	6	0.96
C30-C31	Nose, Sinuses etc.	-	-	-	1	-	-	-	-	-	1	-	1	-	-	-	1	-	4	0.64
C32	Larynx	-	-	-	-	-	-	-	-	1	-	2	-	4	3	5	8	-	23	3.67
C33-C34	Lung etc.	-	-	1	-	1	-	1	1	1	1	2	5	2	10	5	16	-	46	7.34
C37-C38	Other Thoracic Organs	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	0.16
C40-C41	Bone	-	-	-	3	1	-	-	-	-	2	-	-	-	-	-	1	-	7	1.12
C43	Melanoma of Skin	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C44	Other Skin	-	-	-	-	-	-	1	1	-	3	4	-	1	3	1	4	-	18	2.87
C45	Mesothelioma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C46	Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C47+C49	Conn. & Soft Tissue	-	-	-	-	-	-	-	1	-	-	-	-	-	1	1	-	-	3	0.48
C50	Breast	-	-	-	-	-	-	-	-	-	-	-	-	2	1	2	1	-	6	0.96
C60	Penis	-	-	-	-	-	1	-	-	2	2	-	1	1	-	1	-	-	8	1.28
C61	Prostate	-	-	-	-	-	-	-	-	1	-	-	-	-	2	2	2	-	7	1.12
C62	Testis	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	0.16
C63	Other Male Genital	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C64	Kidney etc.	2	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	5	0.80
C65	Renal Pelvis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C66	Ureter	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C67	Bladder	-	-	-	-	-	-	1	-	-	2	1	2	2	4	3	3	-	18	2.87
C68	Uns.Urinary Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C69	Eye	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	2	0.32
C70-C72	Brain, NS	1	3	1	-	3	2	1	2	1	3	3	1	-	1	2	1	-	25	3.99
C73	Thyroid	-	-	-	1	1	1	-	-	-	1	1	-	1	1	1	3	-	11	1.75
C74	Adrenal Gland	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C81	Hodgkins Disease	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	0.32
C82-C85,C96	NHL	-	-	-	1	-	-	-	-	-	-	1	1	-	-	-	-	-	3	0.48
C88	Malig Imn.Prol D	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C90	Multiple Myeloma	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	3	0.48
C91	Lymphoid Leuk.	-	-	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	3	0.48
C92-C94	Myeloid Leukaemia	-	-	-	-	1	4	1	4	-	3	1	1	3	-	2	2	-	22	3.51
C95	Leukaemia Uns	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	0.16
O&U*	Other and Uns	1	1	-	1	1	1	2	2	2	1	6	2	8	5	19	9	-	61	9.73
	All Sites	4	6	4	7	11	13	16	21	28	54	61	55	62	91	96	98	-	627	100.0

* O&U includes the Sites (ICD-10: C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)

TABLE SKM-3(b): Number of Incident Cancers by Five Year Age Group and Site (ICD-10):2009-2011 - Females

% = Relative Proportion of Cancers of All Sites.

ICD-10	Site	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75+	Unkn	Total	%
C00	Lip	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C01-C02	Tongue	-	-	-	-	-	-	-	-	1	1	1	-	3	-	2	1	-	9	1.54
C03-C06	Mouth	-	-	-	-	-	-	-	-	3	2	2	5	1	1	-	2	-	16	2.74
C07-C08	Salivary Gland	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C09	Tonsil	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	2	-	4	0.68
C10	Oth. Oropharynx	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	2	0.34
C11	Nasopharynx	-	-	2	2	1	1	1	2	1	-	1	1	2	-	-	1	-	15	2.56
C12-C13	Hypopharynx	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	2	-	3	0.51
C14	Pharynx Unspecified	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	2	0.34
C15	Oesophagus	-	-	-	-	-	-	-	2	-	-	2	3	5	9	8	6	-	35	5.98
C16	Stomach	-	-	-	1	-	1	2	1	3	1	4	6	6	5	8	6	-	44	7.52
C17	Small Intestine	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	2	0.34
C18	Colon	-	-	-	-	-	-	-	1	1	1	4	-	1	2	2	2	-	14	2.39
C19-C20	Rectum	-	-	-	1	-	-	1	1	-	1	1	1	-	2	2	1	-	11	1.88
C21	Anus & Anal Canal	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	2	0.34
C22	Liver	-	-	-	-	-	-	-	1	2	2	6	6	4	4	1	2	-	28	4.79
C23-C24	Gallbladder etc.	-	-	-	-	-	-	-	3	2	4	8	2	5	8	1	6	-	39	6.67
C25	Pancreas	-	-	-	-	1	-	-	-	-	-	-	-	1	-	1	1	-	4	0.68
C30-C31	Nose, Sinuses etc.	-	-	-	-	-	1	-	-	-	-	-	-	-	1	1	-	-	3	0.51
C32	Larynx	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	3	0.51
C33-C34	Lung etc.	-	-	-	-	1	1	1	2	1	3	5	2	4	11	10	4	-	45	7.69
C37-C38	Other Thoracic Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C40-C41	Bone	-	-	-	1	-	-	-	-	-	-	1	-	1	1	-	-	-	4	0.68
C43	Melanoma of Skin	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C44	Other Skin	-	-	-	-	-	-	-	2	1	1	1	1	1	4	1	7	-	19	3.25
C45	Mesothelioma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C46	Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C47+C49	Conn. & Soft Tissue	-	1	2	-	-	2	3	-	-	-	-	-	-	1	-	1	-	10	1.71
C50	Breast	-	-	-	-	-	1	6	11	11	5	6	5	5	4	3	3	-	60	10.26
C51	Vulva	-	-	-	-	-	1	-	1	-	-	-	-	1	-	-	1	-	4	0.68
C52	Vagina	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	0.17
C53	Cervix Uteri	-	-	-	-	-	1	2	2	9	9	7	9	5	2	1	-	-	47	8.03
C54	Corpus Uteri	-	-	-	-	-	-	-	-	-	1	-	2	2	1	-	-	-	6	1.03
C55	Uterus Unspecified	-	-	-	-	1	1	-	-	2	2	-	1	1	-	1	1	-	10	1.71
C56	Ovary etc.	-	-	-	-	-	1	1	4	4	1	2	7	1	1	-	-	-	22	3.76
C57	Other Female Genital	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C58	Placenta	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	0.17
C64	Kidney etc.	1	-	-	-	-	1	-	-	-	2	1	-	2	-	1	-	-	8	1.37
C65	Renal Pelvis	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	0.17
C66	Ureter	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C67	Bladder	1	-	-	-	-	-	-	-	2	1	-	1	-	-	-	-	-	5	0.85
C68	Uns.Urinary Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C69	Eye	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	0.34
C70-C72	Brain, Nervous System	-	-	1	-	2	2	3	2	-	3	3	1	3	1	2	2	-	25	4.27
C73	Thyroid	-	-	-	1	1	1	2	2	2	1	5	-	-	-	1	1	-	17	2.91
C74	Adrenal Gland	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	0.17
C81	Hodgkins Disease	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	0.17
C82-C85,C96	NHL	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	2	0.34
C88	Malig Imm.Prof D	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C90	Multiple Myeloma	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	2	0.34
C91	Lymphoid Leuk.	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	2	0.34
C92-C94	Myeloid Leukaemia	-	-	1	-	1	-	2	2	-	-	1	-	2	-	-	-	-	9	1.54
C95	Leukaemia Uns	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	2	0.34
O&U*	Other andUns	1	1	1	-	1	-	3	2	2	4	4	4	3	5	2	10	-	43	7.35
	All Sites	6	3	7	6	9	16	28	43	49	46	68	62	64	65	49	64	-	585	100.0

* O&U includes the Sites (ICD-10: C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)

TABLE SKM-4(a): Average Annual Age Specific, Crude (CR), Age Adjusted (AAR) (with Standard Error (SE)) and Truncated (35-64 yrs) (TR) Incidence Rate per 100,000 population:2009-2011 - Males

ICD-10	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	>75	CR	AAR	SE	TR
C00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6.9	0.1	0.14	0.14	-
C01-C02	-	-	-	-	-	-	-	-	1.4	7.4	5.3	7.2	-	20.9	6.7	-	1.2	1.85	0.50	3.5
C03-C06	-	-	-	-	-	-	1.1	-	5.8	3.7	18.6	10.8	-	5.2	20.1	6.9	1.9	2.69	0.58	6.2
C07-C08	-	-	-	-	-	-	1.1	-	-	1.8	2.7	3.6	13.8	-	-	13.7	0.8	1.28	0.44	3.0
C09	-	-	-	-	-	1.0	-	-	-	-	-	-	-	5.2	-	-	0.2	0.24	0.18	-
C10	-	-	-	-	-	-	-	-	-	-	-	-	-	10.5	-	-	0.2	0.31	0.22	-
C11	-	-	-	-	-	-	1.1	2.3	4.3	7.4	-	7.2	27.5	10.5	6.7	13.7	2.0	3.02	0.66	7.2
C12-C13	-	-	-	-	-	-	-	-	1.4	-	-	7.2	-	26.1	13.4	27.5	1.2	1.98	0.53	1.2
C14	-	-	-	-	-	-	-	-	-	-	-	3.6	9.2	5.2	-	-	0.4	0.67	0.34	1.7
C15	-	-	-	-	0.8	-	-	-	1.4	9.2	18.6	21.7	27.5	41.8	47.0	82.4	4.7	7.44	1.04	11.4
C16	-	-	-	-	-	1.0	1.1	1.1	5.8	20.3	29.2	32.5	50.5	94.1	127.5	96.1	8.8	13.86	1.41	20.7
C17	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C18	-	-	-	-	0.8	-	1.1	2.3	-	1.8	-	3.6	9.2	15.7	13.4	6.9	1.2	1.77	0.50	2.5
C19-C20	-	-	-	-	-	-	-	1.1	-	-	-	7.2	4.6	15.7	-	6.9	0.7	1.15	0.42	1.7
C21	-	-	-	-	-	-	-	-	2.9	-	-	-	-	-	6.7	-	0.3	0.31	0.18	0.6
C22	-	-	-	-	-	1.0	2.2	1.1	4.3	5.5	18.6	25.3	18.4	52.3	67.1	54.9	4.9	7.56	1.03	10.8
C23-C24	-	-	-	-	-	-	1.1	1.1	-	3.7	8.0	7.2	4.6	5.2	26.8	6.9	1.4	2.06	0.53	3.7
C25	-	-	-	-	0.8	1.0	-	1.1	-	-	2.7	-	9.2	-	-	-	0.5	0.72	0.32	1.8
C30-C31	-	-	-	0.7	-	-	-	-	-	1.8	-	3.6	-	-	-	6.9	0.4	0.46	0.24	0.8
C32	-	-	-	-	-	-	-	-	1.4	-	5.3	-	18.4	15.7	33.6	54.9	2.0	3.33	0.70	3.5
C33-C34	-	-	0.7	-	0.8	-	1.1	1.1	1.4	1.8	5.3	18.1	9.2	52.3	33.6	109.9	4.1	6.25	0.94	5.2
C37-C38	-	-	-	-	-	-	1.1	-	-	-	-	-	-	-	-	-	0.1	0.07	0.07	-
C40-C41	-	-	-	2.2	0.8	-	-	-	-	3.7	-	-	-	-	-	6.9	0.6	0.62	0.25	0.7
C43	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C44	-	-	-	-	-	-	1.1	1.1	-	5.5	10.6	-	4.6	15.7	6.7	27.5	1.6	2.34	0.56	3.6
C45	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C46	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C47+C49	-	-	-	-	-	-	-	1.1	-	-	-	-	-	5.2	6.7	-	0.3	0.36	0.22	0.2
C50	-	-	-	-	-	-	-	-	-	-	-	-	9.2	5.2	13.4	6.9	0.5	0.93	0.38	1.2
C60	-	-	-	-	-	1.0	-	-	2.9	3.7	-	3.6	4.6	-	6.7	-	0.7	0.94	0.34	2.3
C61	-	-	-	-	-	-	-	-	1.4	-	-	-	-	10.5	13.4	13.7	0.6	0.94	0.36	0.3
C62	-	-	-	-	-	-	-	1.1	-	-	-	-	-	-	-	-	0.1	0.07	0.07	0.2
C63	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C64	2.4	-	-	-	-	-	-	-	-	1.8	2.7	3.6	-	-	-	-	0.4	0.68	0.31	1.3
C65	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C66	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C67	-	-	-	-	-	-	1.1	-	-	3.7	2.7	7.2	9.2	20.9	20.1	20.6	1.6	2.52	0.60	3.3
C68	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C69	-	-	-	-	-	-	-	-	1.4	-	-	-	-	5.2	-	-	0.2	0.24	0.18	0.3
C70-C72	1.2	2.6	0.7	-	2.5	2.0	1.1	2.3	1.4	5.5	8.0	3.6	-	5.2	13.4	6.9	2.2	2.56	0.53	3.5
C73	-	-	-	0.7	0.8	1.0	-	-	-	1.8	2.7	-	4.6	5.2	6.7	20.6	1.0	1.34	0.42	1.4
C74	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C81	-	0.9	-	-	-	-	-	-	-	-	-	-	-	-	6.7	-	0.2	0.22	0.16	-
C82-C85,C96	-	-	-	0.7	-	-	-	-	-	-	2.7	3.6	-	-	-	-	0.3	0.34	0.21	0.9
C88	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C90	-	-	-	-	-	-	-	-	-	1.8	-	7.2	-	-	-	-	0.3	0.40	0.23	1.3
C91	-	-	1.4	-	-	-	-	-	-	-	-	-	-	-	6.7	-	0.3	0.26	0.16	-
C92-C94	-	-	-	-	0.8	4.1	1.1	4.6	-	5.5	2.7	3.6	13.8	-	13.4	13.7	1.9	2.44	0.55	4.6
C95	-	0.9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.1	0.09	0.09	-
O&U*	1.2	0.9	-	0.7	0.8	1.0	2.2	2.3	2.9	1.8	15.9	7.2	36.7	26.1	127.5	61.8	5.4	8.13	1.07	9.6
All	4.9	5.2	2.8	5.2	9.1	13.3	18.0	24.1	40.3	99.8	161.7	198.6	284.6	475.6	644.3	672.9	55.4	82.6	3.38	120.2

* O&U includes the Sites (ICD-10: C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)

TABLE SKM-4(b): Average Annual Age Specific, Crude (CR), Age Adjusted (AAR) (with Standard Error (SE)) and Truncated (35-64 yrs) (TR) Incidence Rate per 100,000 population:2009-2011 - Females

ICD-10	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	>75	CR	AAR	SE	TR
C00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C01-C02	-	-	-	-	-	-	-	-	1.9	2.5	3.4	-	16.0	-	19.2	9.3	0.9	1.64	0.56	3.5
C03-C06	-	-	-	-	-	-	-	-	5.8	5.0	6.8	24.5	5.3	6.5	-	18.6	1.6	2.75	0.70	7.0
C07-C08	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C09	-	-	-	-	-	-	-	-	-	-	-	4.9	5.3	-	-	18.6	0.4	0.78	0.39	1.3
C10	-	-	-	-	-	-	-	-	-	-	-	4.9	5.3	-	-	-	0.2	0.41	0.29	1.3
C11	-	-	1.4	1.5	1.0	1.1	1.4	2.9	1.9	-	3.4	4.9	10.7	-	-	9.3	1.5	1.79	0.51	3.5
C12-C13	-	-	-	-	-	-	-	-	-	-	3.4	-	-	-	-	18.6	0.3	0.54	0.31	0.5
C14	-	-	-	-	-	-	-	-	-	-	-	-	5.3	-	-	9.3	0.2	0.40	0.28	0.7
C15	-	-	-	-	-	-	-	2.9	-	-	6.8	14.7	26.6	58.4	76.6	55.9	3.5	6.57	1.12	7.0
C16	-	-	-	0.8	-	1.1	2.8	1.4	5.8	2.5	13.6	29.4	32.0	32.4	76.6	55.9	4.5	7.68	1.19	12.0
C17	-	-	-	-	-	-	-	2.9	-	-	-	-	-	-	-	-	0.2	0.17	0.12	0.6
C18	-	-	-	-	-	-	-	1.4	1.9	2.5	13.6	-	5.3	13.0	19.2	18.6	1.4	2.39	0.65	4.0
C19-C20	-	-	-	0.8	-	-	1.4	1.4	-	2.5	3.4	4.9	-	13.0	19.2	9.3	1.1	1.71	0.54	1.9
C21	-	-	-	-	-	-	-	-	-	-	3.4	-	-	6.5	-	-	0.2	0.36	0.26	0.5
C22	-	-	-	-	-	-	-	1.4	3.9	5.0	20.3	29.4	21.3	26.0	9.6	18.6	2.8	5.01	0.96	11.8
C23-C24	-	-	-	-	-	-	-	4.3	3.9	9.9	27.1	9.8	26.6	51.9	9.6	55.9	4.0	6.77	1.10	12.6
C25	-	-	-	-	1.0	-	-	-	-	-	-	-	5.3	-	9.6	9.3	0.4	0.67	0.35	0.7
C30-C31	-	-	-	-	-	1.1	-	-	-	-	-	-	-	6.5	9.6	-	0.3	0.48	0.29	-
C32	-	-	-	-	-	-	-	-	1.9	-	3.4	4.9	-	-	-	-	0.3	0.48	0.28	1.6
C33-C34	-	-	-	-	1.0	1.1	1.4	2.9	1.9	7.5	17.0	9.8	21.3	71.4	95.8	37.3	4.6	7.89	1.20	9.1
C37-C38	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C40-C41	-	-	-	0.8	-	-	-	-	-	-	3.4	-	5.3	6.5	-	-	0.4	0.65	0.34	1.2
C43	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C44	-	-	-	-	-	-	-	2.9	1.9	2.5	3.4	4.9	5.3	26.0	9.6	65.2	1.9	3.29	0.77	3.3
C45	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C46	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C47+C49	-	0.9	1.4	-	-	2.3	4.3	-	-	-	-	-	-	6.5	-	9.3	1.0	1.04	0.36	-
C50	-	-	-	-	-	1.1	8.5	15.8	21.4	12.4	20.3	24.5	26.6	26.0	28.7	27.9	6.1	8.56	1.16	19.5
C51	-	-	-	-	-	1.1	-	1.4	-	-	-	-	5.3	-	-	9.3	0.4	0.58	0.31	1.0
C52	-	-	-	-	-	-	-	-	-	-	-	4.9	-	-	-	-	0.1	0.20	0.20	0.6
C53	-	-	-	-	-	1.1	2.8	2.9	17.5	22.4	23.7	44.2	26.6	13.0	9.6	-	4.8	7.43	1.12	21.2
C54	-	-	-	-	-	-	-	-	-	2.5	-	9.8	10.7	6.5	-	-	0.6	1.16	0.48	3.1
C55	-	-	-	-	1.0	1.1	-	-	3.9	5.0	-	4.9	5.3	-	9.6	9.3	1.0	1.49	0.49	3.0
C56	-	-	-	-	-	1.1	1.4	5.7	7.8	2.5	6.8	34.3	5.3	6.5	-	-	2.2	3.26	0.73	9.3
C57	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C58	-	-	-	-	-	-	1.4	-	-	-	-	-	-	-	-	-	0.1	0.09	0.09	-
C64	1.3	-	-	-	-	1.1	-	-	-	5.0	3.4	-	10.7	-	9.6	-	0.8	1.33	0.48	2.9
C65	-	-	-	-	-	-	-	-	-	-	-	-	-	6.5	-	-	0.1	0.19	0.19	-
C66	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C67	1.3	-	-	-	-	-	-	-	3.9	2.5	-	4.9	-	-	-	-	0.5	0.74	0.34	1.9
C68	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C69	2.6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C70-C72	-	-	0.7	-	2.0	2.3	4.3	2.9	-	7.5	10.2	4.9	16.0	6.5	19.2	18.6	2.5	3.57	0.76	6.3
C73	-	-	-	0.8	1.0	1.1	2.8	2.9	3.9	2.5	17.0	-	-	-	9.6	9.3	1.7	2.19	0.56	4.5
C74	-	-	-	-	-	-	-	-	-	2.5	-	-	-	-	-	-	0.1	0.15	0.15	0.5
C81	-	-	-	-	-	1.1	-	-	-	-	-	-	-	-	-	-	0.1	0.09	0.09	-
C82-C85,C96	-	-	-	-	-	-	-	-	-	-	-	-	-	-	9.6	9.3	0.2	0.38	0.27	-
C88	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C90	-	-	-	-	-	-	-	-	1.9	-	-	4.9	-	-	-	-	0.2	0.31	0.23	1.0
C91	1.3	-	-	-	-	-	-	-	-	-	-	-	5.3	-	-	-	0.2	0.37	0.26	0.7
C92-C94	-	-	0.7	-	1.0	-	2.8	2.9	-	-	3.4	-	10.7	-	-	-	0.9	1.08	0.40	2.5
C95	-	0.9	-	-	-	-	-	-	-	-	-	-	5.3	-	-	-	0.2	0.30	0.23	0.7
O&U*	1.3	0.9	0.7	-	1.0	-	4.3	2.9	3.9	9.9	13.6	19.6	16.0	32.4	19.2	93.1	4.4	6.97	1.10	10.0
All	7.8	2.6	5.0	4.6	8.8	18.1	39.9	61.7	95.5	114.4	230.5	304.2	341.1	421.7	469.3	596.1	59.3	94.2	4.04	173.0

* O&U includes the Sites (ICD-10: C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)

TABLE SKM-5(a): Number (#) and Proportion (%) of Cancers by Site (ICD-10) and Method of Diagnosis:2009-2011 - Males

ICD-10	Site	Clinical		Microscopic		X-Ray/Imaging		DCO		Others		Unknown		Total	
		#	%	#	%	#	%	#	%	#	%	#	%	#	%
C00	Lip	-	-	1	100.0	-	-	-	-	-	-	-	-	1	100.0
C01-C02	Tongue	-	-	14	100.0	-	-	-	-	-	-	-	-	14	100.0
C03-C06	Mouth	-	-	22	100.0	-	-	-	-	-	-	-	-	22	100.0
C07-C08	Salivary Gland	-	-	9	100.0	-	-	-	-	-	-	-	-	9	100.0
C09	Tonsil	-	-	2	100.0	-	-	-	-	-	-	-	-	2	100.0
C10	Oth. Oropharynx	-	-	1	50.0	-	-	1	50.0	-	-	-	-	2	100.0
C11	Nasopharynx	-	-	23	100.0	-	-	-	-	-	-	-	-	23	100.0
C12-C13	Hypopharynx	-	-	14	100.0	-	-	-	-	-	-	-	-	14	100.0
C14	Pharynx Unspecified	-	-	3	75.0	-	-	1	25.0	-	-	-	-	4	100.0
C15	Oesophagus	-	-	50	94.3	1	1.9	2	3.8	-	-	-	-	53	100.0
C16	Stomach	-	-	93	93.0	1	1.0	5	5.0	1	1.0	-	-	100	100.0
C17	Small Intestine	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C18	Colon	-	-	9	64.3	-	-	1	7.1	4	28.6	-	-	14	100.0
C19-C20	Rectum	1	12.5	4	50.0	-	-	-	-	3	37.5	-	-	8	100.0
C21	Anus & Anal Canal	-	-	2	66.7	-	-	-	-	1	33.3	-	-	3	100.0
C22	Liver	-	-	33	58.9	11	19.6	7	12.5	5	8.9	-	-	56	100.0
C23-C24	Gallbladder etc.	-	-	8	50.0	4	25.0	1	6.3	3	18.8	-	-	16	100.0
C25	Pancreas	-	-	4	66.7	2	33.3	-	-	-	-	-	-	6	100.0
C30-C31	Nose, Sinuses etc.	-	-	4	100.0	-	-	-	-	-	-	-	-	4	100.0
C32	Larynx	-	-	23	100.0	-	-	-	-	-	-	-	-	23	100.0
C33-C34	Lung etc.	-	-	30	65.2	3	6.5	4	8.7	9	19.6	-	-	46	100.0
C37-C38	Other Thoracic Organs	-	-	1	100.0	-	-	-	-	-	-	-	-	1	100.0
C40-C41	Bone	-	-	6	85.7	-	-	1	14.3	-	-	-	-	7	100.0
C43	Melanoma of Skin	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C44	Other Skin	-	-	18	100.0	-	-	-	-	-	-	-	-	18	100.0
C45	Mesothelioma	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C46	Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C47+C49	Conn. & Soft Tissue	-	-	2	66.7	1	33.3	-	-	-	-	-	-	3	100.0
C50	Breast	1	16.7	5	83.3	-	-	-	-	-	-	-	-	6	100.0
C60	Penis	-	-	8	100.0	-	-	-	-	-	-	-	-	8	100.0
C61	Prostate	-	-	3	42.9	2	28.6	-	-	2	28.6	-	-	7	100.0
C62	Testis	-	-	1	100.0	-	-	-	-	-	-	-	-	1	100.0
C63	Other Male Genital	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C64	Kidney etc.	1	20.0	3	60.0	1	20.0	-	-	-	-	-	-	5	100.0
C65	Renal Pelvis	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C66	Ureter	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C67	Bladder	-	-	12	66.7	4	22.2	-	-	2	11.1	-	-	18	100.0
C68	Uns. Urinary Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C69	Eye	-	-	2	100.0	-	-	-	-	-	-	-	-	2	100.0
C70-C72	Brain, Nervous System	-	-	5	20.0	9	36.0	-	-	11	44.0	-	-	25	100.0
C73	Thyroid	-	-	11	100.0	-	-	-	-	-	-	-	-	11	100.0
C74	Adrenal Gland	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C81	Hodgkins Disease	-	-	2	100.0	-	-	-	-	-	-	-	-	2	100.0
C82-C85,C96	NHL	-	-	3	100.0	-	-	-	-	-	-	-	-	3	100.0
C88	Malignant Imm. Prol D	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C90	Multiple Myeloma	-	-	3	100.0	-	-	-	-	-	-	-	-	3	100.0
C91	Lymphoid Leuk.	-	-	3	100.0	-	-	-	-	-	-	-	-	3	100.0
C92-C94	Myeloid Leukaemia	-	-	22	100.0	-	-	-	-	-	-	-	-	22	100.0
C95	Leukaemia Uns	-	-	1	100.0	-	-	-	-	-	-	-	-	1	100.0
O&U*	Other and Uns	3	4.9	30	49.2	6	9.8	20	32.8	2	3.3	-	-	61	100.0
	All Sites	6	1.0	490	78.1	45	7.2	43	6.9	43	6.9	-	-	627	100.0

* O&U includes the Sites (ICD-10: C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)

TABLE SKM-5(b): Number (#) and Proportion (%) of Cancers by Site (ICD-10) and Method of Diagnosis:2009-2011 - Females

ICD-10	Site	Clinical		Microscopic		X-Ray/Imaging		DCO		Others		Unknown		Total	
		#	%	#	%	#	%	#	%	#	%	#	%	#	%
C00	Lip	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C01-C02	Tongue	-	-	9	100.0	-	-	-	-	-	-	-	-	9	100.0
C03-C06	Mouth	-	-	16	100.0	-	-	-	-	-	-	-	-	16	100.0
C07-C08	Salivary Gland	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C09	Tonsil	-	-	4	100.0	-	-	-	-	-	-	-	-	4	100.0
C10	Oth. Oropharynx	-	-	1	50.0	-	-	1	50.0	-	-	-	-	2	100.0
C11	Nasopharynx	-	-	15	100.0	-	-	-	-	-	-	-	-	15	100.0
C12-C13	Hypopharynx	-	-	3	100.0	-	-	-	-	-	-	-	-	3	100.0
C14	Pharynx Unspecified	-	-	1	50.0	-	-	1	50.0	-	-	-	-	2	100.0
C15	Oesophagus	-	-	32	91.4	2	5.7	1	2.9	-	-	-	-	35	100.0
C16	Stomach	-	-	44	100.0	-	-	-	-	-	-	-	-	44	100.0
C17	Small Intestine	-	-	1	50.0	-	-	-	-	1	50.0	-	-	2	100.0
C18	Colon	-	-	9	64.3	-	-	-	-	5	35.7	-	-	14	100.0
C19-C20	Rectum	1	9.1	9	81.8	-	-	-	-	1	9.1	-	-	11	100.0
C21	Anus & Anal Canal	-	-	2	100.0	-	-	-	-	-	-	-	-	2	100.0
C22	Liver	-	-	17	60.7	3	10.7	4	14.3	4	14.3	-	-	28	100.0
C23-C24	Gallbladder etc.	-	-	33	84.6	3	7.7	2	5.1	1	2.6	-	-	39	100.0
C25	Pancreas	-	-	1	25.0	1	25.0	-	-	2	50.0	-	-	4	100.0
C30-C31	Nose, Sinuses etc.	-	-	3	100.0	-	-	-	-	-	-	-	-	3	100.0
C32	Larynx	-	-	3	100.0	-	-	-	-	-	-	-	-	3	100.0
C33-C34	Lung etc.	-	-	31	68.9	6	13.3	2	4.4	6	13.3	-	-	45	100.0
C37-C38	Other Thoracic Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C40-C41	Bone	-	-	3	75.0	-	-	1	25.0	-	-	-	-	4	100.0
C43	Melanoma of Skin	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C44	Other Skin	-	-	19	100.0	-	-	-	-	-	-	-	-	19	100.0
C45	Mesothelioma	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C46	Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C47+C49	Conn. & Soft Tissue	-	-	10	100.0	-	-	-	-	-	-	-	-	10	100.0
C50	Breast	-	-	59	98.3	-	-	1	1.7	-	-	-	-	60	100.0
C51	Vulva	1	25.0	3	75.0	-	-	-	-	-	-	-	-	4	100.0
C52	Vagina	-	-	1	100.0	-	-	-	-	-	-	-	-	1	100.0
C53	Cervix Uteri	3	6.4	41	87.2	1	2.1	2	4.3	-	-	-	-	47	100.0
C54	Corpus Uteri	-	-	6	100.0	-	-	-	-	-	-	-	-	6	100.0
C55	Uterus Unspecified	-	-	9	90.0	-	-	1	10.0	-	-	-	-	10	100.0
C56	Ovary etc.	1	4.5	17	77.3	3	13.6	-	-	1	4.5	-	-	22	100.0
C57	Other Female Genital	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C58	Placenta	-	-	1	100.0	-	-	-	-	-	-	-	-	1	100.0
C64	Kidney etc.	-	-	6	75.0	2	25.0	-	-	-	-	-	-	8	100.0
C65	Renal Pelvis	-	-	1	100.0	-	-	-	-	-	-	-	-	1	100.0
C66	Ureter	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C67	Bladder	-	-	3	60.0	1	20.0	1	20.0	-	-	-	-	5	100.0
C68	Uns.Urinary Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C69	Eye	1	50.0	-	-	-	-	-	-	1	50.0	-	-	2	100.0
C70-C72	Brain, Nervous System	-	-	2	8.0	14	56.0	-	-	9	36.0	-	-	25	100.0
C73	Thyroid	-	-	17	100.0	-	-	-	-	-	-	-	-	17	100.0
C74	Adrenal Gland	-	-	1	100.0	-	-	-	-	-	-	-	-	1	100.0
C81	Hodgkins Disease	-	-	1	100.0	-	-	-	-	-	-	-	-	1	100.0
C82-C85,C96	NHL	-	-	2	100.0	-	-	-	-	-	-	-	-	2	100.0
C88	Malig Imn.Prol D	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C90	Multiple Myeloma	-	-	2	100.0	-	-	-	-	-	-	-	-	2	100.0
C91	Lymphoid Leuk.	-	-	2	100.0	-	-	-	-	-	-	-	-	2	100.0
C92-C94	Myeloid Leukaemia	-	-	9	100.0	-	-	-	-	-	-	-	-	9	100.0
C95	Leukaemia Uns	-	-	2	100.0	-	-	-	-	-	-	-	-	2	100.0
O&U*	Other and Uns	-	-	20	46.5	5	11.6	16	37.2	2	4.7	-	-	43	100.0
	All Sites	7	1.2	471	80.5	41	7.0	33	5.6	33	5.6	-	-	585	100.0

* O&U includes the Sites (ICD-10: C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)

TABLE SKM-6(a): Number (#) and Proportion (%) of Cancers by Site (ICD-10) and Detailed Microscopic Diagnosis:2009-2011 - Males

ICD-10	Site	Pri. Hist		Sec. Hist		Cytology		Blood Film		Bone Marrow		Others		Total	
		#	%	#	%	#	%	#	%	#	%	#	%	#	%
C00	Lip	1	100.0	-	-	-	-	-	-	-	-	-	-	1	100.0
C01-C02	Tongue	9	64.3	-	-	5	35.7	-	-	-	-	-	-	14	100.0
C03-C06	Mouth	14	63.6	-	-	8	36.4	-	-	-	-	-	-	22	100.0
C07-C08	Salivary Gland	2	22.2	-	-	7	77.8	-	-	-	-	-	-	9	100.0
C09	Tonsil	2	100.0	-	-	-	-	-	-	-	-	-	-	2	100.0
C10	Oth. Oropharynx	-	-	-	-	1	50.0	-	-	-	-	1	50.0	2	100.0
C11	Nasopharynx	13	56.5	-	-	10	43.5	-	-	-	-	-	-	23	100.0
C12-C13	Hypopharynx	10	71.4	-	-	4	28.6	-	-	-	-	-	-	14	100.0
C14	Pharynx Unspecified	1	25.0	-	-	2	50.0	-	-	-	-	1	25.0	4	100.0
C15	Oesophagus	45	84.9	-	-	5	9.4	-	-	-	-	3	5.7	53	100.0
C16	Stomach	93	93.0	-	-	-	-	-	-	-	-	7	7.0	100	100.0
C17	Small Intestine	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C18	Colon	9	64.3	-	-	-	-	-	-	-	-	5	35.7	14	100.0
C19-C20	Rectum	4	50.0	-	-	-	-	-	-	-	-	4	50.0	8	100.0
C21	Anus & Anal Canal	2	66.7	-	-	-	-	-	-	-	-	1	33.3	3	100.0
C22	Liver	9	16.1	-	-	24	42.9	-	-	-	-	23	41.1	56	100.0
C23-C24	Gallbladder etc.	6	37.5	-	-	2	12.5	-	-	-	-	8	50.0	16	100.0
C25	Pancreas	1	16.7	1	16.7	2	33.3	-	-	-	-	2	33.3	6	100.0
C30-C31	Nose, Sinuses etc.	3	75.0	-	-	1	25.0	-	-	-	-	-	-	4	100.0
C32	Larynx	14	60.9	-	-	9	39.1	-	-	-	-	-	-	23	100.0
C33-C34	Lung etc.	5	10.9	1	2.2	24	52.2	-	-	-	-	16	34.8	46	100.0
C37-C38	Other Thoracic Organs	1	100.0	-	-	-	-	-	-	-	-	-	-	1	100.0
C40-C41	Bone	4	57.1	-	-	2	28.6	-	-	-	-	1	14.3	7	100.0
C43	Melanoma of Skin	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C44	Other Skin	12	66.7	-	-	6	33.3	-	-	-	-	-	-	18	100.0
C45	Mesothelioma	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C46	Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C47+C49	Conn. & Soft Tissue	1	33.3	-	-	1	33.3	-	-	-	-	1	33.3	3	100.0
C50	Breast	1	16.7	-	-	4	66.7	-	-	-	-	1	16.7	6	100.0
C60	Penis	5	62.5	-	-	3	37.5	-	-	-	-	-	-	8	100.0
C61	Prostate	3	42.9	-	-	-	-	-	-	-	-	4	57.1	7	100.0
C62	Testis	1	100.0	-	-	-	-	-	-	-	-	-	-	1	100.0
C63	Other Male Genital	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C64	Kidney etc.	1	20.0	-	-	2	40.0	-	-	-	-	2	40.0	5	100.0
C65	Renal Pelvis	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C66	Ureter	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C67	Bladder	10	55.6	-	-	2	11.1	-	-	-	-	6	33.3	18	100.0
C68	Uns.Urinary Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C69	Eye	2	100.0	-	-	-	-	-	-	-	-	-	-	2	100.0
C70-C72	Brain, Nervous System	5	20.0	-	-	-	-	-	-	-	-	20	80.0	25	100.0
C73	Thyroid	1	9.1	-	-	10	90.9	-	-	-	-	-	-	11	100.0
C74	Adrenal Gland	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C81	Hodgkins Disease	-	-	-	-	2	100.0	-	-	-	-	-	-	2	100.0
C82-C85,C96	NHL	-	-	-	-	3	100.0	-	-	-	-	-	-	3	100.0
C88	Malig Imn.Prol D	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C90	Multiple Myeloma	-	-	-	-	-	-	1	33.3	2	66.7	-	-	3	100.0
C91	Lymphoid Leuk.	-	-	-	-	-	-	3	100.0	-	-	-	-	3	100.0
C92-C94	Myeloid Leukaemia	-	-	-	-	-	-	16	72.7	6	27.3	-	-	22	100.0
C95	Leukaemia Uns	-	-	-	-	-	-	1	100.0	-	-	-	-	1	100.0
O&U*	Other and Uns	-	-	-	-	30	49.2	-	-	-	-	31	50.8	61	100.0
	All Sites	290	46.3	2	0.3	169	27.0	21	3.3	8	1.3	137	21.9	627	100.0

* O&U includes the Sites (ICD-10: C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)

TABLE SKM-6(b): Number (#) and Proportion (%) of Cancers by Site (ICD-10) and Detailed Microscopic Diagnosis:2009-2011 - Females

ICD-10	Site	Pri. Hist		Sec. Hist		Cytology		Blood Film		Bone Marrow		Others		Total	
		#	%	#	%	#	%	#	%	#	%	#	%	#	%
C00	Lip	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C01-C02	Tongue	5	55.6	-	-	4	44.4	-	-	-	-	-	-	9	100.0
C03-C06	Mouth	10	62.5	-	-	6	37.5	-	-	-	-	-	-	16	100.0
C07-C08	Salivary Gland	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C09	Tonsil	2	50.0	-	-	2	50.0	-	-	-	-	-	-	4	100.0
C10	Oth. Oropharynx	-	-	-	-	1	50.0	-	-	-	-	1	50.0	2	100.0
C11	Nasopharynx	6	40.0	-	-	9	60.0	-	-	-	-	-	-	15	100.0
C12-C13	Hypopharynx	3	100.0	-	-	-	-	-	-	-	-	-	-	3	100.0
C14	Pharynx Unspecified	1	50.0	-	-	-	-	-	-	-	-	1	50.0	2	100.0
C15	Oesophagus	32	91.4	-	-	-	-	-	-	-	-	3	8.6	35	100.0
C16	Stomach	41	93.2	-	-	3	6.8	-	-	-	-	-	-	44	100.0
C17	Small Intestine	1	50.0	-	-	-	-	-	-	-	-	1	50.0	2	100.0
C18	Colon	9	64.3	-	-	-	-	-	-	-	-	5	35.7	14	100.0
C19-C20	Rectum	9	81.8	-	-	-	-	-	-	-	-	2	18.2	11	100.0
C21	Anus & Anal Canal	2	100.0	-	-	-	-	-	-	-	-	-	-	2	100.0
C22	Liver	2	7.1	-	-	15	53.6	-	-	-	-	11	39.3	28	100.0
C23-C24	Gallbladder etc.	23	59.0	-	-	10	25.6	-	-	-	-	6	15.4	39	100.0
C25	Pancreas	1	25.0	-	-	-	-	-	-	-	-	3	75.0	4	100.0
C30-C31	Nose, Sinuses etc.	2	66.7	-	-	1	33.3	-	-	-	-	-	-	3	100.0
C32	Larynx	2	66.7	-	-	1	33.3	-	-	-	-	-	-	3	100.0
C33-C34	Lung etc.	9	20.0	5	11.1	17	37.8	-	-	-	-	14	31.1	45	100.0
C37-C38	Other Thoracic Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C40-C41	Bone	2	50.0	-	-	1	25.0	-	-	-	-	1	25.0	4	100.0
C43	Melanoma of Skin	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C44	Other Skin	9	47.4	1	5.3	9	47.4	-	-	-	-	-	-	19	100.0
C45	Mesothelioma	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C46	Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C47+C49	Conn. & Soft Tissue	6	60.0	-	-	4	40.0	-	-	-	-	-	-	10	100.0
C50	Breast	14	23.3	-	-	45	75.0	-	-	-	-	1	1.7	60	100.0
C51	Vulva	3	75.0	-	-	-	-	-	-	-	-	1	25.0	4	100.0
C52	Vagina	1	100.0	-	-	-	-	-	-	-	-	-	-	1	100.0
C53	Cervix Uteri	36	76.6	-	-	5	10.6	-	-	-	-	6	12.8	47	100.0
C54	Corpus Uteri	6	100.0	-	-	-	-	-	-	-	-	-	-	6	100.0
C55	Uterus Unspecified	8	80.0	-	-	1	10.0	-	-	-	-	1	10.0	10	100.0
C56	Ovary etc.	13	59.1	-	-	4	18.2	-	-	-	-	5	22.7	22	100.0
C57	Other Female Genital	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C58	Placenta	1	100.0	-	-	-	-	-	-	-	-	-	-	1	100.0
C64	Kidney etc.	3	37.5	-	-	3	37.5	-	-	-	-	2	25.0	8	100.0
C65	Renal Pelvis	1	100.0	-	-	-	-	-	-	-	-	-	-	1	100.0
C66	Ureter	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C67	Bladder	3	60.0	-	-	-	-	-	-	-	-	2	40.0	5	100.0
C68	Uns.Urinary Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C69	Eye	-	-	-	-	-	-	-	-	-	-	2	100.0	2	100.0
C70-C72	Brain, Nervous System	2	8.0	-	-	-	-	-	-	-	-	23	92.0	25	100.0
C73	Thyroid	2	11.8	-	-	15	88.2	-	-	-	-	-	-	17	100.0
C74	Adrenal Gland	1	100.0	-	-	-	-	-	-	-	-	-	-	1	100.0
C81	Hodgkins Disease	-	-	-	-	1	100.0	-	-	-	-	-	-	1	100.0
C82-C85,C96	NHL	-	-	-	-	2	100.0	-	-	-	-	-	-	2	100.0
C88	Malig Imn.Prol D	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C90	Multiple Myeloma	-	-	-	-	-	-	1	50.0	1	50.0	-	-	2	100.0
C91	Lymphoid Leuk.	-	-	-	-	-	-	1	50.0	1	50.0	-	-	2	100.0
C92-C94	Myeloid Leukaemia	-	-	-	-	-	-	8	88.9	1	11.1	-	-	9	100.0
C95	Myeloid Leukaemia Uns	-	-	-	-	-	-	1	50.0	1	50.0	-	-	2	100.0
O&U*	Other and Uns	1	2.3	-	-	19	44.2	-	-	-	-	23	53.5	43	100.0
	All Sites	272	46.5	6	1.0	178	30.4	11	1.9	4	0.7	114	19.5	585	100.0

* O&U includes the Sites (ICD-10: C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)

TABLE SKM-7(a): Number of Cancer Deaths by Five Year Age Group and Site (ICD-10):2009-2011 – Males

%= Relative Proportion of Cancers of All Sites.

ICD-10	Site	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75+	Unkn	Total	%
C00	Lip	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C01-C02	Tongue	-	-	-	-	-	-	-	-	-	3	-	-	-	4	1	-	-	8	2.86
C03-C06	Mouth	-	-	-	-	-	-	-	-	1	-	1	1	1	2	-	1	-	7	2.50
C07-C08	Salivary Gland	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	1	-	3	1.07
C09	Tonsil	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	2	0.71
C10	Oth. Oropharynx	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	0.36
C11	Nasopharynx	-	-	1	-	-	-	-	-	-	2	1	1	2	1	1	-	-	9	3.21
C12-C13	Hypopharynx	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	3	-	5	1.79
C14	Pharynx Unspecified	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	2	0.71
C15	Oesophagus	-	-	-	-	-	-	-	-	-	6	5	1	3	2	5	11	-	33	11.79
C16	Stomach	-	-	-	-	-	1	-	-	2	4	5	3	9	12	5	5	-	46	16.43
C17	Small Intestine	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C18	Colon	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	-	3	1.07
C19-C20	Rectum	-	-	-	-	-	-	-	1	-	-	-	2	-	-	-	3	-	6	2.14
C21	Anus & Anal Canal	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C22	Liver	-	-	-	-	-	-	-	1	2	2	6	3	4	4	7	7	-	36	12.86
C23-C24	Gallbladder etc.	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	1	-	5	1.79
C25	Pancreas	-	-	-	-	-	-	-	1	-	-	2	-	1	-	-	-	-	4	1.43
C30-C31	Nose, Sinuses etc.	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	2	0.71
C32	Larynx	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	5	-	7	2.50
C33-C34	Lung etc.	-	-	-	-	-	-	-	-	1	-	1	-	1	7	1	8	-	19	6.79
C37-C38	Other Thoracic Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C40-C41	Bone	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	2	0.71
C43	Melanoma of Skin	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C44	Other Skin	-	-	-	-	-	-	2	-	-	-	-	-	1	-	-	-	-	3	1.07
C45	Mesothelioma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C46	Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C47 + C49	Conn. & Soft Tissue	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	0.36
C50	Breast	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	0.36
C60	Penis	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	2	0.71
C61	Prostate	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	2	0.71
C62	Testis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C63	Other Male Genital	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C64	Kidney etc.	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	0.36
C65	Renal Pelvis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C66	Ureter	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C67	Bladder	-	-	-	-	-	-	-	-	1	1	1	-	1	2	-	-	-	6	2.14
C68	Uns. Urinary Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C69	Eye	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C70-C72	Brain, NS	-	1	-	-	3	-	-	1	-	-	-	2	-	-	1	1	-	9	3.21
C73	Thyroid	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	3	1.07
C74	Adrenal Gland	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C81	Hodgkins Disease	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C82-C85,C96	NHL	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	2	0.71
C88	Malignant Imm. Prol D	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C90	Multiple Myeloma	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-	3	1.07
C91	Lymphoid Leuk.	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	0.36
C92-C94	Myeloid Leukaemia	-	-	-	-	2	2	1	-	-	1	-	1	1	-	3	2	-	13	4.64
C95	Leukaemia Uns	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	0.71
O&U*	Other and Uns	-	-	-	-	-	1	-	1	2	-	4	2	2	4	10	5	-	31	11.07
	All Sites	2	1	3	1	5	5	3	6	9	19	30	23	31	45	40	57	-	280	100.00

* O&U includes the Sites (ICD-10: C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)

TABLE SKM-7(b): Number of Cancer Deaths by Five Year Age Group and Site (ICD-10):2009-2011 – Females

%= Relative Proportion of Cancers of All Sites.

ICD-10	Site	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75+	Unkn	Total	%
C00	Lip	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C01-C02	Tongue	-	-	-	-	-	-	-	-	-	1	-	-	2	-	2	-	-	5	2.12
C03-C06	Mouth	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	1	-	3	1.27
C07-C08	Salivary Gland	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C09	Tonsil	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C10	Oth. Oropharynx	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	0.42
C11	Nasopharynx	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-	3	1.27
C12-C13	Hypopharynx	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	0.85
C14	Pharynx Unspecified	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	2	0.85
C15	Oesophagus	-	-	-	-	1	-	-	-	-	-	1	1	3	4	2	4	-	16	6.78
C16	Stomach	-	-	-	1	-	1	1	-	2	1	2	3	-	2	5	7	-	25	10.59
C17	Small Intestine	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	0.42
C18	Colon	-	-	-	-	-	-	-	-	1	-	1	-	-	2	-	-	-	4	1.69
C19-C20	Rectum	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	0.42
C21	Anus & Anal Canal	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C22	Liver	-	-	-	-	-	1	1	-	-	2	6	4	2	3	1	2	-	22	9.32
C23-C24	Gallbladder etc.	-	-	-	-	-	-	-	1	-	2	4	1	2	3	-	4	-	17	7.20
C25	Pancreas	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	0.42
C30-C31	Nose, Sinuses etc.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C32	Larynx	-	-	-	-	-	-	-	-	1	-	-	-	1	1	-	-	-	3	1.27
C33-C34	Lung etc.	-	-	-	-	-	-	-	-	-	2	5	4	1	5	7	5	-	29	12.29
C37-C38	Other Thoracic Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C40-C41	Bone	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	0.42
C43	Melanoma of Skin	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C44	Other Skin	-	-	-	-	-	-	-	1	1	1	-	-	-	1	-	-	-	4	1.69
C45	Mesothelioma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C46	Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C47+C49	Conn. & Soft Tissue	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	2	0.85
C50	Breast	-	-	-	-	-	-	-	1	2	2	2	1	2	-	-	2	-	12	5.08
C51	Vulva	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	0.42
C52	Vagina	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C53	Cervix Uteri	-	-	-	-	-	-	2	3	3	3	3	3	2	1	-	-	-	20	8.47
C54	Corpus Uteri	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	0.42
C55	Uterus Unspecified	-	-	-	-	-	-	-	-	1	1	-	-	1	-	1	-	-	4	1.69
C56	Ovary etc.	-	-	-	-	-	-	-	2	-	-	2	2	-	-	-	-	1	7	2.97
C57	Other Female Genital	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C58	Placenta	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C64	Kidney etc.	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	0.42
C65	Renal Pelvis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C66	Ureter	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C67	Bladder	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	2	0.85
C68	Uns.Urinary Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C69	Eye	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	0.42
C70-C72	Brain, NS	-	1	1	-	2	-	1	-	-	1	-	-	1	-	3	-	-	10	4.24
C73	Thyroid	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	1	-	3	1.27
C74	Adrenal Gland	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C81	Hodgkins Disease	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C82-C85,C96	NHL	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C88	Malignant Imm.Prol D	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C90	Multiple Myeloma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C91	Lymphoid Leuk.	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	0.42
C92-C94	Myeloid Leukaemia	-	-	-	-	-	1	2	2	-	-	2	-	1	-	-	-	-	8	3.39
C95	Leukaemia Uns	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	2	0.85
O&U*	Other and Uns	-	-	-	-	1	-	-	-	2	2	2	2	2	1	3	6	-	21	8.90
	All Sites	2	2	1	1	4	3	8	12	16	19	32	23	27	25	24	36	1	236	100.00

* O&U includes the Sites (ICD-10: C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)

TABLE SKM-8(a): Average Annual Age Specific, Crude (CR), Age Adjusted (AAR) (with Standard Error (SE)) and Truncated (35-64 Yrs) (TR) Mortality Rate per 100,000 population:2009-2011 - Males

ICD-10	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	>75	CR	AAR	SE	TR
C00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C01-C02	-	-	-	-	-	-	-	-	-	5.5	-	-	-	20.9	6.7	-	0.7	1.1	0.39	1.1
C03-C06	-	-	-	-	-	-	-	-	1.4	-	2.7	3.6	4.6	10.5	-	6.9	0.6	1.0	0.38	1.8
C07-C08	-	-	-	-	-	-	-	-	-	-	2.7	-	4.6	-	-	6.9	0.3	0.5	0.26	1.0
C09	-	-	-	-	-	-	-	-	-	-	-	-	4.6	-	-	6.9	0.2	0.3	0.23	0.6
C10	-	-	-	-	-	-	-	-	-	-	-	-	-	5.2	-	-	0.1	0.2	0.16	-
C11	-	-	0.7	-	-	-	-	-	-	3.7	2.7	3.6	9.2	5.2	6.7	-	0.8	1.2	0.42	2.8
C12-C13	-	-	-	-	-	-	-	-	-	-	-	3.6	-	-	6.7	20.6	0.4	0.7	0.31	0.5
C14	-	-	-	-	-	-	-	-	-	-	-	-	4.6	5.2	-	-	0.2	0.3	0.24	0.6
C15	-	-	-	-	-	-	-	-	-	11.1	13.3	3.6	13.8	10.5	33.6	75.5	2.9	4.5	0.79	6.5
C16	-	-	-	-	-	1.0	-	-	2.9	7.4	13.3	10.8	41.3	62.7	33.6	34.3	4.1	6.7	1.00	10.9
C17	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C18	-	-	-	-	-	-	-	-	-	-	2.7	-	-	5.2	6.7	-	0.3	0.4	0.25	0.4
C19-C20	-	-	-	-	-	-	-	1.1	-	-	-	7.2	-	-	-	20.6	0.5	0.8	0.32	1.2
C21	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C22	-	-	-	-	-	-	-	1.1	2.9	3.7	15.9	10.8	18.4	20.9	47.0	48.1	3.2	5.0	0.84	7.8
C23-C24	-	-	-	-	-	-	-	-	-	-	-	3.6	4.6	5.2	6.7	6.9	0.4	0.8	0.34	1.1
C25	-	-	-	-	-	-	-	1.1	-	-	5.3	-	4.6	-	-	-	0.4	0.5	0.27	1.7
C30-C31	-	-	-	0.7	-	-	-	-	-	-	-	-	-	-	-	6.9	0.2	0.2	0.15	-
C32	-	-	-	-	-	-	-	-	-	-	-	-	4.6	-	6.7	34.3	0.6	1.0	0.38	0.6
C33-C34	-	-	-	-	-	-	-	-	1.4	-	2.7	-	4.6	36.6	6.7	54.9	1.7	2.7	0.63	1.3
C37-C38	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C40-C41	-	-	-	-	-	-	-	-	-	-	2.7	-	-	-	-	6.9	0.2	0.3	0.19	0.4
C43	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C44	-	-	-	-	-	-	2.2	-	-	-	-	-	4.6	-	-	-	0.3	0.3	0.21	0.6
C45	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C46	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C47+C49	-	-	-	-	-	-	-	1.1	-	-	-	-	-	-	-	-	0.1	0.1	0.07	0.2
C50	-	-	-	-	-	-	-	-	-	-	-	3.6	-	-	-	-	0.1	0.1	0.14	0.5
C60	-	-	-	-	-	1.0	-	-	-	-	-	3.6	-	-	-	-	0.2	0.2	0.17	0.5
C61	-	-	-	-	-	-	-	-	-	-	-	-	-	10.5	-	-	0.2	0.3	0.22	-
C62	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C63	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C64	1.2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.1	0.1	0.15	-
C65	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C66	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C67	-	-	-	-	-	-	-	-	1.4	1.8	2.7	-	4.6	10.5	-	-	0.5	0.8	0.35	1.7
C68	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C69	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C70-C72	-	0.9	-	-	2.5	-	-	1.1	-	-	-	7.2	-	-	6.7	6.9	0.8	0.9	0.32	1.2
C73	-	-	-	-	-	-	-	-	-	-	-	-	-	-	13.4	6.9	0.3	0.4	0.23	-
C74	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C81	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C82-C85,C96	-	-	-	-	-	-	-	-	-	-	2.7	3.6	-	-	-	-	0.2	0.3	0.20	0.9
C88	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C90	-	-	-	-	-	-	-	-	-	-	-	7.2	-	5.2	-	-	0.3	0.4	0.26	0.9
C91	-	-	0.7	-	-	-	-	-	-	-	-	-	-	-	-	-	0.1	0.1	0.06	-
C92-C94	-	-	-	-	1.6	2.0	1.1	-	-	1.8	-	3.6	4.6	-	20.1	13.7	1.1	1.5	0.43	1.4
C95	1.2	-	0.7	-	-	-	-	-	-	-	-	-	-	-	-	-	0.2	0.2	0.16	-
O&U*	-	-	-	-	-	1.0	-	1.1	2.9	-	10.6	7.2	9.2	20.9	67.1	34.3	2.7	4.2	0.76	4.6
All	2.4	0.9	2.1	0.7	4.1	5.1	3.4	6.9	13.0	35.1	79.5	83.0	142.3	235.2	268.4	391.4	24.7	38.1	2.33	52.5

* O&U includes the Sites (ICD-10: C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)

TABLE SKM-8(b): Average Annual Age Specific, Crude (CR), Age Adjusted (AAR) (with Standard Error (SE)) and Truncated (35-64 Yrs) (TR) Mortality Rate per 100,000 population:2009-2011 - Females

ICD-10	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	>75	CR	AAR	SE	TR
C00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C01-C02	-	-	-	-	-	-	-	-	-	2.5	-	-	10.7	-	19.2	-	0.5	1.0	0.43	1.9
C03-C06	-	-	-	-	-	-	-	-	1.9	-	-	-	5.3	-	-	9.3	0.3	0.5	0.31	1.1
C07-C08	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C09	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C10	-	-	-	-	-	-	-	-	-	-	3.4	-	-	-	-	-	0.1	0.2	0.17	0.5
C11	-	-	-	-	-	-	-	1.4	-	2.5	-	4.9	-	-	-	-	0.3	0.4	0.26	1.4
C12-C13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	18.6	0.2	0.4	0.26	-
C14	-	-	-	-	-	-	-	-	-	-	-	-	5.3	-	-	9.3	0.2	0.4	0.28	0.7
C15	-	-	-	-	1.0	-	-	-	-	-	3.4	4.9	16.0	26.0	19.2	37.3	1.6	3.0	0.76	3.2
C16	-	-	-	0.8	-	1.1	1.4	-	3.9	2.5	6.8	14.7	-	13.0	47.9	65.2	2.5	4.2	0.86	4.2
C17	-	-	-	-	-	-	-	1.4	-	-	-	-	-	-	-	-	0.1	0.1	0.09	0.3
C18	-	-	-	-	-	-	-	-	1.9	-	3.4	-	-	13.0	-	-	0.4	0.7	0.34	0.9
C19-C20	-	-	-	-	-	-	1.4	-	-	-	-	-	-	-	-	-	0.1	0.1	0.09	-
C21	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C22	-	-	-	-	-	1.1	1.4	-	-	5.0	20.3	19.6	10.7	19.5	9.6	18.6	2.2	3.9	0.83	8.2
C23-C24	-	-	-	-	-	-	-	1.4	-	5.0	13.6	4.9	10.7	19.5	-	37.3	1.7	3.0	0.74	5.4
C25	-	-	-	-	-	-	-	-	-	-	-	-	5.3	-	-	-	0.1	0.2	0.21	0.7
C30-C31	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C32	-	-	-	-	-	-	-	-	1.9	-	-	-	5.3	6.5	-	-	0.3	0.5	0.31	1.1
C33-C34	-	-	-	-	-	-	-	-	-	5.0	17.0	19.6	5.3	32.4	67.0	46.6	2.9	5.4	1.00	6.9
C37-C38	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C40-C41	-	-	-	-	-	-	-	-	-	-	-	-	-	6.5	-	-	0.1	0.2	0.19	-
C43	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C44	-	-	-	-	-	-	-	1.4	1.9	2.5	-	-	-	6.5	-	-	0.4	0.5	0.29	1.1
C45	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C46	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C47+C49	-	-	-	-	-	-	-	-	-	-	-	-	5.3	-	-	9.3	0.2	0.4	0.28	0.7
C50	-	-	-	-	-	-	-	1.4	3.9	5.0	6.8	4.9	10.7	-	-	18.6	1.2	2.0	0.58	5.1
C51	-	-	-	-	-	-	-	-	-	-	-	-	5.3	-	-	-	0.1	0.2	0.21	0.7
C52	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C53	-	-	-	-	-	-	2.8	4.3	5.8	7.5	10.2	14.7	10.7	6.5	-	-	2.0	2.9	0.69	8.3
C54	-	-	-	-	-	-	-	-	1.9	-	-	-	-	-	-	-	0.1	0.1	0.12	0.4
C55	-	-	-	-	-	-	-	-	1.9	2.5	-	-	5.3	-	9.6	-	0.4	0.7	0.34	1.5
C56	-	-	-	-	-	-	-	2.9	-	-	6.8	9.8	-	-	-	-	0.7	0.9	0.39	2.9
C57	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C58	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C64	1.3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.1	0.2	0.16	-
C65	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C66	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C67	-	-	-	-	-	-	-	-	1.9	-	-	4.9	-	-	-	-	0.2	0.3	0.23	1.0
C68	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C69	1.3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.1	0.2	0.16	-
C70-C72	-	0.9	0.7	-	2.0	-	1.4	-	-	2.5	-	-	5.3	-	28.7	-	1.0	1.3	0.46	1.2
C73	-	-	-	-	-	-	-	-	-	-	3.4	-	-	6.5	-	9.3	0.3	0.6	0.32	0.5
C74	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C81	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C82-C85,C96	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C88	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C90	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C91	-	-	-	-	-	-	-	-	-	-	-	-	5.3	-	-	-	0.1	0.2	0.21	0.7
C92-C94	-	-	-	-	-	1.1	2.8	2.9	-	-	6.8	-	5.3	-	-	-	0.8	1.0	0.37	2.3
C95	-	0.9	-	-	-	-	-	-	-	-	-	-	5.3	-	-	-	0.2	0.3	0.23	0.7
O&U*	-	-	-	-	1.0	-	-	-	3.9	5.0	6.8	9.8	10.7	6.5	28.7	55.9	2.1	3.7	0.81	5.5
All	2.6	1.8	0.7	0.8	3.9	3.4	11.4	17.2	31.2	47.3	108.5	112.9	143.9	162.2	229.9	335.3	23.9	39.5	2.65	69.1

* O&U includes the Sites (ICD-10: C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)

TABLE SKM-9(a): Cumulative Rate (Cu.Rate%) & Cumulative Risk (Cu.Risk) of individual sites (ICD-10) based on age specific rates (from 0-64 years and from 0-74 Years) 2009-2011 - Males

ICD-10	Site	0 - 64 Years		0 - 74 Years	
		Cu. Rate %	Cu. Risk	Cu. Rate%	Cu. Risk
C00	Lip	-	-	-	-
C01-C02	Tongue	0.1	0.1	0.2	0.2
C03-C06	Mouth	0.2	0.2	0.3	0.3
C07-C08	Salivary Gland	0.1	0.1	0.1	0.1
C09	Tonsil	-	-	-	-
C10	Oth. Oropharynx	-	-	0.1	0.1
C11	Nasopharynx	0.2	0.2	0.3	0.3
C12-C13	Hypopharynx	-	-	0.2	0.2
C14	Pharynx Unspecified	0.1	0.1	0.1	0.1
C15	Oesophagus	0.4	0.4	0.8	0.8
C16	Stomach	0.7	0.7	1.8	1.8
C17	Small Intestine	-	-	-	-
C18	Colon	0.1	0.1	0.2	0.2
C19-C20	Rectum	0.1	0.1	0.1	0.1
C21	Anus & Anal Canal	-	-	-	-
C22	Liver	0.4	0.4	1.0	1.0
C23-C24	Gallbladder etc.	0.1	0.1	0.3	0.3
C25	Pancreas	0.1	0.1	0.1	0.1
C30-C31	Nose, Sinuses etc.	-	-	-	-
C32	Larynx	0.1	0.1	0.4	0.4
C33-C34	Lung etc.	0.2	0.2	0.6	0.6
C37-C38	Other Thoracic Organs	-	-	-	-
C40-C41	Bone	-	-	-	-
C43	Melanoma of Skin	-	-	-	-
C44	Other Skin	0.1	0.1	0.2	0.2
C45	Mesothelioma	-	-	-	-
C46	Kaposi Sarcoma	-	-	-	-
C47+C49	Conn. & Soft Tissue	-	-	0.1	0.1
C50	Breast	-	-	0.1	0.1
C60	Penis	0.1	0.1	0.1	0.1
C61	Prostate	-	-	0.1	0.1
C62	Testis	-	-	-	-
C63	Other Male Genital	-	-	-	-
C64	Kidney etc.	0.1	0.1	0.1	0.1
C65	Renal Pelvis	-	-	-	-
C66	Ureter	-	-	-	-
C67	Bladder	0.1	0.1	0.3	0.3
C68	Uns.Urinary Organs	-	-	-	-
C69	Eye	-	-	-	-
C70-C72	Brain, Nervous System	0.2	0.2	0.2	0.2
C73	Thyroid	0.1	0.1	0.1	0.1
C74	Adrenal Gland	-	-	-	-
C81	Hodgkins Disease	-	-	-	-
C82-C85,C96	NHL	-	-	-	-
C88	Malig Imn.Prol D	-	-	-	-
C90	Multiple Myeloma	-	-	-	-
C91	Lymphoid Leuk.	-	-	-	-
C92-C94	Myeloid Leukaemia	0.2	0.2	0.2	0.2
C95	Leukaemia Uns	-	-	-	-
O&U*	Other and Uns	0.4	0.4	1.1	1.1
	All Sites	4.34	4.24	9.94	9.46

* O&U includes the Sites (ICD-10: C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)

**TABLE SKM-9(b): Cumulative Rate (Cu.Rate%) & Cumulative Risk (Cu.Risk)
of individual sites (ICD-10) based on age specific rates
(from 0-64 years and from 0-74 Years)2009-2011 - Females**

ICD-10	Site	0 - 64 Years		0 - 74 Years	
		Cu. Rate %	Cu. Risk	Cu. Rate%	Cu. Risk
C00	Lip	-	-	-	-
C01-C02	Tongue	0.1	0.1	0.2	0.2
C03-C06	Mouth	0.2	0.2	0.3	0.3
C07-C08	Salivary Gland	-	-	-	-
C09	Tonsil	0.1	0.1	0.1	0.1
C10	Oth. Oropharynx	0.1	0.1	0.1	0.1
C11	Nasopharynx	0.2	0.2	0.2	0.2
C12-C13	Hypopharynx	-	-	-	-
C14	Pharynx Unspecified	-	-	-	-
C15	Oesophagus	0.3	0.3	0.9	0.9
C16	Stomach	0.4	0.4	1.0	1.0
C17	Small Intestine	-	-	-	-
C18	Colon	0.1	0.1	0.3	0.3
C19-C20	Rectum	0.1	0.1	0.2	0.2
C21	Anus & Anal Canal	-	-	-	-
C22	Liver	0.4	0.4	0.6	0.6
C23-C24	Gallbladder etc.	0.4	0.4	0.7	0.7
C25	Pancreas	-	-	0.1	0.1
C30-C31	Nose, Sinuses etc.	-	-	0.1	0.1
C32	Larynx	0.1	0.1	0.1	0.1
C33-C34	Lung etc.	0.3	0.3	1.1	1.2
C37-C38	Other Thoracic Organs	-	-	-	-
C40-C41	Bone	-	-	0.1	0.1
C43	Melanoma of Skin	-	-	-	-
C44	Other Skin	0.1	0.1	0.3	0.3
C45	Mesothelioma	-	-	-	-
C46	Kaposi Sarcoma	-	-	-	-
C47+C49	Conn. & Soft Tissue	-	-	0.1	0.1
C50	Breast	0.7	0.7	0.9	0.9
C51	Vulva	-	-	-	-
C52	Vagina	-	-	-	-
C53	Cervix Uteri	0.7	0.7	0.8	0.8
C54	Corpus Uteri	0.1	0.1	0.1	0.1
C55	Uterus Unspecified	0.1	0.1	0.2	0.2
C56	Ovary etc.	0.3	0.3	0.4	0.4
C57	Other Female Genital	-	-	-	-
C58	Placenta	-	-	-	-
C64	Kidney etc.	0.1	0.1	0.2	0.2
C65	Renal Pelvis	-	-	-	-
C66	Ureter	-	-	-	-
C67	Bladder	0.1	0.1	0.1	0.1
C68	Uns.Urinary Organs	-	-	-	-
C69	Eye	-	-	-	-
C70-C72	Brain, Nervous System	0.3	0.3	0.4	0.4
C73	Thyroid	0.2	0.2	0.2	0.2
C74	Adrenal Gland	-	-	-	-
C81	Hodgkins Disease	-	-	-	-
C82-C85,C96	NHL	-	-	-	-
C88	Malig Imn.Prol D	-	-	-	-
C90	Multiple Myeloma	-	-	-	-
C91	Lymphoid Leuk.	-	-	-	-
C92-C94	Myeloid Leukaemia	0.1	0.1	0.1	0.1
C95	Leukaemia Uns	-	-	-	-
O&U*	Other and Uns	0.4	0.4	0.6	0.6
	All Sites	6.17	5.99	10.63	10.08

* O&U includes the Sites (ICD-10: C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)